

More Titlepage Styles with Package `uni-titlepage`

Markus Kohm

v1.3 2025-06-04

Abstract

Creation of title pages is something most authors should not have to do. But reality is not perfect, so a lot of authors have to do it. In 2009 KOMA started the title page project at <https://komascript.de/titlepage> to collect real title pages and implement them with a well defined interface. In 2021 the project has been moved to <https://github.com/komascript/uni-titlepage> and renamed.

Now, changing from one title page style to another would be very simple. Nevertheless implementation of a new title page style may be still difficult. But maybe the guys of the title page project would help you. Just ask!

Contents

1 Loading the Package	2
2 The Title Page Styles and their Options	2
2.1 Style DHBW	6
2.2 Style KOMAScript	7
2.3 Style Markus-1	9
2.4 Style Markus-2	11
2.5 Style Spacer	13
2.6 Style TU-DD	15
2.7 Style TU-HH	16
2.8 Style KIT	17
2.9 Style JT-Aufsaetze	18
2.10 Style JT-Geschichte	19
2.11 Style JT-Typography	20
2.12 Style WWUM	21
2.13 Style UKoLa	22
3 Additonal Commands	23
4 Implementation	24
4.1 The Installation Driver ‘ <code>uni-titlepage.ins</code> ’	24
4.2 The Package <code>scrbase</code>	26
4.3 The <code>titlepage</code> Drivers	39
4.4 The Examples and the Manual	57

1 Loading the Package

You may load this package like all the other package, simply using:

```
\usepackage{uni-titlepage}
```

This package declares several options for title page manipulation. We will describe all those options in the following. Most of the options are package options as well, but some are style options only. You may use every package option already as optional argument of `\usepackage` and even of `\documentclass`. But in most cases it would be better to use them as optional argument of `\TitlePageStyle` or `\maketitle`. We show this way below.

2 The Title Page Styles and their Options

`TitlePageStyle` Several title page styles are supported. You may select a title page style using:

```
\TitlePageStyle[<option>=<value>,...]{<style>}.
```

The available styles are shown at the following sub-sections. Options may be every package option and every style option.

`maketitle` After loading a style you may generate title pages using:

```
\maketitle[<option>=<value>,...].
```

Again, you may use every package option and every style option as optional argument.

`TitleOption` Another way to set an option is to use either
`TitleOptions`

```
\TitleOption{<option>}{<value>}
```

or

```
\TitleOptions{<option>=<value>,...}.
```

You can set every package option and every option of already loaded title page styles.

For every main option, that expects a string argument exists a corresponding command with the same name. So you may set, e.g., the title either using `\TitleOptions{title={This is the Title}}` or `\TitleOption{title}{This is the Title}` or `\maketitle[title={This is the Title}]` or `\TitlePageStyle[title={This is the Title}]{...}` or `\title{This is the Title}`. The most robust way is to use the command `\title` instead of the option at one of the other commands. If you use the option you may need to add `\protect` in front of some commands inside the option value. But note: This is not valid for alias options like `student`, because alias options do not have a corresponding command!

<i>String Option</i>	<i>Styles</i>	<i>Common Meaning</i>
advisor	TU-DD, UKoLa	if your personal advisor differs from the advising professor, this is the name of the advisor
author	<i>every style</i>	the authors, with some styles (currently not with DHBW or UKoLa) you may separate multiple authors by \and
chair	TU-DD, KIT, WWUM, UKoLa	the chair or institute of the faculty of the university where you've made or presented your work
company	DHBW	some works are made not only at a university but in cooperation with a company; at Duale Hochschule Baden-Württemberg this is the default case
course	DHBW	the shortcut for your discipline or course
date	DHBW, KIT, KOMAScript, Markus-1, Markus-2, Spacer, TU-HH, TU-DD, JT-Typography, WWUM	the documents main date, this may be, e.g., the release date, the semester of a thesis or any other most valid date
dedication	KOMAScript, Markus-1, Markus-2, Spacer	sometimes it is nice to dedicate the work to someone, e.g., your wife, your children, your grandmother or your first love
academicgrade	DHBW, TU-HH, WUMM, UKoLa	the academic grade or degree you reach with the work
discipline	DHBW, TU-DD, WUMM	the discipline in which you've made your work or reach your academic grade
duration	DHBW	the processing time for your work
faculty	TU-DD, KIT, WUMM	the faculty of the university where you've made or presented your work
homepage	KIT	the www-address of the homepage

...

<i>String Option</i>	<i>Styles</i>	<i>Common Meaning</i>
<code>mainlogo</code>	DHBW, KIT, UKoLa	a logo at the main title (currently used for the DHBW or the KIT logo at the default of <code>titlehead</code> and the main logo of style UKoLa)
<code>secondlogo</code>	UKoLa	a secondary logo
<code>matriculationnumber</code>	DHBW, TU-DD	if you were a student while you've made the work, this is your number
<code>oralexaminationdate</code>	TU-HH, WUMM	sometimes the date of the oral examination is not the main date but has to be shown too
<code>place</code>	DHBW, TU-HH, JT-Geschichte, JT-Typography, WUMM, UKoLa	the place, in general the city, where you've made the work or where the Duale Hochschule or the publisher resides
<code>professor</code>	TU-DD, WUMM	the name of the professor who advised you during your work
<code>publisher</code>	KOMAScript, Markus-1, Markus-2, Spacer, JT-Aufsätze, JT-Geschichte, JT-Typography	most written works have a publisher
<code>referee</code>	DHBW, TU-HH, UKoLa	every academic work will be referred; with some styles (currently TU-HH, WWUM, UKoLa) multiple referees may be separated with <code>\and</code>
<code>science¹</code>	WWUM	kind of science, e. g., "Naturwissenschaften"
<code>student</code>	<i>see <code>author</code></i>	alias option to <code>author</code>
<code>subject</code>	<i>every style</i>	the kind of work, there are special predefined subjects; if you use one of <code>bachelor</code> , <code>academicgrade</code> , <code>diploma</code> , <code>master</code> , <code>project</code> , <code>seminar</code> , or <code>studentresearch</code> a language dependend replacement will be done; to avoid this, you may set the value in parenthesis

...

<i>String Option</i>	<i>Styles</i>	<i>Common Meaning</i>
subtitle	KOMAScript, Markus-1, Markus-2, Spacer, TU-HH	the sub-title of the document
title	<i>every style</i>	the main title of the document
titlehead	DHBW, KOMAScript, Markus-2, Spacer, KIT	page head over the main title of the document
university	DHBW, TU-DD, TU-HH, KIT, WWUM	the university where you've made or presented your work

Note: Depending on the used style some elements are mandatory. You will get an error message like

```
Package uni-titlepage Error: empty title element 'author'.
```

if such a mandatory element has not been set. In this case use either the option or the corresponding command to setup at least a dummy value, e.g.

```
\author{DON'T FORGET TO CHANGE THE AUTHOR}
```

before the corresponding `\maketitle`.

Let's have a look at the already defined title page styles. You should find an example L^AT_EX file for each of them at the documentation folder. If not, ask your distributor or administrator for those! But you may find the code of all examples in [docstrip](#) syntax even at [subsection 4.4](#) starting at [page 57](#). At the shown examples most variable contents have been made red.

¹Due to a typing error, this option was named 'sience' until version 1.1a. If the obsolete option or the corresponding command is used, a warning is issued from version 1.2 onwards. The correct spelling documented here should be used instead.

2.1 Style DHBW

Josef Schmidbauer asked me for a title page usable for bachelor thesis at the “Duale Hochschulen Baden-Württemberg”. This is a only one title page style.

The page (in example `titlepage-DHBW.tex`) is:

1. main title page with `titlehead`, `mainlogo`, `title`, `subject`, `academicgrade`, `discipline`, `place`, `author`, `duration`, `matriculationnumber`, `course`, `company`, `referee`, `university`, and `date`.



Note: The upper right corner is the logo placeholder. If you'd download the logo from the DHBW homepage <http://www.dhbw.de> and save it with the name `DHBW_d_MOS_195x95_rgb_300.jpg` it would be used automatically. The logo file is also available from https://de.wikipedia.org/wiki/Datei:DHBW_d_MOS_195x95_rgb_300.jpg. This original logo has a large white border, so it would be much smaller than the red box at the example. The example file also contains comments for an optional company logo at the upper left corner.

2.2 Style KOMAScript

This is a style similar to the title pages of KOMA-Script classes.

The pages (in twoside example `titlepage-KOMAScript.tex`) are:

1. defined by `extratitle`, which is not a package option but a style option. You may set it using `\TitleOption` or `\TitleOptions` after loading the style or with the optional argument of `\maketitle` or `\TitlePageStyle`.
2. empty and only in twoside mode with `extratitle` used.
3. main title page with `titlehead`, `subject`, `title`, `subtitle`, `author`, `date`, `publisher`. You may use `\thanks` at any of these.

Das ist ein Schmutztitel im Stil KOMAScript

Den Kopfbereich kann man auf diese Weise füllen.

Eine Klassifizierung der Arbeit

Titel im Stil KOMAScript
Untertitel

Einen Verlag kann man ebenfalls angeben

<p>Oberer Bereich der Rückseite des Haupttitels im Stil KOMAScript.</p> <p>Unterer Bereich der Rückseite des Haupttitels im Stil KOMAScript.</p>	<p>Eine Widmung im Stil KOMAScript</p>
	<ol style="list-style-type: none"> 4. only in twoside mode defined by <code>uppertitleback</code> and <code>lowertitleback</code>, which are not package options but style options. You may set them using <code>\TitleOption</code> or <code>\TitleOptions</code> after loading the style or with the optional argument of <code>\maketitle</code> or <code>\TitlePageStyle</code>. 5. optional post title with <code>dedication</code>. 6. empty and only in twoside mode with <code>dedication</code> used.

2.3 Style Markus-1

This is a style similar to the one of the title of the KOMA-Script book.

The pages (in twoside example `titlepage-Markus-1.tex`) are:

1. defined by `publisher`; may be omitted by `publisher={}`.
2. only in twoside mode with `publisher` defined by `author`.
3. main title page with `subject`, `title`, `subtitle`, and `date`.

	<p style="text-align: right;">Verlag</p>
<p style="text-align: center;">Markus Kohn Sonst Jemand</p>	<p style="text-align: center;">Eine Klassifizierung der Arbeit</p> <p style="text-align: center;">Titel im Stil Markus-1</p> <p style="text-align: center;">Untertitel</p>

<p>Oberer Bereich der Rückseite des Haupttitels im Stil <code>Markus-1</code>.</p> <p>Unterer Bereich der Rückseite des Haupttitels im Stil <code>Markus-1</code>.</p>	<p>Eine Widmung im Stil <code>Markus-1</code>.</p>
	<ol style="list-style-type: none"> 4. only in twoside mode defined by <code>uppertitleback</code> and <code>lowertitleback</code>, which are not package options but style options. You may set them using <code>\TitleOption</code> or <code>\TitleOptions</code> after loading the style or with the optional argument of <code>\maketitle</code> or <code>\TitlePageStyle</code>. 5. optional post title with <code>dedication</code>. 6. empty and only in twoside mode with <code>dedication</code> used.

2.4 Style Markus-2

This style is not a real live style, but similar styles are often used:

The pages (in twoside example `titlepage-Markus-2.tex`) are:

1. defined by `extratitle`.
2. empty and only in twoside mode with `extratitle` used.
3. main title page with `titlehead` placed at the page head (if this is to high, it might be put outside the page; if it is to deep, it might overwrite parte of the title), `rulewidth`, `rulesep` and `rulecolor` for the vertical rule (these aren't package options but style options), `subject`, `title`, `subtitle`, `author`, `date`, and `publisher`. Note: If you want to use option `rulecolor` you have to load a package, that defines `\color`, e.g., `color` or `xcolor`. Otherwise the color will be ignored.

Das ist ein Schmutztitel im Stil Markus-2

Eine Klassifizierung der Arbeit
Markus Kohn
Titel im Stil Markus-2
Untertitel

Verlag

<p>Oberer Bereich der Rückseite des Haupttitels im Stil <code>Markus-2</code>.</p> <p>Unterer Bereich der Rückseite des Haupttitels im Stil <code>Markus-2</code>.</p>	<p>Eine Widmung im Stil <code>Markus-2</code>.</p>
	<ol style="list-style-type: none"> 4. only in twoside mode defined by <code>uppertitleback</code> and <code>lowertitleback</code>, which are not package options but style options. You may set them using <code>\TitleOption</code> or <code>\TitleOptions</code> after loading the style or with the optional argument of <code>\maketitle</code> or <code>\TitlePageStyle</code>. 5. optional post title with <code>dedication</code>. 6. empty and only in twoside mode with <code>dedication</code> used.

2.5 Style Spacer

This style is a variant of style Markus-2 from [subsection 2.4](#). It was asked by `spacer2012` at the original `titlepage` project on <https://komascript.de/titlepage>. In difference to Markus-2 the title head will not be placed at the page head but at the body.

The pages (in `twoside` example `titlepage-Spacer.tex`) are:

1. defined by `extratitle`.
2. empty and only in `twoside` mode with `extratitle` used.
3. main title page with `titlehead` placed at the page head, `rulewidth`, `rulesep` and `rulecolor` for the vertical rule (these aren't package options but style options), `subject`, `title`, `subtitle`, `author`, `date`, and `publisher`. Note: If you want to use option `rulecolor` you have to load a package, that defines `\color`, e.g., `color` or `xcolor`. Otherwise the color will be ignored.

Das ist ein Schmutztitel im Stil Spacer



Eine Klassifizierung der Arbeit

Markus Kohm

Titel im Stil Spacer

Untertitel

Verlag

<p>Oberer Bereich der Rückseite des Haupttitels im Stil Spacer.</p> <p>Unterer Bereich der Rückseite des Haupttitels im Stil Spacer.</p>	<p>Eine Widmung im Stil Spacer</p>
	<ol style="list-style-type: none"> 4. only in twoside mode defined by <code>uppertitleback</code> and <code>lowertitleback</code>, which are not package options but style options. You may set them using <code>\TitleOption</code> or <code>\TitleOptions</code> after loading the style or with the optional argument of <code>\maketitle</code> or <code>\TitlePageStyle</code>. 5. optional post title with <code>dedication</code>. 6. empty and only in twoside mode with <code>dedication</code> used.

2.6 Style TU-DD

This style is used at the “Technische Universität Dresden”. I was asked for this several years ago. Only one title page is defined!

The page (in example `titlepage-TU-DD.tex`) is:

1. main title page with `university`, `faculty`, `chair`, `professor`, `title`, `subject`, `author`, `discipline`, `matriculationnumber`, `advisor`, `place`, and `date`.

Technische Universität Dresden
Fakultät Wirtschaftswissenschaften
SAP-Stiftungslehrstuhl für
Entrepreneurship und Innovation
Prof. Dr. Michael Schefczyk

Titel im Stil TU-DD
Seminararbeit
(bzw. Diplomarbeit)

eingereicht von
Vorname und Name
Studienrichtung
Matrikel-Nr.

Betreuer:
(mit akadem. Grad, Vor- und Zuname)

Dresden, den (Datum der Abgabe)

But there is another variant. If option `blackborder` was set to true, an black border is put around the page:

The page (in example `titlepage-TU-DD.tex` with option `blackborder`) is:

1. main title page with `university`, `faculty`, `chair`, `professor`, `title`, `subject`, `author`, `discipline`, `matriculationnumber`, `advisor`, `place`, and `date`.

Technische Universität Dresden
Fakultät Wirtschaftswissenschaften
SAP-Stiftungslehrstuhl für
Entrepreneurship und Innovation
Prof. Dr. Michael Schefczyk

Titel im Stil TU-DD
Seminararbeit
(bzw. Diplomarbeit)

eingereicht von
Vorname und Name
Studienrichtung
Matrikel-Nr.

Betreuer:
(mit akadem. Grad, Vor- und Zuname)



Dresden, den (Datum der Abgabe)

2.7 Style TU-HH

This style is used at the “Technische Universität Hamburg-Harburg”. I was asked for this several years ago. Only two title pages are defined!

The pages (in twoside example `titlepage-TU-HH.tex`) are:

1. main title page with `title`, `subtitle`, `university`, `academicgrade`, `subject`, `author`, `place`, and `date`. Some additional text depending on the selected language will be used also.



2. only in twoside mode with `referee` and `oralexaminationdate`.

The output of style TU-HH differs, if you use option `final`, which is a style option, not a package option. You may set it using `\TitleOption` or `\TitleOptions` after loading the style or with the optional argument of `\maketitle` or `\TitlePageStyle`.


2.8 Style KIT

This style is used at the “KIT – University of the State of Baden-Württemberg and National Research Center of the Helmholtz Association”. I’ve made this because of the ugly L^AT_EX class and template made by the KIT itself. Only one title page is defined!

The page (in example `titlepage-KIT.tex`) is:

1. main title page with `titlehead`, `mainlogo`, `title`, `subject`, `author`, `referee`, `advisor`, `university`, `duration`, and `homepage`. Some additional text depending on the selected language will be used also.

If `titlehead` is empty or unused left aligned `mainlogo` will be used. If `mainlogo` is empty or unused, and if you have a logo file `KITLogo_RGB.pdf`, this will be used. As an alternative also `2560px-Logo_KIT.svg.png`, `2000px-Logo_KIT.svg.png`, `1280px-Logo_KIT.svg.png`, `1024px-Logo_KIT.svg.png`, `1000px-Logo_KIT.svg.png`, `800px-Logo_KIT.svg.png`, `640px-Logo_KIT.svg.png`, or `500px-Logo_KIT.svg.png` from https://de.wikipedia.org/wiki/Datei:Logo_KIT.svg would be auto-detected. Several other elements will be set to defaults too, if they are empty. So you don’t need to set all the elements, that has been set at the example file.




2.9 Style JT-Aufsätze

The style is based on the front cover of “Jan Tschichold: Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie, Birkhäuser Verlag Basel, 1975, ISBN: 3-7643-1946-1”. I’ve made this, because the book is a major book of classic typography. It seems to be old fashioned and indeed it is. Note, that the front cover of a book and the main title of a book are not the same! Nevertheless, here I’ve made a main title from a front cover. Currently only one title page is defined, but you may also use `extratitle`, `uppertitleback`, and `lowertitleback`.

The page (in example `titlepage-JT-Aufsätze.tex`) is:

1. main title page with `author`, `title`, `publisher`, `rulewidth`, `rulesep` for width of the horizontal rules and the distance between them and `rulecolor` for the color of the rules (these aren’t package options but style options). Note: If you want to use option `rulecolor` you have to load a package, that defines `\color`, e.g., `color` or `xcolor`. Otherwise the color will be ignored.




2.10 Style JT-Geschichte

The style is based on “Jan Tschichold: Geschichte der Schrift in Bildern; Holbein-Verlag, 1947”. This is another major book of classic typography. I seems to be old fashioned and indeed it is. Currently only one title page is defined, but you may also use `extratitle`, `uppertitleback`, and `lowertitleback`.

The page (in example `titlepage-JT-Geschichte.tex`) is:

1. main title page with `author`, `title`, `publisher`, `place`, `rulewidth` and `rulesep` for width of the horizontal rules and the distance between them and `rulecolor` for the color of them (these aren't package options but style options). Note: If you want to use option `rulecolor` you have to load a package, that defines `\color`, e.g., `color` or `xcolor`. Otherwise the color will be ignored.

Note, that the default for `titlepagefont` prints everything but the `title` with ad-hoc letterspacing in upper-case letters if `\lsstyle` is available and without letterspacing but in small capitals otherwise. Changing the default of `titlepagefont` will also change this automatism.



2.11 Style JT-Typography

The style is based on “Jan Tschichold: The New Typography; University of California Press, Berkley and Los Angeles, California 1995”. This is the English translation of another major book of classic typography. Some things like missing letterspacing at the upper-case title seems to be wrong. Currently only one title page is defined, but you may also use `extratitle`, `uppertitleback`, and `lowertitleback`.

The page (in example `titlepage-JT-Geschichte.tex`) is:

1. main title page with `author`, `title`, `subtitle`, `place`, `date`, `publisher`.



2.12 Style WWUM

Tobias Südkamp asked me for that title for the Westfälischen Wilhelms-Universität Münster. The `professor` is more likely the `chairman`. Female referees should be prefixed by `[f]`. You can omit the examination date defining an empty `\examinationdatename`.

<p style="text-align: center;">Mein Name Titel der Arbeit 2025</p>	<p>The pages (in example <code>tilepage-WWUM.tex</code>) are:</p> <ol style="list-style-type: none"> 1. cover page with <code>author</code>, <code>title</code>, <code>\the\year</code> 2. the backside of the cover page is empty if it exists 3. main title page with <code>chair</code>, <code>title</code>, <code>subject</code>, <code>academicgrade</code>, <code>science¹</code>, <code>discipline</code>, <code>faculty</code> 4. main title back side with <code>professor</code>, <code>referee</code>, <code>oralexaminationdate</code> (normally empty)
<p style="text-align: center;">Experimentelle Physik</p> <p style="text-align: center;">Titel der Arbeit</p> <p style="text-align: center;">Inaugural-Dissertation zur Erlangung des Doktorgrades der Naturwissenschaften im Fachbereich Physik der Mathematisch-Naturwissenschaftlichen Fakultät der Westfälischen Wilhelms-Universität Münster</p> <p style="text-align: center;">vorgelegt von Mein Name aus Geburtsort - 2025 -</p>	<p style="text-align: right;">Dekan/Dekanin: Klaus Naschwarz Erster Gutachter: Peter Mustermann Zweite Gutachterin: Petra Musterfrau Datum der mündlichen Prüfung: Tag der Promotion:</p>

2.13 Style UKoLa

In 2007 several students asked me for the title of the Universität Koblenz-Landau. At that time, I've made a package for the title they asked for. The package has been published at <https://komascript.de/unikoblenzlandau> only. In 2021, after I've published `uni-titlepage`, it was time to implement this title also as a title style definition. Note, this is not an official style of the University Koblenz-Landau. Several referees can be separated by `\and`. Female referees should be prefixed by `[f]`.

The page (in example `titlepage-UKoLa.tex`) is:

1. main title page with `mainlogo`, `secondlogo`, `title`, `subject`, `academicgrade`, `chair`, `dicipline`, `place`, `author`, `referee`, and `date`.



Note: The upper left corner is the logo placeholder. If you'd download the logo from <http://www.uni-koblenz-landau.de/logo.png> and save it with the name `uni-koblenz-landau.png`, it would be used automatically.

3 Additonal Commands

`\NowButAfterBeginDocument` Command

```
\NowButAfterBeginDocument{<code>}
```

is something like `\AtBeginDocument`, but if you call it somewhere after `\begin{document}` argument `<code>` will be used immediately. This command is used inside some of the title page styles, because you may load them either at the preamble or even after `\begin{document}`, but some code should not be executed before `\begin{document}`.

`titlepage` (*env.*) In oposite to the `titlepage` environment of the standard classes,

```
\begin{titlepage}[<options>]
...
\end{titlepage}
```

knows some options. These are `pagestyle=<style>` and `pagenumber=<number>`. The first one changes the page style of the generated title page to the given `<style>`. If the option is not set, the default `empty` will be used. The second one sets the logical page number of the generated title page to the given `<number>` and sets the counter `pagenumber` to this value. If the option is not used, the value of counter `pagenumber` will be increased by one and the result is used for the logical page number.

`fullsizetitle` (*env.*) Using

```
\begin{fullsizetitle}[<options>]
...
\end{fullsizetitle}
```

is almost the same like above. But `fullsizetitle` removes the margins from the generated title page. Nevertheless if binding correction (aka binding offset) of package `typearea` or `geometry` could be recognized, it will not be removed. Some of the title page styles use this environment instead of `titlepage` inside `\maketitle`. With this the margins of the title page do not depend on the type area of the document.

`\usetitleelement` Command

```
\usetitleelement{<element>}
```

gives the content of the corresponding title `<element>`. Each main `<element>` defined by the package may be used. Those are currently: `advisor`, `author`, `chair`, `company`, `course`, `date`, `dedication`, `academicgrade`, `discipline`, `duration`, `faculty`, `homepage`, `mainlogo`, `matriculationnumber`, `oralexaminationdate`, `place`, `professor`, `publisher`, `referee`, `subject`, `subtitle`, `title`, `titlehead`, and `university`. Note: `student` isn't a main `<element>`, because it's only an alias for `author`.

`\usenonemptytitleelement` Command
added in v1.0

```
\usenonemptytitleelement{<element>}
```

is a variant of `\usetitleelement` that not only reports an error for a not existing `<element>` but also for an empty `<element>`. It should be used to print mandatory elements.

4 Implementation

Note: To generate all files, developers and beta testers should simply use the source from <https://github.com/komascript/uni-titlepage> and call

```
l3build unpack
l3build doc
```

The resulting documentation will be placed in the main folder. The unpacked style file are in build/unpacked, You can use

```
l3build install
```

to install them in `TEXMFHOME`. See the manual of `l3build` for more information.

As an alternative you can use the source distribution from CTAN and run:

```
tex uni-titlepage.dtx
```

The documentation is usually part of the source distribution at CTAN. Note, that all the generated `tex` files are example files. Do not copy them to the run-time files but the documentation folder!

4.1 The Installation Driver ‘uni-titlepage.ins’

First of all we produce `uni-titlepage.ins`, the installation driver. It starts very common with loading `docstrip`, preamble declaration and start of generation.

```
1 \def\batchfile{uni-titlepage.dtx}
2 \input docstrip.tex
3 \ifToplevel{%
4   \Msg{*****}
5   \Msg{*}
6   \Msg{* Steps of uni-titlepage generation:}
7   \Msg{* =====}
8   \Msg{*}
9   \Msg{* - Generation of all needed files:}
10  \keepsilent
11  \askforoverwritefalse
12 }
13
14 \preamble
15 Copyright (c) 2009-2022 by Markus Kohm <komascript(at)gmx.info>
16
17 This file was generated from file(s) of uni-titlepage distribution.
18
19 -----
20
21 This work may be distributed and/or modified under the conditions of
22 the LaTeX Project Public License, version 1.3c of the license.
23 The latest version of this license is in
24 http://www.latex-project.org/lppl.txt
25 and version 1.3c or later is part of all distributions of LaTeX
26 version 2005/12/01 or later.
27
28 This work has the LPPL maintenance status "maintained".
29
```



```

30 The Current Maintainer and author of this work is Markus Kohm.
31
32 This file may only be distributed together with
33 the file 'uni-titlepage.dtx'.
34 You may however distribute the file 'uni-titlepage.dtx' without this file.
35
36 \endpreamble
37
38 \generate{%

```

But while the dtx file is the ins file itself, we will never generate this file.

```

39 % \file{uni-titlepage.ins}{\from{uni-titlepage.dtx}{ins}}% not needed
40 \file{uni-titlepage.drv}{\from{uni-titlepage.dtx}{doc,manual}}%
41 \file{uni-titlepage.sty}{\from{uni-titlepage.dtx}{package}}%
42 \file{title-DHBW.def}{\from{uni-titlepage.dtx}{driver,DHBW}}%
43 \file{title-KOMAScript.def}{\from{uni-titlepage.dtx}{driver,KOMAScript}}%
44 \file{title-Markus-1.def}{\from{uni-titlepage.dtx}{driver,Markus,1}}%
45 \file{title-Markus-2.def}{\from{uni-titlepage.dtx}{driver,Markus,2}}%
46 \file{title-Spacer.def}{\from{uni-titlepage.dtx}{driver,Spacer}}%
47 \file{title-TU-DD.def}{\from{uni-titlepage.dtx}{driver,TU-DD}}%
48 \file{title-TU-HH.def}{\from{uni-titlepage.dtx}{driver,TU-HH}}%
49 \file{title-KIT.def}{\from{uni-titlepage.dtx}{driver,KIT}}%
50 \file{title-JT-Aufsaetze.def}{\from{uni-titlepage.dtx}{driver,JT-Aufsaetze}}%
51 \file{title-JT-Geschichte.def}{\from{uni-titlepage.dtx}{driver,JT-Geschichte}}%
52 \file{title-JT-Typography.def}{\from{uni-titlepage.dtx}{driver,JT-Typography}}%
53 \file{title-WWUM.def}{\from{uni-titlepage.dtx}{driver,WWUM}}%
54 \file{title-UKoLa.def}{\from{uni-titlepage.dtx}{driver,UKoLa}}%
55 \file{titlepage-DHBW.tex}{\from{uni-titlepage.dtx}{doc,example,DHBW}}%
56 \file{titlepage-KOMAScript.tex}{\from{uni-titlepage.dtx}{doc,example,KOMAScript}}%
57 \file{titlepage-Markus-1.tex}{\from{uni-titlepage.dtx}{doc,example,Markus,1}}%
58 \file{titlepage-Markus-2.tex}{\from{uni-titlepage.dtx}{doc,example,Markus,2}}%
59 \file{titlepage-Spacer.tex}{\from{uni-titlepage.dtx}{doc,example,Spacer}}%
60 \file{titlepage-TU-DD.tex}{\from{uni-titlepage.dtx}{doc,example,TU-DD}}%
61 \file{titlepage-TU-HH.tex}{\from{uni-titlepage.dtx}{doc,example,TU-HH}}%
62 \file{titlepage-KIT.tex}{\from{uni-titlepage.dtx}{doc,example,KIT}}%
63 \file{titlepage-JT-Aufsaetze.tex}{\from{uni-titlepage.dtx}{doc,example,JT-Aufsaetze}}%
64 \file{titlepage-JT-Geschichte.tex}{\from{uni-titlepage.dtx}{doc,example,JT-Geschichte}}%
65 \file{titlepage-JT-Typography.tex}{\from{uni-titlepage.dtx}{doc,example,JT-Typography}}%
66 \file{titlepage-WWUM.tex}{\from{uni-titlepage.dtx}{doc,example,WWUM}}%
67 \file{titlepage-UKoLa.tex}{\from{uni-titlepage.dtx}{doc,example,UKoLa}}%
68 \nopreamble\nopostamble
69 \file{README.md}{\from{uni-titlepage.dtx}{README}}%
70 }%
71
72 \ifToplevel{%
73 \Msg{* \space\space done.}
74 \Msg{*}
75 \Msg{* You may install all the files now.}
76 \Msg{*}
77 \Msg{*****}
78 }

```

At docstrip run we like to finish the file know:

```

79 \csname endinput\endcsname

```

4.2 The Package `scrbase`

`\TitleOptions` We use the extended option handling of KOMA-Script, so we load package `scrbase` and declare a family, a member and a something like `\KOMAoptions` and `\KOMAoption` but for this package.

```
80 \RequirePackage{scrbase}[2014/12/03]
81 \DefineFamily{title}
82 \DefineFamilyMember{title}
83 \newcommand*{\TitleOptions}{\FamilyOptions{title}}
84 \newcommand*{\TitleOption}{\FamilyOption{title}}
```

`pagenumber` (*opt.*)

```
85 \newcounter{titlepage}\setcounter{titlepage}{\@ne}
86 \DefineFamilyKey{title}{pagenumber}{%
87 \setcounter{titlepage}{#1}\FamilyKeyStateProcessed
88 }
```

`\titlepagestyle`
`pagestyle` (*opt.*)

```
89 \providecommand*{\titlepagestyle}{}
90 \renewcommand*{\titlepagestyle}{empty}
91 \DefineFamilyKey{title}{pagestyle}{%
92 \renewcommand*{\titlepagestyle}{#1}\FamilyKeyStateProcessed
93 }
```

`\if@restonecol`

```
94 \ifcsname @restonecolfalse\endcsname
95 \expandafter\@gobble
96 \else
97 \expandafter\@firstofone
98 \fi
99 {\newif\if@restonecol}
```

`titlepage` (*env.*)

```
100 \scr@ifundefinedorrelax{titlepage}{\def\titlepage{}}{}
101 \scr@ifundefinedorrelax{endtitlepage}{\def\endtitlepage{}}{}
102 \providecommand*{\maketitle}[1][1]{}{}
```

`\inittitle` Set of commands, that define a title style:

```
\makeprettitle 103 \newcommand*{\tp@undefinedtitle}[1]{%
\makeprettitleback 104 \PackageInfo{uni-titlepage}{leaving not defined #1-title page empty}%
\makemainttitle 105 }
\makemainttitleback 106 \newcommand*{\inittitle}{}
\makeposttitle 107 \newcommand*{\makeprettitle}{\tp@undefinedtitle{pre}}
\makeposttitleback 108 \newcommand*{\makeprettitleback}{\tp@undefinedtitle{back of pre}}
\exittitle 109 \newcommand*{\makemainttitle}{\tp@undefinedtitle{main}}
\tp@undefinedtitle 110 \newcommand*{\makemainttitleback}{\tp@undefinedtitle{back of main}}
111 \newcommand*{\makeposttitle}{\tp@undefinedtitle{post}}
112 \newcommand*{\makeposttitleback}{\tp@undefinedtitle{back of post}}
113 \newcommand*{\exittitle}{}{}
```

`\inittitlestyle` Will be called before loading a title style:

```
114 \newcommand*\inittitlestyle{%
115   \renewenvironment{titlepage}[1][{}]{%
116     \TitleOptions{##1}%
117     \clearpage
118     \if@twocolumn
119       \@restonecoltrue\onecolumn
120     \else
121       \@restonecolfalse
122     \fi
123     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
124     \if@twoside% im einseitigen Satz ist mir alles egal
125     \ifodd\value{page}% aktuelle Seite ist ungerade
Current page number is odd ...
126       \ifodd\value{titlepage}%
127       \else
... wanted page number is even: put in empty page.
128         \null\newpage
129         \fi
130       \else
Current page number is even ...
131         \ifodd\value{titlepage}%
... wanted page number is off: put in empty page.
132         \null\newpage % Leerseite
133         \fi
134       \fi
135     \fi
136     \setcounter{page}{\value{titlepage}}%
137     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
138   }{%
139     \if@restonecol\twocolumn \else \newpage\fi
140     \stepcounter{titlepage}%
141   }%
142
143 \renewcommand*\maketitle[1][{}]{%
144   \begingroup
145     \TitleOptions{##1}%
146     \inittitle
147     \makeprettitle\if@twoside\makeprettitleback\fi
148     \makemainttitle\if@twoside\makemainttitleback\fi
149     \makeposttitle\if@twoside\makeposttitleback\fi
150     \exittitle
151   \endgroup
152 }%
153
154 \renewcommand*\inittitle{}%
155 \renewcommand*\makeprettitle{\tp@undefinedtitle{pre}}%
156 \renewcommand*\makeprettitleback{\tp@undefinedtitle{back of pre}}%
157 \renewcommand*\makemainttitle{\tp@undefinedtitle{main}}%
158 \renewcommand*\makemainttitleback{\tp@undefinedtitle{back of main}}%
159 \renewcommand*\makeposttitle{\tp@undefinedtitle{post}}%
```

```

160 \renewcommand*{\makeposttitleback}{\tp@undefinedtitle{back of post}}%
161 \renewcommand*{\exittitle}{}%
162 }
163 \inittitlestyle

```

`\titlebox` New environment for full page titles (with respect to BCOR or Gm@bindingoffset if defined)

```

164 \newsavebox\titlebox
165 \newenvironment{fullsizetitle}[1][[]]{%
166 \TitleOptions{#1}%
167 \begin{lrbox}{\titlebox}
168 \hsize\paperwidth
169 \scr@ifundefinedorrelax{ta@bcor}{%
170 \scr@ifundefinedorrelax{Gm@bindingoffset}{}{%
171 \advance\hsize-\Gm@bindingoffset}%
172 }{%
173 \advance\hsize-\ta@bcor
174 \scr@ifundefinedorrelax{Gm@bindingoffset}{}{%
175 \ifdim \Gm@bindingoffset=\ta@bcor\else
176 \PackageWarning{uni-titlepage}{Ignoring geometry's binding
177 correction, \MessageBreak
178 using typearea's binding correction. \MessageBreak
179 If you're using geometry and typearea, \MessageBreak
180 you should set both options to the same value, \MessageBreak
181 e.g. \string\KOMAOptions{BCOR=\the\ta@bcor} \MessageBreak
182 \space\space\space\space\space
183 \string\geometry{bindingoffset=\the\ta@bcor} \MessageBreak
184 to make uni-titlepage use this value%
185 }%
186 \fi
187 }%
188 }%
189 \vsize\paperheight
190 \linewidth\hsize
191 \columnwidth\hsize
192 \textwidth\hsize
193 \textheight\vsize
194 \noindent\minipage{\hsize}
195 }{%
196 \endminipage
197 \end{lrbox}
198 \begin{titlepage}%
199 \vspace*{-1in}\vskip-\topmargin\vskip-\headheight\vskip-\headsep
200 \vskip-\topskip
201 \raggedright
202 \leavevmode
203 \hskip-1in
204 \ifodd\c@page
205 \hskip-\oddsidemargin
206 \scr@ifundefinedorrelax{ta@bcor}{%
207 \scr@ifundefinedorrelax{Gm@bindingoffset}{}{%
208 \hskip\Gm@bindingoffset}%
209 }\hskip\ta@bcor}%
210 \else

```

```

211     \hskip-\evensidemargin
212     \fi
213     \vbox to\z@\hspace\z@
214     \vskip-\baselineskip
215     \makebox[0pt][l]{\usebox\titlebox}%
216     \vss
217     }%
218 \end{titlepage}
219 }

```

\DefineSimpleTitleKey Define title page “variables”:

```

\DefineReplaceTitleKey 220 \newcommand*\tp@replacewarning}[2]{%
  \tp@replacewarning 221 \PackageWarning{uni-titlepage}{%
    \tp@dokeys 222 Using ‘#2’ instead of ‘#1’,\MessageBreak
    223 because ‘#1’ not defined%
    224 }%
    225 }
    226 \newcommand*\tp@dokeys{}
    227 \newcommand*\DefineSimpleTitleKey}[2][.\@currname.\@current]{%
    228 \l@addto@macro\tp@dokeys{\do{#2}}%
    229 \expandafter\newcommand\expandafter*\csname @#2\endcsname{%
    230 \expandafter\newcommand\expandafter*\csname #2\endcsname[1]{%
    231 \expandafter\gdef\csname @#2\endcsname{##1}}%
    232 \DefineFamilyKey[##1]{title}{#2}{%
    233 \csname #2\endcsname{##1}%
    234 \FamilyKeyStateProcessed
    235 }%
    236 }
    237 \newcommand*\DefineReplaceTitleKey}[3][.\@currname.\@current]{%
    238 \DefineFamilyKey[##1]{title}{#2}{%
    239 \tp@replacewarning{#2}{#3}%
    240 \FamilyOptions{title}{#3=##1}%
    241 }%
    242 }

```

```

  \titlehead
  \@titlehead 243 \providecommand*\@titlehead{}
  titlehead (opt.) 244 \providecommand{\titlehead}[1]{\gdef\@titlehead{#1}}
    245 \DefineFamilyKey{title}{titlehead}{\titlehead{#1}\FamilyKeyStateProcessed}

```

```

  \homepage
  \@homepage 246 \providecommand*\@homepage{}
  homepage (opt.) 247 \providecommand{\homepage}[1]{\gdef\@homepage{#1}}
    248 \DefineFamilyKey{title}{homepage}{\homepage{#1}\FamilyKeyStateProcessed}

```

```

  \title
  \@title 249 \let\@title\relax\let\title\relax\DefineSimpleTitleKey{title}
  title (opt.)

```

```

  \author
  \@author 250 \let\@author\relax\let\author\relax\DefineSimpleTitleKey{author}
  author (opt.)

```

```

\date
\@date 251 \let\@date\relax\let\date\relax\DefineSimpleTitleKey{date}
date (opt.)

\duration
\@duration 252 \DefineSimpleTitleKey{duration}
duration (opt.)

\course
\@course 253 \DefineSimpleTitleKey{course}
course (opt.)

\company
\@company 254 \DefineSimpleTitleKey{company}
company (opt.)

\subtitle
\@subtitle 255 \let\@subtitle\relax\let\subtitle\relax\DefineSimpleTitleKey{subtitle}
subtitle (opt.)

\university
\@university 256 \DefineSimpleTitleKey{university}
university (opt.)

\faculty
\@faculty 257 \DefineSimpleTitleKey{faculty}
faculty (opt.)

\chair
\@chair 258 \DefineSimpleTitleKey{chair}
chair (opt.)

\professor
\@professor 259 \DefineSimpleTitleKey{professor}
professor (opt.)

\subject
\@subject 260 \providecommand*\@subject{}
subject (opt.) 261 \providecommand*\subject}[1]{\gdef\@subject{#1}}
262 \l@addto@macro\tp@dokeys{\do{subject}}%
263 \DefineFamilyKey{title}{subject}{%
264 \Ifstr{#1}{project}{\subject{\projectpapername}}{%
265 \Ifstr{#1}{seminar}{\subject{\seminarpapername}}{%
266 \Ifstr{#1}{studentresearch}{\subject{\studentresearchname}}{%
267 \Ifstr{#1}{diploma}{\subject{\diplomathesisname}}{%
268 \Ifstr{#1}{degree}{\subject{\degreethesisname}}{%
269 \Ifstr{#1}{master}{\subject{\masterthesisname}}{%
270 \Ifstr{#1}{bachelor}{\subject{\bachelorthesisname}}{%
271 \subject{#1}%
272 }%
273 }%
274 }%
275 }%
276 }%
277 }%
278 }%
279 \FamilyKeyStateProcessed
280 }

```

```

\Ifstr For compatibility with old versions of scrbase the macro is provided based on
\ifstr if it has not been defined by scrbase.
281 \providecommand*\Ifstr}{\ifstr}

student (opt.)
282 \DefineReplaceTitleKey{student}{author}

\science
\@science 283 \DefineSimpleTitleKey{science}
science (opt.)

\science
\@science 284 \providecommand*\science}{%
science (opt.) 285 \PackageWarning{uni-titlepage}{%
286 \string\science\space internally replaced by \string\science.\MessageBreak
287 Please note, that \string\science\space was a typing mistake\MessageBreak
288 and should not be used any longer.\MessageBreak
289 You should replace it by \string\science
290 }%
291 \science
292 }
293 \providecommand*\@science}{%
294 \PackageWarning{uni-titlepage}{%
295 internal \string\@science\space replaced by \string\@science.\MessageBreak
296 Please note, that \string\@science was a typing mistake\MessageBreak
297 and should not be used any longer.\MessageBreak
298 You should replace it by \srting\@science%
299 }%
300 \@science
301 }
302 \DefineFamilyKey{title}{science}{%
303 \PackageWarning{uni-titlepage}{%
304 deprecated option 'science' used.\MessageBreak
305 Please note, that 'science' was a typing mistake\MessageBreak
306 and should not be used any longer.\MessageBreak
307 You should replace it by 'science'%
308 }%
309 \science{#1}%
310 \FamilyKeyStateProcessed
311 }

\discipline
\@discipline 312 \DefineSimpleTitleKey{discipline}
discipline (opt.)

\academicgrade
\@academicgrade 313 \DefineSimpleTitleKey{academicgrade}
academicgrade (opt.)

\matriculationnumber
\@matriculationnumber 314 \DefineSimpleTitleKey{matriculationnumber}
matriculationnumber (opt.)

```

```

\advisor
\@advisor 315 \DefineSimpleTitleKey{advisor}
advisor (opt.)

\referee
\@referee 316 \DefineSimpleTitleKey{referee}
referee (opt.)

\place
\@place 317 \DefineSimpleTitleKey{place}
place (opt.)

\publisher
\@publisher 318 \DefineSimpleTitleKey{publisher}
publisher (opt.) 319 \renewcommand*{\@publisher}{\csname @publishers\endcsname}

\mainlogo
\@mainlogo 320 \DefineSimpleTitleKey{mainlogo}
mainlogo (opt.)

\secondlogo
\@secondlogo 321 \DefineSimpleTitleKey{secondlogo}
secondlogo (opt.)

\oralexaminationdate
\@oralexaminationdate 322 \DefineSimpleTitleKey{oralexaminationdate}
oralexaminationdate (opt.)

\dedication
\@dedication 323 \providecommand*{\@dedication}{}
dedication (opt.) 324 \providecommand{\dedication}[1]{\gdef\@dedication{#1}}
325 \DefineFamilyKey{title}{dedication}{\dedication{#1}\FamilyKeyStateProcessed}

\usetitleelement Users cannot simply use, e.g., \@title, \@mainlogo etc. So we need a command
\@usetitleelement@error to get them:
326 \newcommand*{\usetitleelement}[1]{%
327 \scr@ifundefinedorrelax{#1}{%
328 \@usetitleelement@error{#1}%
329 }{%
330 \scr@ifundefinedorrelax{@#1}{%
331 \@usetitleelement@error{#1}%
332 }{%
333 \@nameuse{@#1}%
334 }%
335 }%
336 }
337 \newcommand*{\@usetitleelement@error}[1]{%
338 \PackageError{uni-titlepage}{‘#1’ isn’t a title element}{%
339 You should use \string\usetitleelement\space for title elements
340 only!\MessageBreak
341 If you’ll continue, command will be ignored.}%
342 }

```



```

\usenonemptytitleelement Sometimes we want to use a title element that must not be empty.
343 \newcommand*\usenonemptytitleelement[1]{%
344   \expandafter\ifx\csname @#1\endcsname\@empty
345     \PackageError{uni-titlepage}{empty title element ‘#1’}{%
346       Title element ‘#1’ is empty but mandatory for the used title page
347       style.\MessageBreak
348       So it must not be empty.\MessageBreak
349       Please see the manual for more information about assigning
350       values to\MessageBreak
351       main title elements via options or commands.\MessageBreak
352       If you’ll continue, a \string\strut\space will be used.}%
353   \strut
354   \else
355     \usetitleelement{#1}%
356   \fi
357 }

```

Some variables use their own configurable font:

```

titlepagefont (opt.)
  \@titlepagefont 358 \scr@ifundefinedorrelax{newkomafont}{%
359   \newcommand*\@titlepagefont}{%
360 }{%
361   \newkomafont{titlepage}{}%
362 }
363 \DefineFamilyKey{title}{titlepagefont}{%
364   \renewcommand*\@titlepagefont{#1}%
365   \FamilyKeyStateProcessed
366 }

```

```

subjectfont (opt.)
  \subject@font 367 \providecommand*\subject@font{\bfseries}
368 \DefineFamilyKey{title}{subjectfont}{%
369   \renewcommand*\subject@font{#1}%
370   \FamilyKeyStateProcessed
371 }

```

```

titlefont (opt.)
  \title@font 372 \providecommand*\titlefont{\bfseries}
373 \DefineFamilyKey{title}{titlefont}{%
374   \renewcommand*\titlefont{#1}%
375   \FamilyKeyStateProcessed
376 }

```

```

subtitlefont (opt.)
  \@subtitlefont 377 \providecommand*\@subtitlefont{\bfseries}
378 \DefineFamilyKey{title}{subtitlefont}{%
379   \renewcommand*\@subtitlefont{#1}%
380   \FamilyKeyStateProcessed
381 }

```

```

\TitlePageStyle Load a title page style from file
382 \newcommand*\TitlePageStyle[2] []{%

```

```

383 \IfFileExists{title-#2.def}{%
384   \begingroup
385     \edef\@tempa{\endgroup
386       \noexpand\inittitlestyle
387       \noexpand\makeatletter
388       \noexpand\input{title-#2.def}%
389       \noexpand\catcode'\noexpand\@=\the\catcode'\@
390     }%
391   \@tempa
392   \TitleOptions{#1}%
393 }{%
394   \PackageError{uni-titlepage}{No title definition for '#2' found}{%
395     You've tried to set title page style '#2', but no title page
396     style definition file\MessageBreak
397     'title-#2.def' may be found%
398   }%
399 }
400 }

```

\NowButAfterBeginDocument Nice shortcut:

```

401 \newcommand*\NowButAfterBeginDocument}{%
402   \if@atdocument
403     \expandafter\@firstofone
404   \else
405     \expandafter\AtBeginDocument
406   \fi
407 }

408 \DeclareOption*\expandafter\TitlePageStyle\expandafter{\CurrentOption}}
409 \FamilyProcessOptions*\relax

```

\chairmanname Language dependent terms:

```

\projectpapername 410 \providecommand*\chairmanname}{Chairman}
\seminarpapername 411 \providecommand*\projectpapername}{Project Paper}
\studentresearchname 412 \providecommand*\seminarpapername}{Seminar Paper}
\diplomathesisname 413 \providecommand*\studentresearchname}{Student Research Project}
\degreethesisname 414 \providecommand*\diplomathesisname}{Diploma Thesis}
\masterthesisname 415 \providecommand*\degreethesisname}{Degree Thesis}
\bachelorthesisname 416 \providecommand*\masterthesisname}{Master Thesis}
\presentedbyname 417 \providecommand*\bachelorthesisname}{Bachelor Thesis}
\advisorname 418 \providecommand*\presentedbyname}{presented by}
\thename 419 \providecommand*\advisorname}{Advisor}
\ofthename 420 \providecommand*\thename}{}
\fromname 421 \providecommand*\ofthename}{of the}
\fromplacename 422 \providecommand*\fromname}{from}
\malerefereename 423 \providecommand*\fromplacename}{from}
\femalerefereename 424 \providecommand*\malerefereename}{Referee}
\ordinalmalerefereename 425 \providecommand*\femalerefereename}{\refereename}
\ordinalfemalerefereename 426 \providecommand*\ordinalmalerefereename}{\englishordinalmalerefereename}
\refereename 427 \providecommand*\ordinalfemalerefereename}{\englishordinalfemalerefereename}
\oralexaminationdatename 428 \providecommand*\refereename}{Date of Oral Examination}
\ordinal 429 \providecommand*\oralexaminationdatename}{at}
\maleordinal
\femaleordinal
\indatename

```

431 \providecommand*{\durationname}{Processing Time}
432 \providecommand*{\matriculationnumbername}{Matriculationnumber}
433 \providecommand*{\coursename}{Course}
434 \providecommand*{\companyname}{Training Company}
435 \providecommand*{\examinationname}{Examination}
436 \providecommand*{\examinationdatename}{Date of Examination}
437 \newcommand*{\ordinal}{\englishordinal}
438 \newcommand*{\femaleordinal}{\ordinal}
439 \newcommand*{\maleordinal}{\ordinal}
440 \providecommand*{\indatename}{in}
441 \providecaptionname{american,australian,british,canadian,%
442 english,newzealand,UKenglish,USenglish}{\chairmanname}{Chairmain}%
443 \providecaptionname{american,australian,british,canadian,%
444 english,newzealand,UKenglish,USenglish}{\projectpapername}{Project Paper}%
445 \providecaptionname{american,australian,british,canadian,%
446 english,newzealand,UKenglish,USenglish}{\seminarpapername}{Seminar Paper}%
447 \providecaptionname{american,australian,british,canadian,%
448 english,newzealand,UKenglish,USenglish}{\studentresearchname}{Student
449 Research Project}%
450 \providecaptionname{american,australian,british,canadian,%
451 english,newzealand,UKenglish,USenglish}{\diplomathesisname}{Diploma Thesis}%
452 \providecaptionname{american,australian,british,canadian,%
453 english,newzealand,UKenglish,USenglish}{\degreethesisname}{Degree Thesis}%
454 \providecaptionname{american,australian,british,canadian,%
455 english,newzealand,UKenglish,USenglish}{\masterthesisname}{Master Thesis}%
456 \providecaptionname{american,australian,british,canadian,%
457 english,newzealand,UKenglish,USenglish}{\bachelorthesisname}{Bachelor
458 Thesis}%
459 \providecaptionname{american,australian,british,canadian,%
460 english,newzealand,UKenglish,USenglish}{\ordinal}{\englishordinal}%
461 \providecaptionname{american,australian,british,canadian,%
462 english,newzealand,UKenglish,USenglish}{\presentedbyname}{presented by}%
463 \providecaptionname{american,australian,british,canadian,%
464 english,newzealand,UKenglish,USenglish}{\advisorname}{Advisor}%
465 \providecaptionname{american,australian,british,canadian,%
466 english,newzealand,UKenglish,USenglish}{\thename}{}%
467 \providecaptionname{american,australian,british,canadian,%
468 english,newzealand,UKenglish,USenglish}{\ofthename}{of the}%
469 \providecaptionname{american,australian,british,canadian,%
470 english,newzealand,UKenglish,USenglish}{\fromname}{from}%
471 \providecaptionname{american,australian,british,canadian,%
472 english,newzealand,UKenglish,USenglish}{\fromplacename}{from}%
473 \providecaptionname{american,australian,british,canadian,%
474 english,newzealand,UKenglish,USenglish}{\refereename}{Referee}%
475 \providecaptionname{american,australian,british,canadian,%
476 english,newzealand,UKenglish,USenglish}{\ordinalmalerefereename}{%
477 \englishordinalmalerefereename}%
478 \providecaptionname{american,australian,british,canadian,%
479 english,newzealand,UKenglish,USenglish}{\ordinalfemalerefereename}{%
480 \englishordinalfemalerefereename}%
481 \providecaptionname{american,australian,british,canadian,%
482 english,newzealand,UKenglish,USenglish}{\oralexaminationdatename}{Date of
483 Oral Examination}%
484 \providecaptionname{american,australian,british,canadian,%

485 english,newzealand,UKenglish,USenglish}{\durationname}{Processing Time}%
486 \providecaptionname{american,australian,british,canadian,%
487 english,newzealand,UKenglish,USenglish}{\matriculationnumbername}{Matriculationnumber}%
488 \providecaptionname{american,australian,british,canadian,%
489 english,newzealand,UKenglish,USenglish}{\coursename}{Course}%
490 \providecaptionname{american,australian,british,canadian,%
491 english,newzealand,UKenglish,USenglish}{\companyname}{Training Company}%
492 \providecaptionname{american,australian,british,canadian,%
493 english,newzealand,UKenglish,USenglish}{\examinationname}{Examination}%
494 \providecaptionname{american,australian,british,canadian,%
495 english,newzealand,UKenglish,USenglish}{\examinationdatename}{Date of
496 Examination}%
497 \providecaptionname{american,australian,british,canadian,%
498 english,newzealand,UKenglish,USenglish}{\indatename}{in}%
499 \providecaptionname{german,ngerman,austrian,naustrian,%
500 swissgerman,nswissgerman}{\chairmanname}{Dekan/Dekanin}%
501 \providecaptionname{german,ngerman,austrian,naustrian,%
502 swissgerman,nswissgerman}{\projectpapername}{Projektarbeit}%
503 \providecaptionname{german,ngerman,austrian,naustrian,%
504 swissgerman,nswissgerman}{\seminarpapername}{Seminararbeit}%
505 \providecaptionname{german,ngerman,austrian,naustrian,%
506 swissgerman,nswissgerman}{\studentresearchname}{Studienarbeit}%
507 \providecaptionname{german,ngerman,austrian,naustrian,%
508 swissgerman,nswissgerman}{\diplomathesisname}{Diplomarbeit}%
509 \providecaptionname{german,ngerman,austrian,naustrian,%
510 swissgerman,nswissgerman}{\degreethesisname}{Dissertation}%
511 \providecaptionname{german,ngerman,austrian,naustrian,%
512 swissgerman,nswissgerman}{\masterthesisname}{Master-Arbeit}%
513 \providecaptionname{german,ngerman,austrian,naustrian,%
514 swissgerman,nswissgerman}{\bachelorthesisname}{Bachelor-Arbeit}%
515 \providecaptionname{german,ngerman,austrian,naustrian,%
516 swissgerman,nswissgerman}{\ordinal}{\germanordinal}%
517 \providecaptionname{german,ngerman,austrian,naustrian,%
518 swissgerman,nswissgerman}{\femaleordinal}{\germanfemaleordinal}%
519 \providecaptionname{german,ngerman,austrian,naustrian,%
520 swissgerman,nswissgerman}{\maleordinal}{\germanmaleordinal}%
521 \providecaptionname{german,ngerman,austrian,naustrian,%
522 swissgerman,nswissgerman}{\presentedbyname}{eingereicht von}%
523 \providecaptionname{german,ngerman,austrian,naustrian,%
524 swissgerman,nswissgerman}{\advisorname}{Betreuer}%
525 \providecaptionname{german,ngerman,austrian,naustrian,%
526 swissgerman,nswissgerman}{\thename}{den}%
527 \providecaptionname{german,ngerman,austrian,naustrian,%
528 swissgerman,nswissgerman}{\ofthename}{der}%
529 \providecaptionname{german,ngerman,austrian,naustrian,%
530 swissgerman,nswissgerman}{\fromname}{von}%
531 \providecaptionname{german,ngerman,austrian,naustrian,%
532 swissgerman,nswissgerman}{\fromplacename}{aus}%
533 \providecaptionname{german,ngerman,austrian,naustrian,%
534 swissgerman,nswissgerman}{\refereename}{Gutachter}%
535 \providecaptionname{german,ngerman,austrian,naustrian,%
536 swissgerman,nswissgerman}{\ordinalmalerefereneename}{-%
537 \germanordinalmalerefereneename}%
538 \providecaptionname{german,ngerman,austrian,naustrian,%

```

539 swissgerman,nswissgerman}{\ordinalfemalerefereename}{%
540 \germanordinalfemalerefereename}%
541 \providecaptionname{german,ngerman,austrian,naustrian,%
542 swissgerman,nswissgerman}{\femalerefereename}{Gutachterin}%
543 \providecaptionname{german,ngerman,austrian,naustrian,%
544 swissgerman,nswissgerman}{\oralexaminationdatename}{Datum der m\"undlichen
545 Pr\"ufung}%
546 \providecaptionname{german,ngerman,austrian,naustrian,%
547 swissgerman,nswissgerman}{\durationname}{Bearbeitungszeitraum}%
548 \providecaptionname{german,ngerman,austrian,naustrian,%
549 swissgerman,nswissgerman}{\matriculationnumbername}{Matrikelnummer}%
550 \providecaptionname{german,ngerman,austrian,naustrian,%
551 swissgerman,nswissgerman}{\coursename}{Kurs}%
552 \providecaptionname{german,ngerman,austrian,naustrian,%
553 swissgerman,nswissgerman}{\companyname}{Ausbildungsfirma}%
554 \providecaptionname{german,ngerman,austrian,naustrian,%
555 swissgerman,nswissgerman}{\examinationname}{Pr\"ufung}%
556 \providecaptionname{german,ngerman,austrian,naustrian,%
557 swissgerman,nswissgerman}{\examinationdatename}{Tag der Pr\"ufung}%
558 \providecaptionname{german,ngerman,austrian,naustrian,%
559 swissgerman,nswissgerman}{\indatename}{im}%

```

\englishordinalmalerefereename

```

560 \newcommand*{\englishordinalmalerefereename}[1]{%
561 \englishordinal{#1} \refereename%
562 }

```

\englishordinalfemalerefereename

```

563 \newcommand*{\englishordinalfemalerefereename}[1]{%
564 \englishordinalmalerefereename{#1}%
565 }

```

\germanordinalmalerefereename

```

566 \newcommand*{\germanordinalmalerefereename}[1]{%
567 \ifnum #1<\@one
568 \PackageError{uni-titlepage}{Ordinal of ‘#1’ not defined}{%
569 This package does only define German ordinal names for referees from 1}%
570 \else
571 \ifcase #1\or Erstgutachter\or Zweitgutachter\or Drittgutachter%
572 \or Viertgutachter\else
573 \PackageError{uni-titlepage}{Ordinal of ‘#1’ not defined}{%
574 This package does only define German ordinal names for referees up
575 to 4}%
576 \fi
577 \fi
578 }

```

\germanordinalfemalerefereename

```

579 \newcommand*{\germanordinalfemalerefereename}[1]{%
580 \germanordinalmalerefereename{#1}in%
581 }

```

germanordinalmalecorrectorname

```
582 \newcommand*{\germanordinalmalecorrectorname}[1]{%
583   \ifnum #1<\@ne
584     \PackageError{uni-titlepage}{Ordinal of ‘#1’ not defined}{%
585       This package does only define German ordinal names for correctors from 1}%
586   \else
587     \ifcase #1\or Erstkorrektor\or Zweitkorrektor\or Drittkorrektor%
588     \or Viertkorrektor\else
589       \PackageError{uni-titlepage}{Ordinal of ‘#1’ not defined}{%
590         This package does only define German ordinal names for correctors up
591         to 6}%
592   \fi
593 \fi
594 }
```

ermanordinalfemalecorrectorname

```
595 \newcommand*{\germanordinalfemalecorrectorname}[1]{%
596   \germanordinalmalecorrectorname{#1}in%
597 }
```

\englishordinal

```
598 \newcommand*{\englishordinal}[1]{%
599   \ifcsname engordnumber\endcsname
600     \engordnumber{#1}%
601   \else
602     \ifnum #1<\@ne
603       \PackageError{uni-titlepage}{Ordinal of ‘#1’ not defined}{%
604         This package does only define English ordinals from 1}%
605     \else
606       \ifcase #1\or 1st\or 2nd\or 3rd\or 4th\or 5th\or 6th\or 7th\or 8th\or
607       9th\or 10th\else
608         \PackageError{uni-titlepage}{Ordinal of ‘#1’ not defined}{%
609           This package does only define English ordinals from 1 to
610           10.\MessageBreak
611           You may load package ‘engord’ to improve support of english
612           ordinals}%
613     \fi
614   \fi
615 \fi
616 }
```

\germanordinal

\germanmaleordinal
\germanfemaleordinal

```
617 \newcommand*{\germanordinal}[1]{%
618   \ifnum #1<\@ne
619     \PackageError{uni-titlepage}{Ordinal of ‘#1’ not defined}{%
620       This package does only define german ordinals from 1}%
621   \else
622     #1.%
623   \fi
624 }
625 \newcommand*{\germanmaleordinal}[1]{%
```

```

626 \ifcase #1
627   \PackageError{uni-titlepage}{Male ordinal of ‘#1’ not defined}{%
628     This package does only define german male ordinals from 1}%
629   \or Erster\or Zweiter\or Dritter\or Vierter\or F\"unfter\or Sechster%
630   \or Siebter\or Achter\or Neunter\or Zehnter\else
631     \PackageError{uni-titlepage}{Male ordinal of ‘#1’ not defined}{%
632       This package does only define german male ordinals up to 10}%
633   \fi
634 }
635 \newcommand*\germanfemaleordinal}[1]{%
636   \ifcase #1
637     \PackageError{uni-titlepage}{Female ordinal of ‘#1’ not defined}{%
638       This package does only define german female ordinals from 1}%
639     \or Erste\or Zweite\or Dritte\or Vierte\or F\"unfte\or Sechste%
640     \or Siebte\or Achte\or Neunte\or Zehnte\else
641       \PackageError{uni-titlepage}{Female ordinal of ‘#1’ not defined}{%
642         This package does only define german female ordinals up to 10}%
643     \fi
644 }

```

4.3 The titlepage Drivers

```

645 \begingroup
646 \def\PackageNotLoadedError#1{%
647   \GenericError{%
648     (#1)\@spaces\@spaces\@spaces\@spaces
649   }{%
650     File ‘#1’ Error: package ‘uni-titlepage’ hasn’t been loaded%
651   }{%
652     This definition file was made to be loaded by package
653     ‘uni-titlepage’.\MessageBreak
654     You may not use it without package ‘uni-titlepage’!\MessageBreak
655     See the documentation of package ‘uni-titlepage’ for explanation.%
656   }%
657 }%
658 \ifx\csname uni-titlepage.sty@vers\endcsname\relax
659   \PackageNotLoadedError{%
660     <DHBW>         title-DHBW.def%
661     <KOMAScript>   title-KOMAScript.def%
662     <TU-DD>        title-TU-DD.def%
663     <TU-HH>        title-TU-HH.def%
664     <Markus & 1>   title-Markus-1.def%
665     <Markus & 2>   title-Markus-2.def%
666     <Spacer>      title-Spacer.def%
667     <KIT>         title-KIT.def%
668     <JT-Aufsaeetze> title-JT-Aufsaeetze.def%
669     <JT-Geschichte> title-JT-Geschichte.def%
670     <JT-Typography> title-JT-Typography.def%
671     <WWUM>        title-WWUM.def%
672     <UKoLA>       title-UKoLa.def%
673   }%
674 \fi
675 \endgroup

```

Each style corresponds with an own member. Nevertheless most styles will not

have options in their own, because string options should be global to make change of style very easy.

```

676 \DefineFamilyMember[%
677 <DHBW> DHBW%
678 <KOMAScript> KOMAScript%
679 <TU-DD> TU-DD%
680 <TU-HH> TU-HH%
681 <Markus & 1> Markus-1%
682 <Markus & 2> Markus-2%
683 <Spacer> Spacer%
684 <KIT> KIT%
685 <JT-Aufsaeetze> JT-Aufsaeetze%
686 <JT-Geschichte> JT-Geschichte%
687 <JT-Typography> JT-Typography%
688 <WWUM> WWUM%
689 <UKoLa> UKoLa%
690 ]{title}

```

Nevertheless some styles have their own switches:

blackborder (*opt.*) *Trauertrand* at style TU-DD:

```

691 <TU-DD>\FamilyBoolKey[TU-DD]{title}{blackborder}{blackborder}

```

final (*opt.*) Style TU-HH distinguishes between drafts and final thesis.

```

692 <TU-HH>\FamilyBoolKey[TU-HH]{title}{final}{final}

```

rulewidth (*opt.*) Some styles have some variable rules at the title:

```

\title@rulewidth 693 <*Spacer | JT-Aufsaeetze | JT-Geschichte | Markus & 2>
  rulesep (opt.) 694 \providecommand*{\title@rulewidth}{%
\title@rulesep 695 <Spacer | Markus & 2> Opt%
  rulecolor (opt.) 696 <JT-Aufsaeetze | JT-Geschichte> .25\textwidth
\title@rulecolor 697 }
698 \providecommand*{\title@rulesep}{%
699 <Spacer | Markus & 2> \ifdim \title@rulewidth>\z@ 10pt\else \z@\fi
700 <JT-Aufsaeetze | JT-Geschichte> 1.5pt%
701 }
702 \providecommand*{\title@rulecolor}{%
703 \DefineFamilyKey[%
704 <Markus & 2> Markus-2%
705 <JT-Aufsaeetze> JT-Aufsaeetze%
706 <JT-Geschichte> JT-Geschichte%
707 <Spacer> Spacer%
708 ]{title}{rulewidth}{%
709 \gdef\title@rulewidth{\dimexpr #1\relax}%
710 \FamilyKeyStateProcessed
711 }
712 \DefineFamilyKey[%
713 <Markus & 2> Markus-2%
714 <JT-Aufsaeetze> JT-Aufsaeetze%
715 <JT-Geschichte> JT-Geschichte%
716 <Spacer> Spacer%
717 ]{title}{rulesep}{%
718 \gdef\title@rulesep{\dimexpr #1\relax}%
719 \FamilyKeyStateProcessed
720 }

```


721 \FamilyStringKey[%
722 <Markus & 2> Markus-2%
723 <JT-Aufsaeetze> JT-Aufsaeetze%
724 <JT-Geschichte> JT-Geschichte%
725 <Spacer> Spacer%
726]{title}{rulecolor}{\title@rulecolor}
727 </Spacer | JT-Aufsaeetze | JT-Geschichte | Markus & 2>

An some has their own terms:

```

\presentationinformationUKoLa
\presentationinformationWWUM 728 % \changes{v1.0}{2022/03/22}{using \cs{usenonemptytitleelement}}
\presentationinformationTUHH 729 <*UKoLa>
\presentationinformationDHBW 730 \providecommand*{\presentationinformationUKoLa}{%
\presentationinformationKIT 731 to obtain the degree\\
732 \usenonemptytitleelement{academicgrade}\\
733 of \usenonemptytitleelement{discipline}\\
734 }
735 \providecaptionname{american,australian,british,canadian,%
736 english,newzealand,UKenglish,USenglish}{\presentationinformationUKoLa}{%
737 to obtain the degree\\
738 \usenonemptytitleelement{academicgrade}\\
739 of \usenonemptytitleelement{discipline}\\
740 }%
741 \providecaptionname{german,ngerman,austrian,naustrian,%
742 swissgerman,nswissgerman}{\presentationinformationUKoLa}{%
743 zur Erlangung des Grades eines\\
744 \usenonemptytitleelement{academicgrade}\\
745 im Studiengang \usenonemptytitleelement{discipline}\\
746 }%
747 </UKoLa>
748 <*DHBW>
749 \providecommand*{\presentationinformationDHBW}{%
750 for the \examinationname{} of\ [.5\baselineskip]
751 \usenonemptytitleelement{academicgrade}\ [Opt plus 1fill]
752 of \usenonemptytitleelement{discipline}\ [.5\baselineskip]
753 at the \usenonemptytitleelement{university}\ ifx\@place\@empty\else\space\@place\fi
754 }
755 \providecaptionname{american,australian,british,canadian,%
756 english,newzealand,UKenglish,USenglish}{\presentationinformationDHBW}{%
757 for the \examinationname\ [.5\baselineskip]
758 \usenonemptytitleelement{academicgrade}\ [Opt plus 1fill]
759 of degree course \usenonemptytitleelement{discipline}\ [.5\baselineskip]
760 at the \usenonemptytitleelement{university}\ ifx\@place\@empty\else\space\@place\fi
761 }%
762 \providecaptionname{german,ngerman,austrian,naustrian,%
763 swissgerman,nswissgerman}{\presentationinformationDHBW}{%
764 f\"ur die \examinationname{} zum\ [.5\baselineskip]
765 \usenonemptytitleelement{academicgrade}\ [Opt plus 1fill]
766 des Studienganges \usenonemptytitleelement{discipline}\ [.5\baselineskip]
767 an der \usenonemptytitleelement{university}\ ifx\@place\@empty\else\space\@place\fi
768 }%
769 </DHBW>
770 <*TU-HH>

```

```

771 \providecommand*{\presentationinformationTUHH}{%
772 \iffinal Of the \else The \fi Graduation Committee of the\
773 \usenonemptytitleelement{university}\[.5ex]
774 to the Acquisition of the Academic Degree\[.5ex]
775 \usenonemptytitleelement{academicgrade}\[.5ex]
776 \iffinal approved \else submitted \fi@subject}
777 \providecaptionname{american,australian,british,canadian,%
778 english,newzealand,UKenglish,USenglish}{\presentationinformationTUHH}{%
779 \iffinal Of the \else The \fi Graduation Committee of the\
780 \usenonemptytitleelement{university}\[.5ex]
781 to the Acquisition of the Academic Degree\[.5ex]
782 \usenonemptytitleelement{academicgrade}\[.5ex]
783 \iffinal approved \else submitted \fi@subject}
784 \providecaptionname{german,ngerman,austrian,naustrian,%
785 swissgerman,nswissgerman}{\presentationinformationTUHH}{%
786 \iffinal Vom \else Dem \fi Promotionsausschuss der\
787 \usenonemptytitleelement{university}\[.5ex]
788 zur Erlangung des akademischen Grades\[.5ex]
789 \usenonemptytitleelement{academicgrade}\[.5ex]
790 \iffinal genehmigte \else vorgelegte \fi@subject}%
791 </TU-HH)
792 <*KIT)
793 \providecommand*{\presentationinformationKIT}{%
794 At the \usenonemptytitleelement{faculty}\
795 \strut\ignorespaces\@chair\
796 }
797 \providecaptionname{american,australian,british,canadian,%
798 english,newzealand,UKenglish,USenglish}{\presentationinformationKIT}{%
799 At the \usenonemptytitleelement{faculty}\
800 \strut\ignorespaces\@chair\
801 }%
802 \providecaptionname{german,ngerman,austrian,naustrian,%
803 swissgerman,nswissgerman}{\presentationinformationKIT}{%
804 An der \usenonemptytitleelement{faculty}\
805 \strut\ignorespaces\@chair\
806 }%
807 </KIT)
808 <*WWUM)
809 \providecommand*{\presentationinformationWWUM}{%
810 \usenonemptytitleelement{subject}\
811 to the Aquisition of the Academic Degree\
812 \usenonemptytitleelement{academicgrade}\
813 of the \usenonemptytitleelement{science} of \usenonemptytitleelement{discipline}\
814 of the \usenonemptytitleelement{faculty} faculty\
815 of the \usenonemptytitleelement{university}%
816 }
817 \providecaptionname{american,australian,british,canadian,%
818 english,newzealand,UKenglish,USenglish}{\presentationinformationWWUM}{%
819 \usenonemptytitleelement{subject}\
820 to the Aquisition of the Academic Degree\
821 \usenonemptytitleelement{academicgrade}\
822 of the \usenonemptytitleelement{science} of \usenonemptytitleelement{discipline}\
823 of the \usenonemptytitleelement{faculty} faculty\
824 of the \usenonemptytitleelement{university}%

```

```

825 }
826 \providecaptionname{german,ngerman,austrian,naustrian,%
827   swissgerman,nswissgerman}{\presentationinformationWWUM}{%
828   \usenonemptytitleelement{subject}\\
829   zur Erlangung des \usenonemptytitleelement{academicgrade}\\
830   der \usenonemptytitleelement{science} im Fachbereich
831   \usenonemptytitleelement{discipline}\\
832   der \usenonemptytitleelement{faculty} Fakult"at\\
833   der \usenonemptytitleelement{university}%
834 }
835 </WWUM>

\KITlongname
  \fromname 836 <*KIT>
\refereename
  \KITurl 837 \providecaptionname{american,australian,british,canadian,%
838   english,newzealand,UKenglish,USenglish}{\KITlongname}{%
839   University of the State of Baden-W"urttemberg and National Research Center
840   of the Helmholtz Association%
841 }%
842 \providecaptionname{german,ngerman,austrian,naustrian,%
843   swissgerman,nswissgerman}{\KITlongname}{%
844   Universit"at des Landes Baden-W"urttemberg und nationales
845   Forschungszentrum in der Helmholtz-Gemeinschaft
846 }%
847 \scr@ifundefinedorrelax{captionsamerican}{}{%
848   \renewcaptionname{american}{\fromname}{of}%
849   \renewcaptionname{american}{\refereename}{Reviewer}%
850 }%
851 \scr@ifundefinedorrelax{captionsaustralian}{}{%
852   \renewcaptionname{australian}{\fromname}{of}%
853   \renewcaptionname{australian}{\refereename}{Reviewer}%
854 }%
855 \scr@ifundefinedorrelax{captionsbritish}{}{%
856   \renewcaptionname{british}{\fromname}{of}%
857   \renewcaptionname{british}{\refereename}{Reviewer}%
858 }%
859 \scr@ifundefinedorrelax{captionscanadian}{}{%
860   \renewcaptionname{canadian}{\fromname}{of}%
861   \renewcaptionname{canadian}{\refereename}{Reviewer}%
862 }%
863 \scr@ifundefinedorrelax{captionsenglish}{}{%
864   \renewcaptionname{english}{\fromname}{of}%
865   \renewcaptionname{english}{\refereename}{Reviewer}%
866 }%
867 \scr@ifundefinedorrelax{captionsnewzealand}{}{%
868   \renewcaptionname{newzealand}{\fromname}{of}%
869   \renewcaptionname{newzealand}{\refereename}{Reviewer}%
870 }%
871 \scr@ifundefinedorrelax{captionsUKenglish}{}{%
872   \renewcaptionname{UKenglish}{\fromname}{of}%
873   \renewcaptionname{UKenglish}{\refereename}{Reviewer}%
874 }%
875 \scr@ifundefinedorrelax{captionsUSenglish}{}{%
876   \renewcaptionname{USenglish}{\fromname}{of}%

```

```

877 \renewcaptionname{USenglish}{\refereename}{Reviewer}%
878 }%
879 \newcommand*{\KITurl}{www.kit.edu}
880 </KIT>

```

```

\presentedbyname
\ordinalmalerefereename 881 <*WWUM | UKoLa>
\ordinalfemalerefereename 882 \NowButAfterBeginDocument
883 {%
884 \providecaptionname{german,ngerman,austrian,naustrian,
885 swissgerman,nswissgerman}{\presentedbyname}{vorgelegt von}%
886 \scr@ifundefinedorrelax{captionsgerman}{}{%
887 \renewcaptionname{german}{\presentedbyname}{vorgelegt von}%
888 \renewcaptionname{german}{\ordinalfemalerefereename}{%
889 \ordinalfemalecorrectorname}%
890 }%
891 \scr@ifundefinedorrelax{captionsgerman}{}{%
892 \renewcaptionname{ngerman}{\presentedbyname}{vorgelegt von}%
893 \renewcaptionname{ngerman}{\ordinalmalerefereename}{%
894 \germanordinalmalecorrectorname}%
895 \renewcaptionname{ngerman}{\ordinalfemalerefereename}{%
896 \germanordinalfemalecorrectorname}%
897 }%
898 \scr@ifundefinedorrelax{captionsaustrian}{}{%
899 \renewcaptionname{austrian}{\presentedbyname}{vorgelegt von}%
900 \renewcaptionname{austrian}{\ordinalmalerefereename}{%
901 \germanordinalmalecorrectorname}%
902 \renewcaptionname{austrian}{\ordinalfemalerefereename}{%
903 \germanordinalfemalecorrectorname}%
904 }%
905 \scr@ifundefinedorrelax{captionснаustrian}{}{%
906 \renewcaptionname{naustrian}{\presentedbyname}{vorgelegt von}%
907 \renewcaptionname{naustrian}{\ordinalmalerefereename}{%
908 \germanordinalmalecorrectorname}%
909 \renewcaptionname{naustrian}{\ordinalfemalerefereename}{%
910 \germanordinalfemalecorrectorname}%
911 }%
912 \scr@ifundefinedorrelax{captionsswissgerman}{}{%
913 \renewcaptionname{swissgerman}{\presentedbyname}{vorgelegt von}%
914 \renewcaptionname{swissgerman}{\ordinalmalerefereename}{%
915 \germanordinalmalecorrectorname}%
916 \renewcaptionname{swissgerman}{\ordinalfemalerefereename}{%
917 \germanordinalfemalecorrectorname}%
918 }%
919 \scr@ifundefinedorrelax{captionsswissgerman}{}{%
920 \renewcaptionname{nswissgerman}{\presentedbyname}{vorgelegt von}%
921 \renewcaptionname{nswissgerman}{\ordinalmalerefereename}{%
922 \germanordinalmalecorrectorname}%
923 \renewcaptionname{nswissgerman}{\ordinalfemalerefereename}{%
924 \germanordinalfemalecorrectorname}%
925 }%
926 }
927 </WWUM | UKoLa>

```

While style initialization, something may change:

```
928 \renewcommand*{\inittitle}{%
style KOMAScript redefines some footnote macros:
929 <*KOMAScript>
930 \let\footnotesize\small
931 \let\footnoterule\relax
932 \let\footnote\thanks
933 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
934 \let\@oldmakefnmark\@makefnmark
935 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
936 </KOMAScript>
styles DHBW, TU-DD, TU-HH, KIT, and UKoLa set some variable if not already done
937 <*DHBW | TU-DD | TU-HH | KIT | WWUM>
938 \ifx\@university\@empty
939 \university{%
940 <DHBW> Dualen Hochschule%
941 <TU-DD> Technische\nobreakspace Universit\ "at\nobreakspace Dresden%
942 <TU-HH> Technische\nobreakspace Universit\ "at\nobreakspace
943 <TU-HH> Hamburg-Harburg%
944 <KIT> KIT -- \KITlongname
945 <WWUM> Westf\ "alischen Wilhelms-Universit\ "at M\ "unster%
946 }%
947 \fi
948 </DHBW | TU-DD | TU-HH | KIT | WWUM>
949 <*DHBW | TU-DD | TU-HH | KIT | WWUM | UKoLa>
950 \ifx\@place\@empty
951 \place{%
952 <DHBW> Baden-W\ "urttemberg%
953 <TU-DD> Dresden%
954 <TU-HH> Hamburg%
955 <KIT> Karlsruhe%
956 <*WWUM>
957 \PackageError{uni-titlepage}{Birth 'place' missing}{%
958 Style 'WWUM' needs the birth place of the student, so option 'place=...'
959 resp.\MessageBreak
960 command '\string\place{...}' is mandatory}%
961 </WWUM>
962 <UKoLa> Koblenz%
963 }
964 \fi
965 <*DHBW | UKoLa>
966 \ifx\@mainlogo\@empty
967 <DHBW> \IfFileExists{DHBW_d_MOS_195x95_rgb_300.jpg}{%
968 <UKoLa> \IfFileExists{uni-koblenz-landau.png}{%
969 \scr@ifundefinedorrelax{includegraphics}{%
970 \if@atdocument\else\RequirePackage{graphicx}\fi
971 }{}%
972 \scr@ifundefinedorrelax{includegraphics}{}{%
973 \mainlogo{%
974 <*DHBW>
975 \includegraphics[width=57mm,height=27mm]
976 {DHBW_d_MOS_195x95_rgb_300.jpg}%
977 </DHBW>
```

```

978 <*UKoLa>
979     \includegraphics[width=63mm,height=10mm]
980         {uni-koblenz-landau.png}
981 </UKoLa>
982     }%
983 }%
984 }{}%
985 \fi
986 </DHBW | UKoLa>
987 <*DHBW>
988     \ifx \@titlehead \@empty
989         \titlehead{\hspace*{\fill}\@mainlogo}%
990     \fi
991 </DHBW>
992 <*DHBW | UKoLa>
993     \ifx \@titlepagefont \@empty
994         \renewcommand*{\@titlepagefont}{%
995 <DHBW>         \normalfont\sffamily
996 <UKoLa>         \normalfont
997     }%
998     \fi
999 </DHBW | UKoLa>
1000 <*KIT>
1001     \ifx \@homepage \@empty
1002         \homepage{KITurl}%
1003     \fi
1004     \ifx \@mainlogo \@empty

```

Try to detect one of the suitable PNGs of the KIT logo from https://de.wikipedia.org/wiki/Datei:Logo_KIT.svg.

```

1005     \def\KIT@logo{KITLogo_RGB.pdf}\IfFileExists{\KIT@logo}{}{%
1006     \def\KIT@logo{2560px-Logo_KIT.svg.png}\IfFileExists{\KIT@logo}{}{%
1007     \def\KIT@logo{2000px-Logo_KIT.svg.png}\IfFileExists{\KIT@logo}{}{%
1008     \def\KIT@logo{1280px-Logo_KIT.svg.png}\IfFileExists{\KIT@logo}{}{%
1009     \def\KIT@logo{1024px-Logo_KIT.svg.png}\IfFileExists{\KIT@logo}{}{%
1010     \def\KIT@logo{1000px-Logo_KIT.svg.png}\IfFileExists{\KIT@logo}{}{%
1011     \def\KIT@logo{800px-Logo_KIT.svg.png}\IfFileExists{\KIT@logo}{}{%
1012     \def\KIT@logo{640px-Logo_KIT.svg.png}\IfFileExists{\KIT@logo}{}{%
1013     \def\KIT@logo{500px-Logo_KIT.svg.png}%
1014     }}}}]}%
1015     \IfFileExists{\KIT@logo}{%
1016     \scr@ifundefinedorrelax{includegraphics}{%
1017     \if@atdocument\else\RequirePackage{graphicx}\fi
1018     }{}%
1019     \scr@ifundefinedorrelax{includegraphics}{}{%
1020     \mainlogo{%
1021     \includegraphics[width=40mm,height=18.5mm]{\KIT@logo}%
1022     }%
1023     }%
1024     }{}%
1025     \fi
1026     \ifx \@titlehead \@empty
1027         \titlehead{\@mainlogo\hspace*{\fill}}%
1028     \fi

```

```

1029 \ifx\@titlepagefont\@empty
1030   \renewcommand*{\@titlepagefont}{\usefont{T1}{phv}{m}{n}}%
1031   \fi
1032 </KIT>
1033 <*WWUM>
1034 \ifx\@titlepagefont\@empty
1035   \renewcommand*{\@titlepagefont}{\normalfont\large}%
1036   \fi
1037 </WWUM>
1038 </DHBW | TU-DD | TU-HH | KIT | WWUM | UKoLa>
style Markus-2 uses it's own pagestyle at the first title page
1039 <*Markus & 2>
1040 \def\ps@maintitle{%
1041   \ps@empty
1042   \def\@oddhead{%
1043     \parbox[b][\headheight][b]{\hspace}{\@titlepagefont{%
1044       \csname @titlehead\endcsname}}%
1045   }%
1046   \let\@evenhead\@oddhead
1047 }%
1048 </Markus & 2>
styles JT-Aufsaetze and JT-Geschichte set some font defaults:
1049 <*JT-Aufsaetze | JT-Geschichte>
1050 \ifx\@titlepagefont\@empty
1051 <JT-Aufsaetze> \renewcommand*{\@titlepagefont}{\normalfont\Huge\itshape}%
1052 <*JT-Geschichte>
1053   \scr@ifundefinedorrelax{lsstyle}{%
1054     \renewcommand*{\@titlepagefont}{\normalfont\let\@tpf@extra\scshape}%
1055   }{%
1056     \renewcommand*{\@titlepagefont}{%
1057       \normalfont\def\@tpf@extra{\lsstyle\MakeUppercase}%
1058     }%
1059   }
1060 </JT-Geschichte>
1061 \fi
1062 \ifx\titlefont\@empty
1063   \renewcommand*{\titlefont}{\normalfont}%
1064 \fi
1065 </JT-Aufsaetze | JT-Geschichte>
1066 <*JT-Typography>
1067 \ifx\@titlepagefont\@empty
1068   \renewcommand*{\@titlepagefont}{\normalfont\sffamily\bfseries}%
1069 \fi
1070 </JT-Typography>
1071 }

```

`\publishers` KOMA-Script defines this macro. But we use `\publisher` instead.

```

1072 <KOMAScript>\providecommand*\publishers{\publisher}

```

`\makemaintitle` This differs from style to style:

```

1073 \renewcommand*\makemaintitle{%

```

```

1074 \begin{%
1075 <DHBW | TU-DD | TU-HH | KIT> fullsizetitle}
1076 <*KOMAScript | Markus | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography | WWUM | UKoLa)
1077 titlepage}
1078 </KOMAScript | Markus | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography | WWUM | UKoLa)
1079 \setlength{\parskip}{\z@}%
1080 \setlength{\parindent}{\z@}%
1081 \setlength{\parfillskip}{\z@\@plus 1fil}%
1082 \linespread{1}\selectfont
1083 \@titlepagefont
1084 <*DHBW)
1085 \vspace*{12mm}%
1086 \centering
1087 \begin{minipage}[t][\dimexpr\vsizerelax-36mm\relax]{\dimexpr\hsizerelax-40mm\relax}%
1088 \titlehead\par
1089 \centering
1090 \Large
1091 \vfill
1092 {\titlefont{\Large\usenonemptytitleelement{title}}\par}
1093 \vfill
1094 {\subjectfont{\Large\usenonemptytitleelement{subject}}\par}%
1095 \vfill
1096 \presentationinformationDHBW\par
1097 \vfill
1098 \fromname\[\.5\baselineskip]
1099 \usenonemptytitleelement{author}\par
1100 \vfill
1101 \@date\par
1102 \vfill
1103 \begin{tabular}{*2{p{.5\dimexpr\linewidth-3\tabcolsep\relax}}@{}}
1104 \durationname & \@duration \[\.5ex]
1105 \matriculationnumbername, \coursename & \usenonemptytitleelement{matriculationnumm}
1106 & \usenonemptytitleelement{course}\[\.5ex]
1107 \companyname & \usenonemptytitleelement{company} \[\.5ex]
1108 \advisorname{} \ofthename{} \companyname & \usenonemptytitleelement{advisor} \[\.5ex]
1109 \refereename{} \ofthename{} \@university & \usenonemptytitleelement{referee}
1110 \end{tabular}
1111 \end{minipage}
1112 </DHBW)
1113 <*KOMAScript)
1114 \ifx\titlehead\empty \else
1115 \begin{minipage}[t]{\textwidth}%
1116 \titlehead
1117 \end{minipage}\par
1118 \fi
1119 \null\vfill
1120 \begingroup
1121 \centering
1122 \ifx\subject\empty \else
1123 {\subjectfont{\@subject \par}}%
1124 \vskip 3em
1125 \fi
1126 {\titlefont{\huge \usenonemptytitleelement{title}}\par}%
1127 \vskip 1em

```



```

1128     {\ifx\@subtitle\@empty\else\@subtitlefont{\@subtitle}\par\fi}%
1129     \vskip 2em
1130     {\Large \lineskip 0.75em
1131     \begin{tabular}[t]{c}
1132         \@author
1133     \end{tabular}\par
1134     }%
1135     \vskip 1.5em
1136     {\Large \@date \par}%
1137     \vskip \z@ \@plus3fill
1138     {\Large \@publisher \par}%
1139     \vskip 3em
1140 \endgroup
1141 \@thanks
1142 \vfill\null\vskip-\baselineskip
1143 <\/KOMAScript>
1144 <*TU-DD>
1145 \rule{0pt}{5mm}\par
1146 \ifblackborder
1147 \leavevmode\hskip 1cm
1148 \setlength{\fboxrule}{1pt}%
1149 \expandafter\fbox
1150 \else
1151 \expandafter\mbox
1152 \fi
1153 {%
1154 \begin{minipage}[t][\dimexpr\textheight-2.5cm\relax][t]{%
1155     \dimexpr\linewidth\ifblackborder-3cm\fi\relax}
1156     \sffamily
1157     \centering
1158     \vskip 3cm
1159     {\fontsize{28pt}{34pt}\selectfont
1160     \strut\ignorespaces\@university\unskip\strut\\}
1161     {\fontsize{24pt}{28pt}\selectfont
1162     \strut\ignorespaces\@faculty\unskip\strut\\}
1163     {\fontsize{20pt}{24pt}\selectfont
1164     \strut\ignorespaces\@chair\unskip\strut\\
1165     \strut\ignorespaces\@professor\unskip\strut\\
1166     \vfill
1167     {\bfseries\strut\ignorespaces\@title\unskip\strut\\}
1168     \strut\ignorespaces\@subject\unskip\strut\\
1169     \vfill
1170     \raggedright
1171     \hspace*{.25\linewidth}%
1172     \strut\ignorespaces\presentedbyname\unskip\strut\\
1173     \hspace*{.25\linewidth}\quad
1174     \begin{tabular}{@{}l@{}}
1175         \strut\ignorespaces\@author\unskip\strut\\
1176         \strut\ignorespaces\@discipline\unskip\strut\\
1177         \strut\ignorespaces\@matriculationnumber\unskip\strut\\
1178     \end{tabular}\\
1179     \vskip\baselineskip
1180     \hspace*{.25\linewidth}%
1181     \strut\ignorespaces\advisorname\unskip:\strut\\

```

```

1182         \hspace*{.25\linewidth}\quad
1183         \begin{tabular}{@{}l@{}}
1184             \strut\ignorespaces\usenonemptytitleelement{advisor}\unskip\strut\
1185         \end{tabular}
1186         \vskip2\baselineskip
1187         \hspace*{.25\linewidth}%
1188         \strut\ignorespaces\@place, \nobreakspace\thename\nobreakspace\@date
1189         \par}
1190     \vspace*{5mm}
1191 \end{minipage}
1192 }%
1193 </TU-DD>
1194 <*TU-HH>
1195     \sffamily
1196     \centering
1197     \vspace{5cm}
1198     {\LARGE\bfseries\strut\ignorespaces\@title\}
1199     {\Large\strut\ignorespaces\@subtitle\}
1200     \vspace{2.5cm}
1201     {\Large\presentationinformationTUHH\}
1202     \vspace{2.5cm}
1203     {\Large\strut\ignorespaces\fromname\}
1204     \strut\ignorespaces\usenonemptytitleelement{author}\}
1205     \vspace{2.5cm}
1206     {\Large\strut\ignorespaces\fromplacename\}
1207     \strut\ignorespaces\usenonemptytitleelement{place}\}
1208     \vspace{2.5cm}
1209     {\Large\@date}
1210 </TU-HH>
1211 <*WWUM>
1212     \centering
1213     \usenonemptytitleelement{chair}\}
1214     \vspace{2cm}
1215     \usenonemptytitleelement{title}\}
1216     \vfill
1217     \presentationinformationWWUM\}
1218     \vfill
1219     \presentedbyname\}
1220     \usenonemptytitleelement{author}\}
1221     \ifx\@place\@empty\else\fromplacename\} \@place\}fi
1222     --\, \the\year\, --
1223 </WWUM>
1224 <*Markus & 1>
1225     \raggedright
1226     {\subjectfont{
1227         \large\strut\ignorespaces\@subject\par\vskip 2\baselineskip}}%
1228     {\titlefont{\LARGE\strut\ignorespaces\@title\par}}%
1229     {\@subtitlefont{
1230         \large\vskip.5\baselineskip\strut\ignorespaces\@subtitle\par}}%
1231     \vfill
1232     {\csname @datefont\endcsname{\large\strut\ignorespaces\@date\par}}%
1233 </Markus & 1>
1234 <*Spacer | Markus & 2>
1235     \raggedright

```

```

1236 <Markus & 2> \thispagestyle{maintitle}%
1237 \raisebox{0pt}[\ht\strutbox][\dimexpr\textheight-\ht\strutbox\relax]{%
1238 \ifx\title@rulecolor\empty\else
1239 \@ifundefined{color}{\color{\title@rulecolor}}%
1240 \fi
1241 \rule[\dimexpr-.667\headsep-\textheight\relax]
1242 {\title@rulewidth}
1243 {\dimexpr\textheight+2\headsep\relax}\kern\title@rulesep
1244 }%
1245 \parbox[t][\textheight][t]
1246 {\dimexpr \textwidth-\title@rulewidth-\title@rulesep\relax}{%
1247 \raggedright
1248 <*Spacer>
1249 \ifx\@titlehead\empty\else
1250 \raisebox{\dimexpr\ht\strutbox-\totalheight\relax}{%
1251 \parbox[t]{\linewidth}{\@titlehead}%
1252 }\par
1253 \vskip 2\baselineskip
1254 \fi
1255 </Spacer>
1256 {\leavevmode\subject@font{%
1257 \large\strut\ignorespaces\@subject\par\vskip 2\baselineskip}}%
1258 {\def\and{\}\csname @authorfont\endcsname{\large\@author}\par
1259 \vskip .5\baselineskip}%
1260 {\titlefont{\LARGE\strut\ignorespaces\@title\par}}%
1261 {\@subtitlefont{%
1262 \large\vskip.5\baselineskip\strut\ignorespaces\@subtitle\par}}%
1263 \vfill
1264 {\csname @publisherfont\endcsname{\large\@publisher\par}}%
1265 {\csname @datefont\endcsname{\large\strut\ignorespaces\@date\par}}%
1266 }%
1267 </Spacer | Markus & 2>
1268 <*KIT>
1269 \setlength{\unitlength}{1mm}%
1270 \begin{picture}(0,0)
1271 \put(15,-12){%
1272 \line(1,0){\dimexpr\paperwidth-37mm\relax\@gobble}%
1273 }%
1274 \put(\dimexpr\paperwidth-22mm\@gobble,-19){\oval(14,14)[rt]}%
1275 \put(\dimexpr\paperwidth-15mm\@gobble,-19){%
1276 \line(0,-1){\dimexpr\paperheight-37mm\relax\@gobble}%
1277 }%
1278 \put(22,-\dimexpr\paperheight-18mm\relax\@gobble){%
1279 \line(1,0){\dimexpr\paperwidth-37mm\relax\@gobble}%
1280 }%
1281 \put(22,-\dimexpr\paperheight-25mm\relax\@gobble){\oval(14,14)[lb]}%
1282 \put(15,-\dimexpr\paperheight-25mm\relax\@gobble){%
1283 \line(0,1){\dimexpr\paperheight-37mm\relax\@gobble}%
1284 }%
1285 \end{picture}\par
1286 \vskip\dimexpr -\baselineskip+25mm\relax
1287 \hspace*{27mm}%
1288 \begin{minipage}[t][\dimexpr\paperheight-68mm\relax][t]
1289 {\dimexpr\paperwidth-54mm\relax}

```

```

1290 \raggedright\@titlehead\par
1291 \centering
1292 \vskip 25mm
1293 {\@titlepagefont\@title\par}%
1294 \vskip 20mm
1295 {\Large\@subject\par\fromname\par}
1296 \vskip 1cm
1297 {\huge\usenonemptytitleelement{author}\par}
1298 \vskip 1cm
1299 {\Large\presentationinformationKIT\par}
1300 \vskip 2cm
1301 {\Large
1302 \let\@tempa\refereename
1303 \def\@tempb{1}%
1304 \def\and{%
1305 \\\
1306 \xdef\@tempb{\the\numexpr\@tempb+1\relax}%
1307 \expandafter\ordinal\expandafter{\@tempb}\@tempa: &
1308 }%
1309 \begin{tabular}{@{}lr@{}}
1310 \refereename: & \@referee \\\
1311 \global\let\@tempa\advisorname\xdef\@tempb{1}%
1312 \advisorname: & \@advisor \\\
1313 \end{tabular}\par
1314 }
1315 \vfill
1316 {\Large \durationname: \@duration\par}
1317 \end{minipage}
1318 \vskip 35mm
1319 \hspace*{27mm}\makebox[\dimexpr\paperwidth-56mm\relax]{%
1320 \tiny\@university\hfill\large\textbf{\@homepage}%
1321 }%
1322 </KIT>
1323 <*JT-Aufsätze>
1324 \centering
1325 \ifx\@author\@empty\else\@author\
1326 \begin{picture}(\title@rulewidth\@gobble,
1327 \dimexpr .3ex+1pt+\title@rulesep\relax\@gobble)
1328 \ifx\title@rulecolor\@empty\else
1329 \@ifundefined{color}{\color{\title@rulecolor}}%
1330 \fi
1331 \put(0,\dimexpr .15ex+.5pt+\title@rulesep\relax\@gobble){%
1332 \linethickness{.3ex}\line(1,0){\title@rulewidth\@gobble}%
1333 }%
1334 \put(0,0){%
1335 \linethickness{1pt}\line(1,0){\title@rulewidth\@gobble}%
1336 }%
1337 \end{picture}\[\baselineskip]
1338 \fi
1339 {\titlefont{\@title\par}}%
1340 \vfill
1341 \@publisher
1342 </JT-Aufsätze>
1343 <*JT-Geschichte>

```

```

1344 \centering
1345 \large{\@tpf@extra{\@author\unskip\strut}}\[\dp\strutbox]
1346 {\titlefont{\Huge\@title\par}}
1347 \vfill
1348 \begin{picture}(\title@rulewidth\@gobble,
1349 \dimexpr 4pt+1pt+\title@rulesep\relax\@gobble)
1350 \ifx\title@rulecolor\@empty\else
1351 \ifundefined{color}{\color{\title@rulecolor}}%
1352 \fi
1353 \put(0,\dimexpr 2pt+.5pt+\title@rulesep\relax\@gobble){%
1354 \linethickness{1pt}\line(1,0){\title@rulewidth\@gobble}%
1355 }%
1356 \put(0,0){%
1357 \linethickness{4pt}\line(1,0){\title@rulewidth\@gobble}%
1358 }%
1359 \end{picture}\[\dp\strutbox]
1360 \@tpf@extra{\@publisher}%
1361 \ifx\@place\@empty\else
1362 \unskip\@tpf@extra{\strut}\[\dp\strutbox]\@tpf@extra{\@place}%
1363 \fi
1364 </JT-Geschichte>
1365 <*JT-Typography>
1366 \raggedright
1367 {\Large\MakeUppercase{\@author}\unskip\strut\[\baselineskip]}
1368 {\titlefont{\Huge\MakeUppercase{\@title}\unskip\strut}}
1369 {\@subtitlefont{\normalsize\MakeUppercase{\@subtitle}\unskip\strut}}
1370 \vfill
1371 {\normalsize\MakeUppercase{\@place}\ifx\@place\@empty\else\enskip\fi
1372 {\LARGE\MakeUppercase{\@date}}%
1373 \ifx\@publisher\@empty\else\unskip\strut\[\baselineskip]
1374 \MakeUppercase{\@publisher}%
1375 \fi}
1376 </JT-Typography>
1377 <*UKoLa>
1378 \begin{tabular}[t]{@{}c@{}}
1379 \raisebox{\dimexpr\ht\strutbox-\height}{\@mainlogo}\
1380 \@chair\
1381 \end{tabular}\hfill
1382 \begin{tabular}[r]{@{}c@{}}
1383 \raisebox{\dimexpr\ht\strutbox-\height}{\@secondlogo}\
1384 \end{tabular}\par
1385 \vspace{5\baselineskip}
1386 \centering
1387 {\LARGE\bfseries\titlefont{\@title\par}}%
1388 \vspace{5\baselineskip}
1389 {\Large\subject@font{\@subject\par}}%
1390 \vspace{\baselineskip}
1391 \presentationinformationUKoLa\par
1392 \vspace{5\baselineskip}
1393 \presentedbyname\[\baselineskip]
1394 {\Large\csname @authorfont\endcsname{\usenonemptytitleelement{author}\par}}%
1395 \vfill
1396 \raggedright
1397 \@hangfrom{\advisorname: }\@advisor\par}%

```

```

1398 \newcommand*\test@male@female}[1][m]{%
1399 \global\advance\@tempcnta by\@ne
1400 \Ifstr{##1}{f}{\def\fe@male{female}}{\def\fe@male{male}}%
1401 \@hangfrom{\csname ordinal\fe@male\refereename\endcsname{\@tempcnta}: }%
1402 \def\and{\par\test@male@female}%
1403 }%
1404 \@tempcnta \z@
1405 \expandafter\test@male@female\@referee\par
1406 \vspace{3\baselineskip}
1407 \@place, \Ifstr{\indatename}{-}{\indatename\ } \@date\par
1408 </UKoLa>
1409 \end{%
1410 <DHBW | TU-DD | TU-HH | KIT> fullsizetitle}
1411 <*KOMAScript | Markus | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography | WWUM | UKoLa>
1412 titlepage}
1413 </KOMAScript | Markus | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography | WWUM | UKoLa>
1414 }

```

Some of the styles need additional string options for the back of the main title. These are more structural than logical, so we do not define those globally!

```

uppertitleback (opt.)
  \uppertitleback 1415 <*KOMAScript | Markus | Spacer>
  \@uppertitleback 1416 \providecommand*\@uppertitleback{}
lowertitleback (opt.) 1417 \providecommand{\uppertitleback}[1]{\gdef\@uppertitleback{#1}}
  \lowertitleback 1418 \DefineFamilyKey[%
  \@lowertitleback 1419 <KOMAScript> KOMAScript%
  1420 <Markus & 1> Markus-1%
  1421 <Markus & 2> Markus-2%
  1422 <Spacer> Spacer%
  1423 <JT-Aufsätze> JT-Aufsätze%
  1424 <JT-Geschichte> JT-Geschichte%
  1425 <JT-Geschichte> JT-Typography%
  1426 ]{title}{uppertitleback}{\uppertitleback{#1}\FamilyKeyStateProcessed}
  1427 \providecommand*\@lowertitleback{}
  1428 \providecommand{\lowertitleback}[1]{\gdef\@lowertitleback{#1}}
  1429 \DefineFamilyKey[%
  1430 <KOMAScript> KOMAScript%
  1431 <Markus & 1> Markus-1%
  1432 <Markus & 2> Markus-2%
  1433 <Spacer> Spacer%
  1434 <JT-Aufsätze> JT-Aufsätze%
  1435 <JT-Geschichte> JT-Geschichte%
  1436 <JT-Geschichte> JT-Typography%
  1437 ]{title}{lowertitleback}{\lowertitleback{#1}\FamilyKeyStateProcessed}
  1438 </KOMAScript | Markus | Spacer>

```

`\makemaintitleback` Only some of the styles define this:

```

1439 <*KOMAScript | Markus | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography>
1440 \renewcommand*\makemaintitleback{%
1441 \begin{titlepage}
1442 \setlength{\parskip}{\z@}%
1443 \setlength{\parindent}{\z@}%
1444 \setlength{\parfillskip}{\z@\@plus 1fil}%

```

```

1445 \begin{minipage}[t]{\textwidth}
1446 \@titlepagefont{\@uppertitleback}%
1447 \end{minipage}\par
1448 \vfill
1449 \begin{minipage}[b]{\textwidth}
1450 \@titlepagefont{\@lowertitleback}%
1451 \end{minipage}
1452 \end{titlepage}
1453 }
1454 </KOMAScript | Markus | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography)
1455 <*TU-HH)
1456 \renewcommand*{\makemaintitleback}{%
1457 \begin{titlepage}
1458 \setlength{\parskip}{\z@}%
1459 \setlength{\parindent}{\z@}%
1460 \setlength{\parfillskip}{\z@\@plus 1fil}%
1461 \vspace*{\fill}
1462 \iffinal
1463 \@tempcnta\z@
1464 \def\and{%
1465 \par\advance\@tempcnta by\@ne
1466 \@hangfrom{%
1467 \expandafter\ordinal\expandafter{\the\@tempcnta}\~\refereename:\enskip
1468 }%
1469 }\and\@referee
1470 \fi
1471 \vskip 1cm
1472 \iffinal
1473 \@hangfrom{\oralexaminationdatename:\enskip}{\@oralexaminationdate}%
1474 \fi
1475 \end{titlepage}
1476 }
1477 </TU-HH)
1478 <*WWUM)
1479 \renewcommand*{\makemaintitleback}{%
1480 \begin{titlepage}
1481 \setlength{\parfillskip}{\z@\@plus 1fil}%
1482 \vspace*{\fill}
1483 \noindent
1484 \@tempcnta\z@
1485 \def\arraystretch{2}%
1486 \newcommand*{\test@malefemale}[1][m]{%
1487 \global\advance\@tempcnta by\@ne
1488 \Ifstr{##1}{f}{\def\fe@male{female}}{\def\fe@male{male}}%
1489 \csname \fe@male ordinal\endcsname{\@tempcnta}\space
1490 \csname \fe@male refereename\endcsname: &
1491 \def\and{\\test@malefemale}%
1492 }%
1493 \begin{tabular}{@{}ll@{}}
1494 \chairmanname: & \@professor \\
1495 \expandafter\test@malefemale
1496 \@referee \\
1497 \oralexaminationdatename: & \@oralexaminationdate
1498 \ifx\examinationdatename\@empty\else

```

```

1499      \\examinationdatename:      &
1500      \fi
1501      \\
1502      \end{tabular}
1503      \end{titlepage}
1504  }
1505  </WWUM>

```

Some of the styles need additional string options for the pre title. These are more structural than logical, so we do not define those globally!

`extratitle` (*opt.*)

```

\extratitle 1506 <*KOMAScript | Markus & 2 | Spacer | JT-Aufsaeetze | JT-Geschichte | JT-Typography>
\@extratitle 1507 \providecommand*{\@extratitle}{%
1508 \providecommand{\extratitle}[1]{\gdef\extratitle{#1}}
1509 \DefineFamilyKey[%
1510 <KOMAScript> KOMAScript%
1511 <Markus & 2> Markus-2%
1512 <Spacer> Spacer%
1513 <JT-Aufsaeetze> JT-Aufsaeetze%
1514 <JT-Geschichte> JT-Geschichte%
1515 <JT-Typography> JT-Typography%
1516 ]{title}{extratitle}{\extratitle{#1}\FamilyKeyStateProcessed}
1517 </KOMAScript | Markus & 2 | Spacer | JT-Aufsaeetze | JT-Geschichte | JT-Typography>

```

`\makeprettitle` Only some styles have pre titles:

```

\makeprettitleback 1518 <*KOMAScript | Markus & 2 | Spacer | JT-Aufsaeetze | JT-Geschichte | JT-Typography>
1519 \renewcommand*{\makeprettitle}{%
1520 \ifx\@extratitle\@empty\else
1521 \begin{titlepage}
1522 \noindent\@extratitle
1523 \end{titlepage}
1524 \fi
1525 }%
1526 </KOMAScript | Markus & 2 | Spacer | JT-Aufsaeetze | JT-Geschichte | JT-Typography>
1527 <*Markus & 1>
1528 \renewcommand*{\makeprettitle}{%
1529 \ifx\@publisher\@empty\else
1530 \begin{titlepage}
1531 \raggedleft
1532 {\@titlepagefont{%
1533 \large\strut\ignorespaces\@publisher\par}}%
1534 \end{titlepage}
1535 \fi
1536 }
1537 </Markus & 1>
1538 <*WWUM>
1539 \renewcommand*{\makeprettitle}{%
1540 \begin{fullsizetitle}
1541 \@titlepagefont
1542 \vspace*{.33\vsizer}%
1543
1544 \centering
1545 \usenonemptytitleelement{author}\\\[1ex]

```



```

1546     \usenonemptytitleelement{title}\\[1ex]
1547     \the\year
1548   \end{fullsizetitle}
1549 }
1550 </WWUM>

1551 <*KOMAScript | Markus & 2 | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography>
1552 \renewcommand*{\makeprettitleback}{%
1553   \ifx\@extratitle\@empty\else\begin{titlepage}\null\end{titlepage}\fi
1554 }
1555 </KOMAScript | Markus & 2 | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography>
1556 <*Markus & 1>
1557 \renewcommand*{\makeprettitleback}{%
1558   \ifx\@author\@empty\else
1559     \ifx\@publisher\@empty\begin{titlepage}\end{titlepage}\fi
1560     \begin{titlepage}
1561       \raggedleft
1562       {\@titlepagefont{%
1563         \large\null\vskip 2\baselineskip
1564         \LARGE\strut{\def\and{\hspace{1em}}\linebreak[3]}%
1565         \csname @authorfont\endcsname{\large\ignorespaces\@author}\par}}}%
1566     \end{titlepage}
1567   \fi
1568 }
1569 </Markus & 1>
1570 <*WWUM>
1571 \renewcommand*{\makeprettitleback}{%
1572   \if@twoside\begin{titlepage}\null\end{titlepage}\fi
1573 }
1574 </WWUM>

```

`\makeposttitle` And only some styles provides one more title page with dedication.

```

\makeposttitleback 1575 <*KOMAScript | Markus | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography>
1576 \renewcommand*{\makeposttitle}{%
1577   \ifx\@dedication\@empty\else
1578     \begin{titlepage}
1579       \null\vfill
1580       {\centering\csname @dedicationfont\endcsname{\@dedication \par}}%
1581       \vskip \z@ \@plus 3fill
1582     \end{titlepage}
1583   \fi
1584 }
1585 \renewcommand*{\makeposttitleback}{%
1586   \ifx\@dedication\@empty\else\begin{titlepage}\null\end{titlepage}\fi
1587 }
1588 </KOMAScript | Markus | Spacer | JT-Aufsätze | JT-Geschichte | JT-Typography>

```

4.4 The Examples and the Manual

```

1589 \documentclass[a4paper,pagesize]{scrbook}
1590 \usepackage[ngerman]{babel}
1591 \usepackage{iftex}
1592 \iftutex
1593 <*TU-HH | TU-DD>

```

```

1594 \usepackage{fontspec}
1595 \setmainfont{TeX Gyre Termes}
1596 \setsansfont{TeX Gyre Heros}
1597 </TU-HH | TU-DD)
1598 \else
1599 \usepackage[T1]{fontenc}
1600 \usepackage{lmodern}
1601 <TU-HH | TU-DD)\usepackage{mathpazo}
1602 <TU-HH | TU-DD)\usepackage[scaled]{helvet}
1603 \fi
1604 <JT-Geschichte)\usepackage{microtype}
1605 <DHBW | Spacer | KIT | UKoLa)\usepackage[demo]{graphicx}% remove option demo if you have the lo
1606 \usepackage{xcolor}
1607 <JT-Geschichte | JT-Typography)\colorlet{RED}{red}% because of \MakeUppercase{\textcolor{red}{.
1608 \usepackage{uni-titlepage}
1609 \begin{document}
1610 <*DHBW)
1611 \TitlePageStyle{DHBW}
1612 \makeatletter\providecommand*{\@titlepagefont}{\normalfont\sffamily}\makeatother
1613 \setkomafont{subject}{\sffamily\bfseries}
1614 \maketitle[%
1615 titlefont=\sffamily,
1616 mainlogo=\textcolor{red}{\{
1617 % You may add a company logo here!
1618 % NOTE: The original logo has a large white border!
1619 \includegraphics[width=57mm,height=27mm]%
1620 {DHBW_d_MOS_195x95_rgb_300.jpg}%
1621 }},
1622 % You may additionally change titlehead. The original definition of
1623 % titlehead is:
1624 titlehead={\hspace*{\fill}\usetitleelement{mainlogo}},
1625 title=\textcolor{red}{Bachelorarbeitsthema},
1626 subject=\textcolor{red}{BACHELORARBEIT},
1627 academicgrade=\textcolor{red}{Bachelor of Engineering},
1628 discipline=\textcolor{red}{Studiengang},
1629 place={Baden-Württemberg \textcolor{red}{Stadt}},
1630 student=\textcolor{red}{Vorname Nachname},
1631 duration=\textcolor{red}{12 Wochen},
1632 matriculationnumber=\textcolor{red}{Matrikelnummer},
1633 course=\textcolor{red}{Kurskürzel},
1634 company=\textcolor{red}{Firmenname, Stadt},
1635 advisor=\textcolor{red}{Titel Vorname Nachname},
1636 referee=\textcolor{red}{Titel Vorname Nachname},
1637 date=\textcolor{red}{Abgabedatum}
1638 ]
1639 </DHBW)
1640 <*TU-DD)
1641 \TitlePageStyle{TU-DD}
1642 \maketitle[%
1643 title=\textcolor{red}{Titel im Stil \texttt{TU-DD}},
1644 university=\textcolor{red}{\{
1645 Technische\nobreakspace Universit\ "at\nobreakspace Dresden},%
1646 faculty=\textcolor{red}{Fakultät Wirtschaftswissenschaften},
1647 chair=\textcolor{red}{SAP-Stiftungslehrstuhl für\

```

```

1648 Entrepreneurship und Innovation},
1649 professor=\textcolor{red}{Prof.\,Dr.\,Michael Schefcyk},
1650 % subject=diploma, % one of: project, seminar, studentresearch,
1651 % % diploma, degree, master, bachelor, or ...
1652 subject=\textcolor{red}{Seminararbeit\\(bzw. Diplomarbeit)},% ... direct value
1653 student=\textcolor{red}{Vorname und Name},
1654 discipline=\textcolor{red}{Studienrichtung},
1655 matriculationnumber=\textcolor{red}{Matrikel-Nr.},
1656 advisor=\textcolor{red}{(mit akadem. Grad, Vor- und Zuname)},
1657 date=\textcolor{red}{(Datum der Abgabe)}
1658 ]
1659
1660 \TitleOptions{pagenumber=1,blackborder}% same with 'Trauerrand'
1661 \maketitle% everything else, like above
1662 </TU-DD>
1663 <*KOMAScript>
1664 \TitlePageStyle[pagenumber=1]{KOMAScript}
1665 \maketitle[
1666 extratitle=\textcolor{red}{Das ist ein Schmutztitel im Stil \texttt{KOMAScript}},
1667 titlehead=\textcolor{red}{Den Kopfbereich kann man auf diese Weise füllen.},
1668 subject=\textcolor{red}{Eine Klassifizierung der Arbeit},
1669 title=\textcolor{red}{Titel im Stil \texttt{KOMAScript}},
1670 subtitle=\textcolor{red}{Untertitel},
1671 publisher=\textcolor{red}{Einen Verlag kann man ebenfalls angeben},
1672 uppertitleback=\textcolor{red}{Oberer Bereich der Rückseite des Haupttitels im Stil
1673 \texttt{KOMAScript}.},
1674 lowertitleback=\textcolor{red}{Unterer Bereich der Rückseite des Haupttitels im Stil
1675 \texttt{KOMAScript}.},
1676 dedication=\textcolor{red}{Eine Widmung im Stil \texttt{KOMAScript}}
1677 ]
1678 </KOMAScript>
1679 <*TU-HH>
1680 \TitlePageStyle[pagenumber=1]{TU-HH}
1681 \maketitle[%
1682 final,
1683 title=\textcolor{red}{Titel im Stil \texttt{TU-HH}},
1684 university=\textcolor{red}{Technischen Universität Hamburg-Harburg},
1685 subject=degree,
1686 author=\textcolor{red}{Vorname und Name},
1687 academicgrade=\textcolor{red}{Doktor der Naturwissenschaften (Dr.\,rer.\,nat\,)},
1688 place=\textcolor{red}{(Geburtsort)},
1689 date=\textcolor{red}{(aktuelles Jahr)},
1690 referee=\textcolor{red}{Name des ersten Gutachters\protect\and Name des zweiten
1691 Gutachters},
1692 oralexaminationdate=\textcolor{red}{29. Februar 2009}
1693 ]
1694 </TU-HH>
1695 <*Markus|Spacer>
1696 % Maybe we should define one more option for this:
1697 \setkomafont{subject}{\normalfont\sffamily}% because of KOMA-Script class
1698 \setkomafont{title}{\normalfont\sffamily}% because of KOMA-Script class
1699 <*1>
1700 \TitlePageStyle[pagenumber=1]{Markus-1}
1701 \maketitle[%

```

```

1702 titlepagefont={\normalfont\sffamily},% to show is without KOMA-Script class
1703 title=\textcolor{red}{Titel im Stil \texttt{Markus-1}},
1704 subject=\textcolor{red}{Eine Klassifizierung der Arbeit},
1705 subtitle=\textcolor{red}{Untertitel},
1706 publisher=\textcolor{red}{Verlag},
1707 uppertitleback=\textcolor{red}{Oberer Bereich der Rückseite des Haupttitels
1708 im Stil \texttt{Markus-1}.},
1709 lowertitleback=\textcolor{red}{Unterer Bereich der Rückseite des Haupttitels
1710 im Stil \texttt{Markus-1}.},
1711 dedication=\textcolor{red}{Eine Widmung im Stil \texttt{Markus-1}},
1712 author=\textcolor{red}{Markus~Kohm\protect\and Sonst~Jemand}
1713 ]
1714 </1>
1715 <*2 | Spacer>
1716 <2>\TitlePageStyle[pagenuumber=1]{Markus-2}
1717 <Spacer>\TitlePageStyle[pagenuumber=1]{Spacer}
1718 \maketitle[%
1719 rulewidth=2pt,
1720 extratitle=\textcolor{red}{Das ist ein Schmutztitel im Stil \texttt{%
1721 <2> Markus-2}},
1722 <Spacer> Spacer}},
1723 <*Spacer>
1724 titlehead=\textcolor{red}{\includegraphics{Logo}},
1725 </Spacer>
1726 title=\textcolor{red}{Titel im Stil \texttt{%
1727 <2> Markus-2}},
1728 <Spacer> Spacer}},
1729 subject=\textcolor{red}{Eine Klassifizierung der Arbeit},
1730 subtitle=\textcolor{red}{Untertitel},
1731 publisher=\textcolor{red}{Verlag},
1732 uppertitleback=\textcolor{red}{Oberer Bereich der Rückseite des Haupttitels
1733 im Stil \texttt{%
1734 <2> Markus-2}.},
1735 <Spacer> Spacer}.},
1736 lowertitleback=\textcolor{red}{Unterer Bereich der Rückseite des Haupttitels
1737 im Stil \texttt{%
1738 <2> Markus-2}.},
1739 <Spacer> Spacer}.},
1740 dedication=\textcolor{red}{Eine Widmung im Stil \texttt{%
1741 <2> Markus-2}},
1742 <Spacer> Spacer}},
1743 author=\textcolor{red}{Markus~Kohm}
1744 ]
1745 </2 | Spacer>
1746 </Markus | Spacer>
1747 <*KIT>
1748 \TitlePageStyle{KIT}
1749 \maketitle[%
1750 mainlogo={\textcolor{red}{%
1751 \includegraphics[width=40mm,height=18.5mm]{KITLogo_RGB}}},%
1752 % You may additionally change titlehead. Original definition of titlehead
1753 % is:
1754 titlehead={\usetitleelement{mainlogo}\hspace*{\fill}},%
1755 title=\textcolor{red}{Titel der Arbeit\\im Stil \texttt{KIT}},%

```

```

1756 subject=\textcolor{red}{Klassifizierung der Arbeit},%
1757 author=\textcolor{red}{Markus~Kohm},%
1758 faculty=\textcolor{red}{Fakultät für Informatik},%
1759 chair=\textcolor{red}{%
1760   Institute for Program Structures\and Data Organization (IPA)},%
1761 advisor={\textcolor{red}{Titel Vorname Nachname}\and
1762   \textcolor{red}{Titel Vorname Nachname}},%
1763 referee={\textcolor{red}{Titel Vorname Nachname}\and
1764   \textcolor{red}{Titel Vorname Nachname}},%
1765 duration=\textcolor{red}{XX. Monat 20XX -- XX. Monat 20XX},%
1766 university=\textcolor{red}{\KITlongname},%
1767 homepage=\textcolor{red}{\KITurl}%
1768 ]
1769 </KIT>
1770 <*JT-Aufsätze>
1771 \TitlePageStyle{JT-Aufsätze}
1772 \maketitle[%
1773   % There are only three official elements:
1774   author={\textcolor{red}{Markus Kohm}},%
1775   title={\textcolor{red}{Titel der Arbeit angelehnt an Jan Tschicholds
1776     ausgewählte Aufsätze über Fragen der Gestalt des Buches und der
1777     Typographie}},
1778   titlefont=\normalfont,% You may change the font of the main title
1779   publisher={\textcolor{red}{Der Verlag}}
1780   % Nevertheless, you may use extratitle, lowertitleback and uppertitleback.
1781   % See Markus-2 for more information about those.
1782 ]
1783 </JT-Aufsätze>
1784 <*JT-Geschichte>
1785 \TitlePageStyle{JT-Geschichte}
1786 \maketitle[%
1787   % There are only four official elements:
1788   author={\textcolor{red}{Markus Kohm}},%
1789   title={\textcolor{red}{Titel der Arbeit angelehnt an Jan Tschicholds
1790     Geschichte der Schrift in Bildern}},
1791   titlefont=\itshape,% You may change the font of the main title
1792   publisher={\textcolor{red}{Der Verlag in seiner Langform}},
1793   place={\textcolor{red}{Der Ort}}
1794   % Nevertheless, you may use extratitle, lowertitleback and uppertitleback.
1795   % See Markus-2 for more information about those.
1796 ]
1797 </JT-Geschichte>
1798 <*JT-Typography>
1799 \TitlePageStyle{JT-Typography}
1800 \maketitle[%
1801   % There are only four official elements:
1802   author={\textcolor{red}{Markus Kohm}},%
1803   title={\textcolor{red}{Titel der Arbeit}},
1804   subtitle={\textcolor{red}{angelehnt an the new Typography}},
1805   publisher={\textcolor{red}{Veröffentlicht für einen Verlag oder auch nicht}},
1806   place={\textcolor{red}{Der Ort}},
1807   date={\textcolor{red}{2012}}
1808   % Nevertheless, you may use extratitle, lowertitleback and uppertitleback.
1809   % See Markus-2 for more information about those.

```

```

1810 ]
1811 </JT-Typography>
1812 <*WWUM>
1813 \TitlePageStyle{WWUM}
1814 \renewcaptionname{ngerman}{\examinationdatename}{Tag der Promotion}
1815 %\renewcaptionname{ngerman}{\examinationdatename}{}
1816 %\renewcaptionname{ngerman}{\chairmanname}{Dekan}
1817 %\renewcaptionname{ngerman}{\chairmanname}{Dekanin}
1818 \maketitle[%
1819   title={\textcolor{red}{Titel der Arbeit}},
1820   subject={\textcolor{red}{Inaugural-Dissertation}},
1821   academicgrade={\textcolor{red}{Doktorgrades}},
1822   discipline={\textcolor{red}{Physik}},
1823   science={\textcolor{red}{Naturwissenschaften}},
1824   chair={\textcolor{red}{Experimentelle Physik}},
1825   faculty={\textcolor{red}{Mathematisch-Naturwissenschaftlichen}},
1826   author={\textcolor{red}{Mein Name}},
1827   place={\textcolor{red}{Geburtsort}},
1828   referee={\textcolor{red}{Peter Mustermann}\and
1829     [f]\textcolor{red}{Petra Musterfrau}},
1830   professor={\textcolor{red}{Klaus Naseschwarz}}
1831 ]
1832 </WWUM>
1833 <*UKoLa>
1834 \TitlePageStyle{UKoLa}
1835 \maketitle[%
1836   titlefont=\sffamily,
1837   mainlogo=\textcolor{red}{\{
1838     \includegraphics[height=10mm,width=63mm]{
1839       uni-koblenz-landau}
1840   \}},
1841   chair=\textcolor{red}{Nummer des Instituts:
1842     Name des Instituts},
1843   secondlogo=\textcolor{red}{Optionales weiteres Logo},
1844   title=\textcolor{red}{Titel der Studien-, Bachelor-, Master- oder Diplomarbeit},
1845   subject=\textcolor{red}{Diplomarbeit},
1846   academicgrade=\textcolor{red}{Diplom-Informatikers},
1847   discipline=\textcolor{red}{Name des Studiengangs},
1848   place={\textcolor{red}{Koblenz}},
1849   author=\textcolor{red}{Vorname und Nachname des Absolventen / der
1850     Absolventin},
1851   advisor=\textcolor{red}{Title{
1852     Vorname{
1853       Name,
1854       Institut, Fachbereich innerhalb der Universität /
1855       Institution außerhalb der Universität},
1856   referee={\textcolor{red}{Title{
1857     Vorname{
1858       Name,
1859       Institut, Fachbereich innerhalb der Universität /
1860       Institution außerhalb der Universität}}
1861   \and[f]\textcolor{red}{Title{
1862     Vorname{
1863       Name,

```

```

1864     Institut, Fachbereich innerhalb der Universität /
1865     Institution außerhalb der Universität}%
1866   },%
1867   date=\textcolor{red}{Abgabemonat},
1868 ]
1869
1870 </UKoLa>
1871 \end{document}

1872 <!*README>
1873 \documentclass{ltxdoc}
1874 \IfPackageAtLeastTF{doc}{2022/01/01}{-}{-%
1875   \errhelp{To avoid this error message, use doc.sty v3 instead of v2}%
1876   \errmessage{Package 'doc' is to old!}%
1877 }
1878 \usepackage[english]{babel}
1879 \usepackage{xltabular}
1880 \usepackage{ragged2e}
1881 \usepackage{booktabs}
1882 \usepackage{graphicx}
1883 \usepackage{hvlogos}
1884 \newcommand*\NewIn[1]{\leavevmode\marginpar{\footnotesize\hfill added in #1}}
1885 \newcommand*\ChangedIn[1]{\leavevmode\marginpar{\footnotesize\hfill changed in
1886   #1}}
1887 \NewDocElement[macrolike = true,
1888               toplevel = false,
1889               idxtype = ,
1890               idxgroup = User commands,
1891               printtype =
1892               ]{InterfaceMacro}{imacro}
1893 \NewDocElement[macrolike = false,
1894               toplevel = false,
1895               idxtype = opt.,
1896               idxgroup = Title options,
1897               printtype = \textit{opt.}
1898               ]{Option}{option}
1899 \NewDocumentCommand{\pkg}{s0{https://www.ctan.org/pkg/#3}m}{%
1900   \IfBooleanTF{#1}{\@gobble}{%
1901     \csname tl_if_blank:nTF\endcsname{#2}{\@gobble}{\href}%
1902   }%
1903   {#2}{\textsf{#3}}}%
1904 }
1905 \newcommand*{\File}{\texttt}
1906 \CodelineIndex
1907 \RecordChanges
1908 \EnableCrossrefs
1909 \GetFileInfo{uni-titlepage.drv}
1910 \begin{document}
1911 \title{More Titlepage Styles with Package \pkg{uni-titlepage}}
1912 \author{\href{mailto:komascript@gmx.info}{Markus Kohm}}
1913 \date{\fileversion{} \filedate}
1914 \maketitle
1915 \begin{abstract}
1916 </!README>
1917 <*README>

```

1918 -----
1919
1920 This work may be distributed and/or modified under the conditions of
1921 the LaTeX Project Public License, version 1.3c of the license.
1922 The latest version of this license is in
1923 `http://www.latex-project.org/lppl.txt`
1924 and version 1.3c or later is part of all distributions of LaTeX
1925 version 2005/12/01 or later.
1926
1927 This work has the LPPL maintenance status "maintained".
1928
1929 The Current Maintainer and author of this work is Markus Kohm.
1930
1931 -----
1932
1933 # ABSTRACT
1934
1935 `</README>`
1936 Creation of title pages is something most authors should not have to do.
1937 But reality is not perfect, so a lot of authors have to do it. In 2009
1938 `<!README>`KOMA started the title page project at `\url{https://komascript.de/titlepage}`
1939 `<README>`KOMA started the title page project at `<https://komascript.de/titlepage>`
1940 to collect real title pages and implement them with a well defined interface.
1941 `<!README>`In 2021 the project has been moved to `\url{https://github.com/komascript/uni-titlepage}`
1942 `<README>`In 2021 the project has been moved to `<https://github.com/komascript/uni-titlepage>`
1943 and renamed.
1944
1945 Now, changing from one title page style to another would be very
1946 simple. Nevertheless implementation of a new title page style may be still
1947 difficult. But maybe the guys of the title page project would help you. Just
1948 ask!
1949 `<*README>`
1950
1951 # Unpacking and Installation for Developers and Distributors
1952
1953 To unpack and install all files, you can download the source from github
1954 and then run:
1955
1956 `l3build install`
1957
1958 Afterwards you can build the manual and the PDFs of the examples using:
1959
1960 `l3build doc`
1961
1962 As an alternative you can use the CTAN source distribution. This already
1963 contains the user manual and the PDFs of the example files. So you only have
1964 to run
1965
1966 `tex uni-titlepage.dtx`
1967
1968 to generate the package file 'uni-titlepage.sty', the title definition files
1969 'title-*.def' and the example titlepages 'titlepage-*.tex'.
1970
1971 Please note, the 'title-*.def' files are run-time files. Together with

1972 ‘uni-titlepage.sty’ they have to be placed in ‘tex/latex/uni-titlepage’ inside
1973 a TDS tree. All files ‘titlepage-*.tex’ and ‘titlepage-*.pdf’ as well as
1974 ‘uni-titlepage.pdf’ are part of the documentation and should be placed in
1975 ‘doc/latex/uni-titlepage/’ of the TDS tree.
1976
1977 # Unpacking and Installation for Users
1978
1979 Users can use the installation described at [Unpacking and Installation for
1980 Developers and
1981 Distributors] (#unpacking-and-installation-for-developers-and-distributors).
1982 However, if your TeX distributor already distributes a ready for installation
1983 package, you do not need and should not create files and copy them
1984 yourself. Just use the package manager of your TeX distribution to install the
1985 package.
1986
1987 # How to Contribute
1988
1989 If you have made a title definition that is not specific for a single project
1990 but could be of interest for other users, you can either
1991
1992 * make your own ‘uni-titlepage-FOO’ package with its own manual and [upload it
1993 to ctan] (<https://www.ctan.org/upload>),
1994 * contribute in adding it to ‘uni-titlepage’.
1995
1996 The first option has the advantage, that you are free. There won’t be any code
1997 reviews by the ‘uni-titlepage’ developers. You don’t need to use the same
1998 coding style. There is not need to accept the license of ‘uni-titlepage’
1999 etc. But in this case you have to take care to keep it compatible with future
2000 releases of ‘uni-titlepage’ and it will not be presented in the
2001 ‘uni-titlepage’ manual.
2002
2003 The second option has the advantage, that after accepting your code, the
2004 ‘uni-titlepage’ developers will try to keep it working even if they change
2005 ‘uni-titlepage’. But there are several restrictions to your code, before it
2006 will be accepted. For example, you should always try to use general options,
2007 if possible. *Static text* (not handled by options) should be configurable via
2008 ‘\newcaptionname’, ‘\providecaptionname’ and ‘\renewcaptionname’ and should be
2009 available at least in English and German (but if we can, we help in
2010 translating them). The coding style and quality is also a criterion.
2011
2012 `</README>`
2013 `<!*README>`
2014 `\end{abstract}`
2015 `\DocInput{uni-titlepage.dtx}`
2016 `\end{document}`
2017 `</!*README>`

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\ " [544](#), [545](#),

555, 557, 629,	1281, 1282,	1122, 1123,
639, 764, 832,	1283, 1326,	1168, 1227,
839, 844, 941,	1327, 1331,	1257, 1295, 1389
942, 945, 952, 1645	1332, 1335,	\@subtitle
\, 1222, 1649, 1687	1348, 1349,	255, 1128, 1199,
\@	1353, 1354,	1230, 1262, 1369
\@academicgrade ... 313	1357, 1900, 1901	\@subtitlefont
\@advisor 315, 1312, 1397	\@hangfrom ... 1397, 377, 1128,
\@author . 250, 1132,	1401, 1466, 1473	1229, 1261, 1369
1175, 1258,	\@homepage	\@tempa ... 385, 391,
1325, 1345,	.. 246, 1001, 1320	1302, 1307, 1311
1367, 1558, 1565	\@ifundefined	\@tempb
\@chair ... 258, 795,	.. 1239, 1329, 1351	1306, 1307, 1311
800, 805, 1164, 1380	\@lowertitleback ..	\@tempcnta 1399, 1401,
\@company 1415, 1450	1404, 1463,
\@course	\@mainlogo	1465, 1467,
\@currext 227, 237	. 320, 966, 989,	1484, 1487, 1489
\@currname ... 227, 237	1004, 1027, 1379	\@thanks
\@date ... 251, 1101,	\@makefnmark .. 934, 935	\@title
1136, 1188,	\@matriculationnumber	1167, 1198,
1209, 1232, 314, 1177	1228, 1260,
1265, 1372, 1407	\@nameuse	1293, 1339,
\@dedication .. 323,	\@ne	1346, 1368, 1387
1577, 1580, 1586	583, 602, 618,	\@titlehead ... 243,
\@discipline . 312, 1176	1399, 1465, 1487	988, 1026, 1088,
\@duration	\@oddhead .. 1042, 1046	1114, 1116,
.. 252, 1104, 1316	\@oldmakefnmark 934, 935	1249, 1251, 1290
\@empty 123, 137, 344,	\@oralexaminationdate	\@titlepagefont ...
753, 760, 767,	.. 322, 1473, 1497 358, 993,
938, 950, 966,	\@place 317, 753, 760,	994, 1029, 1030,
988, 993, 1001,	767, 950, 1188,	1034, 1035,
1004, 1026,	1221, 1361,	1043, 1050,
1029, 1034,	1362, 1371, 1407	1051, 1054,
1050, 1062,	\@plus	1056, 1067,
1067, 1114,	1081,	1068, 1083,
1122, 1128,	1137, 1444,	1293, 1446,
1221, 1238,	1460, 1481, 1581	1450, 1532,
1249, 1325,	\@professor	1541, 1562, 1612
1328, 1350,	.. 259, 1165, 1494	\@tpf@extra
1361, 1371,	\@publisher ... 318, 1054, 1057,
1373, 1498,	1138, 1264,	1345, 1360, 1362
1520, 1529,	1341, 1360,	\@university 256, 938,
1553, 1558,	1373, 1374,	1109, 1160, 1320
1559, 1577, 1586	1529, 1533, 1559	\@uppertitleback ..
\@evenhead	\@referee 316, 1310,	.. 1416, 1417, 1446
1046	1405, 1469, 1496	\@uppertitlebacke 1415
\@extratitle .. 1506,	\@restonecolfalse . 121	\@usetitleelement@error
1520, 1522, 1553	\@restonecoltrue .. 119 326
\@faculty ... 257, 1162	\@science	\\ 731, 732, 733, 737,
\@firstofone ... 97, 403	. 283, 295, 298, 300	738, 739, 743,
\@fnsymbol	\@secondlogo . 321, 1383	744, 745, 750,
933	\@sience	751, 752, 757,
\@gobble	\@spaces	758, 759, 764,
95,	\@subject 260,	765, 766, 772,
1272, 1274,	776, 783, 790,	
1275, 1276,		
1278, 1279,		

773, 774, 775,	\AtBeginDocument .. 405	\CodelineIndex ... 1906
779, 780, 781,	\atthename 430	\color . 1239, 1329, 1351
782, 786, 787,		\colorlet 1607
788, 789, 794,	B	\columnwidth 191
795, 799, 800,	\baselineskip . 214,	\companyname .. 434,
804, 805, 810,	750, 752, 757,	491, 553, 1107, 1108
811, 812, 813,	759, 764, 766,	\coursename
814, 819, 820,	1098, 1142,	433, 489, 551, 1105
821, 822, 823,	1179, 1186,	\cs 728
828, 829, 831,	1227, 1230,	\csname 79, 229, 230,
832, 1098, 1104,	1253, 1257,	231, 233, 319,
1106, 1107,	1259, 1262,	344, 658, 1044,
1108, 1160,	1286, 1337,	1232, 1258,
1162, 1164,	1367, 1373,	1264, 1265,
1165, 1167,	1385, 1388,	1394, 1401,
1168, 1172,	1390, 1392,	1489, 1490,
1175, 1176,	1393, 1406, 1563	1565, 1580, 1901
1177, 1178,	\batchfile 1	\CurrentOption 408
1181, 1184,	\begin 167,	
1198, 1199,	198, 1074, 1087,	D
1201, 1203,	1103, 1115,	\DeclareOption 408
1204, 1206,	1131, 1154,	\def 1, 100,
1207, 1213,	1174, 1183,	101, 646, 1005,
1215, 1217,	1270, 1288,	1006, 1007,
1219, 1220,	1309, 1326,	1008, 1009,
1221, 1258,	1348, 1378,	1010, 1011,
1305, 1310,	1382, 1441,	1012, 1013,
1312, 1325,	1445, 1449,	1040, 1042,
1337, 1345,	1457, 1480,	1057, 1258,
1359, 1362,	1493, 1521,	1303, 1304,
1367, 1368,	1530, 1540,	1400, 1402,
1369, 1373,	1553, 1559,	1464, 1485,
1379, 1380,	1560, 1572,	1488, 1491, 1564
1383, 1393,	1578, 1586,	\DefineFamily 81
1491, 1494,	1609, 1910, 1915	\DefineFamilyKey ..
1496, 1499,	\begingroup 86, 91, 232,
1501, 1545,	144, 384, 645, 1120	238, 245, 248,
1546, 1647,	\bfseries . 367, 372,	263, 302, 325,
1652, 1755, 1760	377, 1068, 1167,	363, 368, 373,
\□ 1407	1198, 1387, 1613	378, 703, 712,
		1418, 1429, 1509
A	C	\DefineFamilyMember
\advance 173,	\c@footnote 933 82, 676
1399, 1465, 1487	\c@page 204	\dimexpr
\advance 171	\catcode 389	709, 718, 1087,
\and 1258, 1304,	\centering ... 1086,	1103, 1154,
1402, 1464,	1089, 1121,	1155, 1237,
1469, 1491,	1157, 1196,	1241, 1243,
1564, 1690,	1212, 1291,	1246, 1250,
1712, 1761,	1324, 1344,	1272, 1274,
1763, 1828, 1861	1386, 1544, 1580	1275, 1276,
\arraystretch 1485	\ChangedIn 1885	1278, 1279,
\askforoverwritefalse	\changes 728	1281, 1282,
..... 11	\clearpage 117	1283, 1286,

M		
<code>\makeatletter</code>	387, 1612	<code>\NewDocumentCommand</code>
<code>\makeatother</code>	1612 1899
<code>\makebox</code>	215, 1319	<code>\newenvironment</code>
<code>\maketitle</code> 165
102, 143, 1614,		<code>\newif</code>
1642, 1661,	 99
1665, 1681,		<code>\NewIn</code>
1701, 1718,	 1884
1749, 1772,		<code>\newkomafont</code>
1786, 1800,	 361
1818, 1835, 1914		<code>\newpage</code>
<code>\MakeUppercase</code>	1057,	.. 128, 132, 139
1367, 1368,		<code>\newsavebox</code>
1369, 1371,	 164
1372, 1374, 1607		<code>\nobreakspace</code>
<code>\marginpar</code>	1884, 1885
<code>\matriculationnumbername</code>	941, 942, 1188, 1645
432, 487, 549, 1105		<code>\noexpand</code>
<code>\mbox</code>	1151
<code>\MessageBreak</code>	177,	. 386, 387, 388, 389
178, 179, 180,		<code>\noindent</code>
181, 183, 222,		194, 1483, 1522
286, 287, 288,		<code>\nopostamble</code>
295, 296, 297,	 68
304, 305, 306,		<code>\nopreamble</code>
340, 347, 348,	 68
350, 351, 396,		<code>\normalfont</code>
610, 653, 654, 959		... 995,
<code>\minipage</code>	194	996, 1035, 1051,
<code>\Msg</code>	4, 5, 6, 7, 8,	1054, 1057,
9, 73, 74, 75, 76, 77		1063, 1068,
		1612, 1697,
		1698, 1702, 1778
		<code>\normalsize</code>
		.. 1369, 1371
		<code>\null</code>
	 128,
		132, 1119, 1142,
		1553, 1563,
		1572, 1579, 1586
		<code>\numexpr</code>
	 1306
		O
		<code>\oddsidemargin</code>
	 205
		<code>\onecolumn</code>
	 119
		<code>\or</code>
		.. 571, 572, 587,
		588, 606, 607,
		629, 630, 639, 640
		<code>\ordinalfemalecorrectorname</code>
	 889
		<code>\oval</code>
	 1274, 1281
		P
		<code>\PackageError</code>
	
	 338, 345,
		394, 568, 573,
		584, 589, 603,
		608, 619, 627,
		631, 637, 641, 957
		<code>\PackageInfo</code>
	 104
		<code>\PackageNotLoadedError</code>
	 646, 659
		<code>\PackageWarning</code>
		176,
		221, 285, 294, 303
		<code>\paperheight</code>
	
	 189, 1276,
		1278, 1281,
		1282, 1283, 1288
		<code>\paperwidth</code>
		168, 1272,
		1274, 1275,
		1279, 1289, 1319
		<code>\par</code>
		1088, 1092, 1094,
		1096, 1099,
		1101, 1117,
		1123, 1126,
		1128, 1133,
		1136, 1138,
		1145, 1189,
		1227, 1228,
		1230, 1232,
		1252, 1257,
		1258, 1260,
		1262, 1264,
		1265, 1285,
		1290, 1293,
		1295, 1297,
		1299, 1313,
		1316, 1339,
		1346, 1384,
		1387, 1389,
		1391, 1394,
		1397, 1402,
		1405, 1407,
		1447, 1465,
		1533, 1565, 1580
		<code>\parbox</code>
		1043, 1245, 1251
		<code>\parfillskip</code>
		.. 1081,
		1444, 1460, 1481
		<code>\parindent</code>
	
		.. 1080, 1443, 1459
		<code>\parskip</code>
		1079, 1442, 1458
		<code>\pkg</code>
	 1899, 1911
		<code>\preamble</code>
	 14
		<code>\presentationinformationUKoLa</code>
		730, 736, 742, 1391
		<code>\protect</code>
		... 1690, 1712
		<code>\providecaptionname</code>
	 441, 443,
		445, 447, 450,
		452, 454, 456,
		459, 461, 463,
		465, 467, 469,
		471, 473, 475,
		478, 481, 484,
		486, 488, 490,
		492, 494, 497,
		499, 501, 503,
		505, 507, 509,
		511, 513, 515,
		517, 519, 521,
		523, 525, 527,
		529, 531, 533,

535, 538, 541,	1237, 1241,	875, 886, 891,
543, 546, 548,	1243, 1246,	898, 905, 912,
550, 552, 554,	1250, 1272,	919, 969, 972,
556, 558, 735,	1276, 1278,	1016, 1019, 1053
741, 755, 762,	1279, 1281,	\scshape 1054
777, 784, 797,	1282, 1283,	\selectfont ... 1082,
802, 817, 826,	1286, 1288,	1159, 1161, 1163
837, 842, 884, 2008	1289, 1306,	\setcounter . 85, 87, 136
\providecommand ...	1319, 1327,	\setkomafont
..... 89, 102,	1331, 1349, 1353	.. 1613, 1697, 1698
243, 244, 246,	\renewcaptionname .	\setlength ... 1079,
247, 260, 261, 848, 849,	1080, 1081,
281, 284, 293,	852, 853, 856,	1148, 1269,
323, 324, 367,	857, 860, 861,	1442, 1443,
372, 377, 410,	864, 865, 868,	1444, 1458,
411, 412, 413,	869, 872, 873,	1459, 1460, 1481
414, 415, 416,	876, 877, 887,	\setmainfont 1595
417, 418, 419,	888, 892, 893,	\setsansfont 1596
420, 421, 422,	895, 899, 900,	\sffamily 995, 1068,
423, 424, 425,	902, 906, 907,	1156, 1195,
426, 427, 428,	909, 913, 914,	1612, 1613,
429, 430, 431,	916, 920, 921,	1615, 1697,
432, 433, 434,	923, 1814, 1815,	1698, 1702, 1836
435, 436, 440,	1816, 1817, 2008	\small 930
694, 698, 702,	\renewcommand .. 90,	\space 73,
730, 749, 771,	92, 143, 154,	182, 286, 287,
793, 809, 1072,	155, 156, 157,	295, 339, 352,
1416, 1417,	158, 159, 160,	753, 760, 767, 1489
1427, 1428,	161, 319, 364,	\srting 298
1507, 1508, 1612	369, 374, 379,	\stepcounter 140
\ps@empty 1041	928, 933, 935,	\string 181, 183, 286,
\ps@maintitle 1040	994, 1030, 1035,	287, 289, 295,
\put 1271, 1274, 1275,	1051, 1054,	296, 339, 352, 960
1278, 1281,	1056, 1063,	\strut 352,
1282, 1331,	1068, 1073,	353, 795, 800,
1334, 1353, 1356	1440, 1456,	805, 1160, 1162,
	1479, 1519,	1164, 1165,
	1528, 1539,	1167, 1168,
	1552, 1557,	1172, 1175,
	1571, 1576, 1585	1176, 1177,
	\renewenvironment . 115	1181, 1184,
	\RequirePackage ...	1188, 1198,
 80, 970, 1017	1199, 1203,
	\rlap 935	1204, 1206,
	\rule 1145, 1241	1207, 1227,
		1228, 1230,
		1232, 1257,
		1260, 1262,
		1265, 1345,
		1362, 1367,
		1368, 1369,
		1373, 1533, 1564
		\strutbox 1237, 1250,
		1345, 1359,

1362, 1379, 1383	1775, 1779,	duration 252
<code>\studentresearchname</code>	1788, 1789,	extratitle 1506
. 266, 413, 448, 506	1792, 1793,	faculty 257
<code>\subject@font</code>	1802, 1803,	final 692
367 , 1094 , 1123 ,	1804, 1805,	homepage 246
1226 , 1256 , 1389	1806, 1807,	lowertitleback 1415
	1819, 1820,	mainlogo 320
	1821, 1822,	matriculationnumber
	1823, 1824, 314
	1825, 1826,	oralexaminationdate
	1827, 1828, 322
	1829, 1830,	pagenumber 85
	1837, 1841,	pagestyle 89
	1843, 1844,	place 317
	1845, 1846,	professor 259
	1847, 1848,	publisher 318
	1849, 1851,	referee 316
	1856, 1861, 1867	rulecolor 693
		rulesep 693
	<code>\textheight</code>	rulewidth 693
	193, 1154, 1237,	science 283
	1241, 1243, 1245	secondlogo 321
		sience 284
	<code>\textit</code> 1897	student 282
	<code>\textsf</code> 1903	subject 260
	<code>\texttt</code> 1643 ,	subjectfont 367
	1666, 1669,	subtitle 255
	1673, 1675,	subtitlefont 377
	1676, 1683,	title 249
	1703, 1708,	titlefont 372
	1710, 1711,	titlehead 243
	1720, 1726,	titlepagefont 358
	1733, 1737,	university 256
	1740, 1755, 1905	uppertitleback 1415
		<code>\title@font</code> 372
	<code>\textwidth</code>	<code>\title@rulecolor</code> . .
	192, 696, 1115, 693 , 1238 ,
	1246, 1445, 1449	1239, 1328,
		1329, 1350, 1351
	<code>\thanks</code> 932	<code>\title@rulesep</code>
	<code>\the</code> 181 , 693 , 1243 ,
	183, 389, 1222,	1246, 1327,
	1306, 1467, 1547	1331, 1349, 1353
	<code>\thefootnote</code> 933	<code>\title@rulewidth</code> . .
	<code>\thispagestyle</code> 693 , 1242 ,
 123 , 137 , 1236	1246, 1326,
	<code>\tiny</code> 1320	1332, 1335,
	Title options:	1348, 1354, 1357
	academicgrade 313	<code>\titlebox</code> 164
	advisor 315	<code>\titlefont</code>
	author 250 372 , 374 , 1062 ,
	blackborder 691	1063, 1092,
	chair 258	1126, 1228,
	company 254	
	course 253	
	date 251	
	dedication 323	
	discipline 312	

	1260, 1339, 1346, 1368, 1387		
\titlepage	100	\DefineReplaceTitleKey	\Ifstr . 264, 265, 266, 267, 268, 269, 270, 281, 1400, 1407, 1488
titlepage (env.)	23, 100	\DefineSimpleTitleKey	\indatename 410, 1407
\topmargin	199 220,	\inittitle
\topskip	200	249, 250, 251,	. 103, 146, 154, 928
\totalheight	1250	252, 253, 254,	\inittitlestyle
\tp@dokeys	220, 262	255, 256, 257, 114, 386
\tp@replacewarning	220	258, 259, 283,	\KITlongname ...
\tp@undefinedtitle	. 103, 155, 156, 157, 158, 159, 160	312, 313, 314,	... 836, 944, 1766
\twocolumn	139	315, 316, 317, 318, 320, 321, 322	\KITurl
		\degreethesisname	.. 836, 1002, 1767
	 268, 410	\lowertitleback 1415
		\diplomathesisname	\mainlogo
	 267, 410	... 320, 973, 1020
		\discipline 312	\makemaintitle .
		\duration	103, 148, 157, 1073
		252	\makemaintitleback
		\englishordinal	103, 148, 158, 1439
		. 437, 460, 561, 598	\makeposttitle .
		\englishordinalfemale	103, 149, 159, 1575
		refereename	\makeposttitleback
		428, 480, 563	103, 149, 160, 1575
		\englishordinalmale	\makeprettitle ..
		refereename	103, 147, 155, 1518
		427, 477, 560	\makeprettitleback
		\exittitle 103,
		103, 150, 161	147, 156, 1518,
		\extratitle ... 1506	1552, 1557, 1571
		\faculty	\maketitle
		257	2
		\femaleordinal . 410	\maleordinal ... 410
		\female	\malerefereename 410
		refereename	\masterthesisname
		410 269, 410
		\fromname	\matriculationnumber
	 410, 836, 314
		1098, 1203, 1295	\NowButAfterBeginDocument
		\fromplacename 23, 401, 882
		.. 410, 1206, 1221	\ofthename
		\fullsizetitle . 164	.. 410, 1108, 1109
		\germanfemaleordinal	\oralexaminationdate
	 518, 617 322
		\germanmaleordinal	\oralexaminationdatename
	 520, 617	.. 410, 1473, 1497
		\germanordinal .	\ordinal
	 516, 617	\ordinalfemale
		\germanordinalfemale	refereename
		correctorname	410, 881
		595, 896,	. 582, 596, 894,
		903, 910, 917, 924	901, 908, 915, 922
		\germanordinalfemale 410, 881
		refereename	\germanordinalmale
		540, 579	refereename
		\germanordinalmale	410, 881
		correctorname	901, 908, 915, 922
		582, 596, 894, 537, 566, 580
		901, 908, 915, 922	\homepage . 246, 1002
		\germanordinalmale 728, 1096
		refereename	
		537, 566, 580	
		\homepage . 246, 1002	
	 728, 1096	

U

\unitlength	1269
\unskip	1160, 1162, 1164, 1165, 1167, 1168, 1172, 1175, 1176, 1177, 1181, 1184, 1345, 1362, 1367, 1368, 1369, 1373
\url	1938, 1941
\usebox	215
\usefont	1030
\usepackage 1590, 1591, 1594, 1599, 1600, 1601, 1602, 1604, 1605, 1606, 1608, 1878, 1879, 1880, 1881, 1882, 1883
User commands:	
\academicgrade	313
\advisor	315
\advisorname	... 410, 1108, 1181, 1311, 1312, 1397
\author	250, 1912
\bachelorthesisname 270, 410
\chair	258
\chairmanname 410, 1494, 1816, 1817
\company	254
\course	253
\date	251, 1913
\dedication	323

<code>\presentationinformationKIT</code>	1771, 1785,	1315, 1340,
.....	728 , 1299	1799, 1813, 1834
<code>\presentationinformationTUHH</code>		1347, 1370,
.....	728 , 1201	1395 , 1448 , 1579
<code>\presentationinformationUKU</code> 89 , 123 , 137	<code>\vsize</code>
<code>\presentationinformationWUW</code> 256 , 939	189 , 193 , 1087 , 1542
.....	728	<code>\uppertitleback</code> 1415
<code>\presentationinformationWUW</code> 200 , 214 , 1124 ,	<code>\vskip</code>
.....	728 , 1217	199 ,
<code>\presentedbyname</code> 23 , 343 ,	1127 , 1129 ,
.....	410 , 881 ,	1135 , 1137 ,
	1172 , 1219 , 1393	1139 , 1142 ,
<code>\professor</code> 259	1158 , 1179 ,
<code>\projectpapername</code> 758 , 759 , 760 ,	1186 , 1227 ,
.....	765 , 766 , 767 ,	1230 , 1253 ,
<code>\publisher</code> 773 , 775 , 780 ,	1257 , 1259 ,
<code>\publishers</code> 782 , 787 , 789 ,	1262 , 1286 ,
<code>\referee</code> 794 , 799 , 804 ,	1292 , 1294 ,
<code>\refereename</code> 810 , 812 , 813 ,	1296 , 1298 ,
.....	814 , 815 , 819 ,	1300 , 1318 ,
	410 , 836 , 1109 ,	1471 , 1563 , 1581
	1302 , 1310 , 1467	<code>\vspace</code> ..
<code>\science</code>	.. 283 ,	199 , 1085 ,
	286 , 289 , 291 , 309	1190 , 1197 ,
<code>\secondlogo</code> 321	830 , 831 , 832 ,
<code>\seminarpapername</code> 1099 ,	833 , 1092 , 1094 ,
.....	1106 , 1107 ,	1200 , 1202 ,
<code>\sience</code> 1108 , 1109 ,	1205 , 1208 ,
<code>\studentreserchname</code> 1106 ,	1214 , 1385 ,
.....	1126 , 1184 ,	1388 , 1390 ,
<code>\subject</code> 1204 , 1207 ,	1392 , 1406 ,
<code>\subtitle</code> 1213 , 1215 ,	1461 , 1482 , 1542
<code>\thename</code> 1220 , 1297 ,	<code>\vss</code>
<code>\title</code> 1394 , 1545 , 1546	216
<code>\titlehead</code> 326 , 355 , 1624 , 1754	
.....		
<code>\TitleOption</code>	.. 2 , 80	
<code>\TitleOptions</code>	..	
.....	2 , 80 , 116 ,	
	145 , 166 , 392 , 1660	
<code>\TitlePageStyle</code> 1095 ,	
.....	1100 , 1102 ,	
	1119 , 1142 ,	
	1166 , 1169 ,	
	1216 , 1218 ,	
	1231 , 1263 ,	
	1717 , 1748 ,	

Change History

0.5e	v0.1
	General: Start of project 24
<code>\presentationinformationDHBW:</code>	v0.2
<code>\if</code> replaced by <code>\ifx</code>	41 General: First version using

docstrip	24	\presentationinformationDHBW:	
new style DHBW	39	\NowButAfterBeginDocument	
new style Spacer	39	not needed any more	41
v0.2a		provide several English and	
\makemaintitle: Markus-2:		German languages	41
\leavevmode added before		\presentationinformationKIT:	
\subject@font to avoid line		\NowButAfterBeginDocument	
break after \subject@font		not needed any more	41
using package color or xcolor	47	provide several English and	
\makeprettitle: Markus-1: Usage		German languages	41
of \@titlepagefont fixed	56	\presentationinformationTUHH:	
v0.3		\NowButAfterBeginDocument	
General: new style KIT	39	not needed any more	41
\@homepage: added	29	provide several English and	
\homepage: added	29	German languages	41
homepage: added	29	\presentationinformationWWUM:	
v0.4		new style WWUM	41
General: new style JT-Aufsätze	39	\presentedbyname: changed value	
new style JT-Geschichte	39	for WWUM	44
new style JT-Typography	39	\refereename:	
\@mainlogo: added	32	\NowButAfterBeginDocument	
\@usetitleelement@error: added	32	not needed any more	43
\mainlogo: added	32	provide several English and	
mainlogo: added	32	German languages	43
\usetitleelement: added	32	\science: added	31
v0.4a		science: added	31
\makemaintitle: fix influence of		\sience: added	31
height of titlehead to vertical		sience: added	31
alignment of rule	51	v0.5a	
v0.4b		\presentedbyname: fixed	
\makeprettitle: Markus-1:		swissgerman instead of swiss	44
publisher page may be omitted	56	v0.5b	
v0.4c		\presentedbyname: changes have	
subject: typing error fixed		to be delayed	44
(mrpiggii)	30	v0.5c	
v0.5		\advisorname: not needed	
\@science: added	31	\AtBeginDocument removed	34
\@sience: added	31	\bachelorthesisname: not needed	
\chairmannname: added	34	\AtBeginDocument removed	34
\femaleordinal: added	34	\chairmannname: not needed	
\femalerefereename: added	34	\AtBeginDocument removed	34
\fromname:		\degreethesisname: not needed	
\NowButAfterBeginDocument		\AtBeginDocument removed	34
not needed any more	43	\diplomathesisname: not needed	
provide several English and		\AtBeginDocument removed	34
German languages	43	\femaleordinal: not needed	
\KITlongname:		\AtBeginDocument removed	34
\NowButAfterBeginDocument		\femalerefereename: not needed	
not needed any more	43	\AtBeginDocument removed	34
provide several English and		\fromname: not needed	
German languages	43	\AtBeginDocument removed	34
\maleordinal: added	34	\fromplacename: not needed	
\malerefereename: added	34	\AtBeginDocument removed	34

\malerefereename: not needed		new style UKoLa	22
\AtBeginDocument removed . .	34	\@secondlogo: added	32
\masterthesisname: not needed		\englishordinalfemalerefereename:	
\AtBeginDocument removed . .	34	added	37
\ofthename: not needed		\englishordinalmalerefereename:	
\AtBeginDocument removed . .	34	added	37
\oralexaminationdataname: not needed		\germanordinalfemalecorrectorname:	
\AtBeginDocument removed	34	added	38
\ordinal: not needed		\germanordinalfemalerefereename:	
\AtBeginDocument removed . .	34	added	37
\presentedbyname: not needed		\germanordinalmalecorrectorname:	
\AtBeginDocument removed . .	34	added	38
\projectpapername: not needed		\germanordinalmalerefereename:	
\AtBeginDocument removed . .	34	added	37
\referename: not needed		\indatename: added	34
\AtBeginDocument removed . .	34	\ordinalfemalerefereename:	
\seminarpapername: not needed		added	34
\AtBeginDocument removed . .	34	changed value for UKoLa	44
\studentreserchname: not needed		\ordinalmalerefereename: added	34
\AtBeginDocument removed . .	34	changed value for UKoLa	44
\thename: not needed		\presentationinformationUKoLa:	
\AtBeginDocument removed . .	34	added	41
v0.5e		\presentedbyname: changed value	
\makemaintitleback: \ifstr in		also for UKoLa	44
scrbase renamed to \Ifstr . .	54	\secondlogo: added	32
subject: \ifstr in scrbase		secondlogo: added	32
renamed to \Ifstr	30	v0.7a	
v0.5f		\ordinalfemalerefereename:	
General: autodetect several logo		typofix for austrian	44
picture files	46	\ordinalmalerefereename: typofix	
usage of l3build	1	for austrian	44
v0.6		v0.7b	
General: package renamed from		\germanordinalmalecorrectorname:	
gobble-		missing \fi added	38
https://www.ctan.org/pkg/titlepagetitlepage		\germanordinalmalerefereename:	
into		missing \fi added	37
gobblehttps://www.ctan.org/pkg/unititlepageuni-titlepage	1	v0.7c	
\@academicgrade: renamed		\germanordinalmalerefereename:	
“degree” to “academic grade” to		orphan empty line removed . .	37
avoid name clash with the		v1.0	
degree symbol	31	General: prepared for engines	
\academicgrade: renamed “degree”		using tu encoding	57
to “academic grade” to avoid		using class <code>ltxdoc</code> instead of	
name clash with the degree		<code>scrdoc</code>	63
symbol	31	\makemaintitle: JT-Aufsaetze	
academicgrade: renamed “degree”		allows empty author	47
to “academic grade” to avoid		\presentationinformationDHBW:	
name clash with the degree		using	
symbol	31	\usenonemptytitleelement . .	41
v0.7		\presentationinformationTUHH:	
General: don’t use <code>inputenc</code> any		using	
longer	57	\usenonemptytitleelement . .	41

\presentationinformationUKoLA:		fillskip	54
using			
\usenonemptytitleelement ..	41		
\presentationinformationWWUM:			
using			
\usenonemptytitleelement ..	41		
\usenonemptytitleelement:			
added	33		
v1.1			
rulecolor: new	40		
\title@rulecolor: new	40		
v1.1a			
\makemaintitleback: resetting			
paragraph skip, indent and			
		v1.2	
		General: science fixed	62
		\@science: \@science renamed ..	31
		\@science: deprecated	31
		\presentationinformationKIT:	
		science fixed	42
		\science: \sience renamed	31
		science: sience renamed	31
		\sience: deprecated	31
		sience: deprecated	31
		v1.3	
		\germanordinalfemalerefereename:	
		correction of endless recursion	37