



ConTeXt

přikazy

CS

ConTeXt

přikazy

language : cs / český
version : 26. února 2025
maintainer : Wolfgang Schuster
comments : ntg-context@ntg.nl

<code>\AfterPar {...}</code> * BEFEHL
<code>\Alphabeticnumerals {...}</code> * NUMMER
<code>\AMSTEX</code>
<code>\AmSTeX</code>
<code>\abjadnaivenumerals {...}</code> * NUMMER
<code>\abjadnodotnumerals {...}</code> * NUMMER
<code>\abjadnumerals {...}</code> * NUMMER
<code>\activatespacehandler {...}</code> * zap vyp ano fixne
<code>\actualday</code>
<code>\actualmonth</code>
<code>\actualyear</code>
<code>\adaptcollector [...]¹ [...,...²...,...]</code> 1 NAME <small>OPT</small> 2 inherits: \setupcollector
<code>\adaptfontfeature [...]¹ [...,...²...,...]</code> 1 NAME 2 inherits: \definefontfeature
<code>\adaptive \^1... {\^2...}</code> 1 CSNAME 2 CONTENT
<code>\adaptivebox [...]¹ [...,...²...,...]² {...}³</code> 1 NAME <small>OPT</small> 2 inherits: \setupadaptive 3 CONTENT
<code>\adaptivehbox [...]¹ [...,...²...,...]² {...}³</code> 1 NAME <small>OPT</small> 2 inherits: \setupadaptive 3 CONTENT
<code>\adaptivevbox [...]¹ [...,...²...,...]² {...}³</code> 1 NAME <small>OPT</small> 2 inherits: \setupadaptive 3 CONTENT
<code>\adaptpapersize [...,¹...] [...,²...]</code> 1 inherits: \nastavvelikostpapiru <small>OPT</small> 2 inherits: \nastavvelikostpapiru

<code>\addfeature [...]</code> <code>* NAME</code>
<code>\addfeature {...}</code> <code>* NAME</code>
<code>\addriverstobox [...¹...²]</code> <code>1 marginalie = DIMENSION</code> <code>krok = DIMENSION</code> <code>vyska = DIMENSION</code> <code>hloubka = DIMENSION</code> <code>spaceinbetween = DIMENSION</code> <code>2 CSNAME NUMMER</code>
<code>\addtocommalist {...¹} {...²}</code> <code>1 TEXT</code> <code>2 CSNAME</code>
<code>\addtoJSreamble {...¹} {...²}</code> <code>1 NAME</code> <code>2 CONTENT</code>
<code>\addvalue {...¹} {...²}</code> <code>1 NAME</code> <code>2 TEXT</code>
<code>\aftersplitstring ...¹ \at ...² \to ...³</code> <code>1 TEXT</code> <code>2 TEXT</code> <code>3 CSNAME</code>
<code>\aftertestandsplitstring ...¹ \at ...² \to ...³</code> <code>1 TEXT</code> <code>2 TEXT</code> <code>3 CSNAME</code>
<code>\aktualnicislodonadpisu</code>
<code>\aktualnidatum [...[*]...]</code> <code>* rok year:NAME y y:NAME^{PP}yy Y Y:NAME YY mesic month:mnem month:hebrew month:jalali m m:mnem m:hebrew m:jalali</code> <code>MESIC MONTH:mnem MONTH:hebrew MONTH:jalali mm M den day:NAME day:++ day:ord day:++ day:highord d d:NAME d:++ d:ord</code> <code>d:++ d:highord dd dd:++ dd:ord dd:++ dd:highord D D:++ D:ord D:++ D:highord vsedniden weekday:mnem weekday:hebrew</code> <code>weekday:jalali w w:mnem w:hebrew w:jalali VSEDNIDEN WEEKDAY:mnem WEEKDAY:hebrew WEEKDAY:jalali W znacka mezera _</code> <code>TEXT hebrew:to jalali:to jalali:from</code>
<code>\aktualnidatum [...]</code> <code>* NAME</code> <small>OPT</small>
<code>\alignbottom</code>
<code>\aligncontentleft</code>
<code>\aligncontentmiddle</code>
<code>\aligncontentright</code>
<code>\aligned [...¹...]{...²}</code> <code>1 vlevo nastred vpravo vrsek spodek radek l c r m t b g</code> <code>2 CONTENT</code>

```
\alignedbox [...] \... {...}
1 vlevo nastred vpravo vrsek spodek radek l c r m t b g
2 CSNAME
3 CONTENT
```

```
\alignedline {...} {...} {...}
1 vlevo vpravo nastred flushleft flushright center max uvnitr vnejsi innermargin outermargin inneredge outeredge
zpetnamezera cutspace levyokraj pravyyokraj levahrana pravahrana
2 vlevo vpravo nastred flushleft flushright center max uvnitr vnejsi innermargin outermargin inneredge outeredge
zpetnamezera cutspace levyokraj pravyyokraj levahrana pravahrana
3 CONTENT
```

```
\alignhere
```

```
\alignmentcharacter
```

```
\allinputpaths
```

```
\alphabeticnumerals {...}
* NUMMER
```

```
\alternate {...} {...}
1 TEXT
2 CONTENT
```

```
\alwayscitation [...]\...^1... \...^2]
1 odkaz = REFERENCEOPT
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 REFERENCE
```

```
\alwayscitation [...]\...^1] [...]\...^2]
1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE
```

```
\alwayscitation [...]\...^1... \...^2...^2]
1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 KEY = VALUE
```

```
\alwayscite [...]\...^1... \...^2]
1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 REFERENCE
```

```
\alwayscite [...]\...^1] [...]\...^2]
1 implicitni categoryOPT entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE
```

```

\alwayscite [...] [1...] [...] [2...]
1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
              authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

```

```

\amedian {...}
* CONTENT

```

```

\ampersand

```

```

\anchor [...] [1] [...] [2...] [...] [3...] [...] [...] [4]
1 NAME OPT OPT
2 inherits: \setupplayer
3 inherits: \setupplayerinherits: \nastavoramovani
4 CONTENT

```

```

\antikva

```

```

\ap [...]
* NUMMER

```

```

\appendetoks ... \to \...
1 BEFEHL
2 CSNAME

```

```

\appendgvalue {...} {...}
1 NAME
2 BEFEHL

```

```

\appendhiddenbackground {...,*...}
* NAME

```

```

\appendtocommalist {...} \...
1 TEXT
2 CSNAME

```

```

\appendtoks ... \to \...
1 BEFEHL
2 CSNAME

```

```

\appendtoksonce ... \to \...
1 BEFEHL
2 CSNAME

```

```

\appendvalue {...} {...}
1 NAME
2 BEFEHL

```

```

\apply {...} {...}
1 CONTENT
2 CONTENT

```

```

\applyalternativestyle {...}
* NAME

```


\applyprocessor {...} {...} 1 NAME 2 CONTENT
\applytofirstcharacter \^1... {...} 1 CSNAME 2 TEXT
\applytocharacters \^1... {...} 1 CSNAME 2 TEXT
\applytosplitstringchar \^1... {...} 1 CSNAME 2 TEXT
\applytosplitstringcharspaced \^1... {...} 1 CSNAME 2 TEXT
\applytosplitstringline \^1... {...} 1 CSNAME 2 TEXT
\applytosplitstringlinespaced \^1... {...} 1 CSNAME 2 TEXT
\applytosplitstringword \^1... {...} 1 CSNAME 2 TEXT
\applytosplitstringwordspaced \^1... {...} 1 CSNAME 2 TEXT
\applytowords \^1... {...} 1 CSNAME 2 TEXT
\arabicdecimals {...} * NUMMER
\arabicexnumerals {...} * NUMMER
\arabicnumerals {...} * NUMMER
\arg {...} * CONTENT
\asciimode
\asciistr {...} * CONTENT

```
\assignalfadimension {...} \.^2. {...} {...} {...}
1 male stredni velke zadny DIMENSION
2 CSNAME
3 DIMENSION
4 DIMENSION
5 DIMENSION
```

```
\assigndimen \.^1. {...}
1 CSNAME
2 DIMENSION
```

```
\assigndimension {...} \.^2. {...} {...} {...} {...}
1 [-+]male [-+]stredni [-+]velke zadny DIMENSION
2 CSNAME
3 DIMENSION
4 DIMENSION
5 DIMENSION
```

```
\assignifempty \.^1. {...}
1 CSNAME
2 BEFEHL
```

```
\assigntranslation [...,..1...,...] \to \.^2.
1 SPRACHE = TEXT
2 CSNAME
```

```
\assignvalue {...} \.^2. {...} {...} {...} {...}
1 male stredni velke TEXT
2 CSNAME
3 BEFEHL
4 BEFEHL
5 BEFEHL
```

```
\assignwidth {...} \.^2. {...} {...} {...}
1 prizpusobive siroky DIMENSION
2 CSNAME
3 TEXT
4 DIMENSION
```

```
\assumelongusagecs \.^1. {...}
1 CSNAME
2 CONTENT
```

```
\astype {...}
* CONTENT
```

```
\ATTACHMENT [1...] [...,..2...,...]
1 NAME OPT OPT
2 inherits: \setupattachment
instances: attachment
```

```
\attachment [1...] [...,..2...,...]
1 NAME OPT OPT
2 inherits: \setupattachment
```

```
\autocap {...}
* TEXT
```

```
\autodirhbox .^1. {...}
1 TEXT OPT
2 CONTENT
```

$\backslash\text{autodirvbox}$ $\overset{1}{\dots}$ $\{\overset{2}{\dots}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{autodirvtop}$ $\overset{1}{\dots}$ $\{\overset{2}{\dots}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{autoinsertnextspace}$
$\backslash\text{autointegral}$ $\{\overset{1}{\dots}\}$ $\{\overset{2}{\dots}\}$ $\{\overset{3}{\dots}\}$ 1 TEXT 2 TEXT 3 TEXT
$\backslash\text{automathematics}$ $\{\overset{*}{\dots}\}$ * CONTENT
$\backslash\text{autoorientation}$ $\{\overset{*}{\dots}\}$ * normalni up down vlevo vpravo vrsek spodek NAME
$\backslash\text{autopagestaterealpage}$ $\{\overset{*}{\dots}\}$ * NAME
$\backslash\text{autopagestaterealpageorder}$ $\{\overset{*}{\dots}\}$ * NAME
$\backslash\text{autorule}$ $\dots\overset{*}{\dots}\dots$ $\backslash\text{relax}$ * $\text{width}_{\text{DIMENSION}}$ $\text{height}_{\text{DIMENSION}}$ $\text{depth}_{\text{DIMENSION}}$ $\text{xoffset}_{\text{DIMENSION}}$ $\text{yoffset}_{\text{DIMENSION}}$ $\text{left}_{\text{DIMENSION}}$ $\text{right}_{\text{DIMENSION}}$
$\backslash\text{autosetups}$ $\{\dots,\dots\}$ * NAME
$\backslash\text{autostarttext} \dots \backslash\text{autostoptext}$
$\backslash\text{availablehsize}$
$\backslash\text{averagecharwidth}$
$\backslash\text{BeforePar}$ $\{\overset{*}{\dots}\}$ * BEFEHL
$\backslash\text{Big}$ $\overset{*}{\dots}$ * CHARACTER
$\backslash\text{Bigg}$ $\overset{*}{\dots}$ * CHARACTER
$\backslash\text{Biggl}$ $\overset{*}{\dots}$ * CHARACTER
$\backslash\text{Biggm}$ $\overset{*}{\dots}$ * CHARACTER
$\backslash\text{Biggr}$ $\overset{*}{\dots}$ * CHARACTER

$\backslash\text{Bigl}$... * CHARACTER
$\backslash\text{Bigm}$... * CHARACTER
$\backslash\text{Bigr}$... * CHARACTER
$\backslash\text{backgroundimage}$ {...} {...} {...} {...} 1 NUMMER 2 DIMENSION 3 DIMENSION 4 BEFEHL
$\backslash\text{backgroundimagefill}$ {...} {...} {...} {...} 1 NUMMER 2 DIMENSION 3 DIMENSION 4 BEFEHL
$\backslash\text{backgroundline}$ [...] {...} 1 COLOR 2 CONTENT
$\backslash\text{barevnaalista}$ [...*,...] * COLOR
$\backslash\text{barva}$ [...] {...} 1 COLOR 2 CONTENT
$\backslash\text{BAR}$ {...} * CONTENT instances: overbar underbar overstrike understrike overbars underbars overstrikes understrikes hiddenbar outline outlined backgroundbar mathbackground undergraphic underrandom underrandoms underdash underdashes underdot underdots
$\backslash\text{backgroundbar}$ {...} * CONTENT
$\backslash\text{hiddenbar}$ {...} * CONTENT
$\backslash\text{mathbackground}$ {...} * CONTENT
$\backslash\text{outline}$ {...} * CONTENT
$\backslash\text{outlined}$ {...} * CONTENT
$\backslash\text{overbar}$ {...} * CONTENT
$\backslash\text{overbars}$ {...} * CONTENT

<code>\overstrike {...}</code> * CONTENT
<code>\overstrikes {...}</code> * CONTENT
<code>\underbar {...}</code> * CONTENT
<code>\underbars {...}</code> * CONTENT
<code>\underdash {...}</code> * CONTENT
<code>\underdashes {...}</code> * CONTENT
<code>\underdot {...}</code> * CONTENT
<code>\underdots {...}</code> * CONTENT
<code>\undergraphic {...}</code> * CONTENT
<code>\underrandom {...}</code> * CONTENT
<code>\underrandoms {...}</code> * CONTENT
<code>\understrike {...}</code> * CONTENT
<code>\understrikes {...}</code> * CONTENT
<code>\basegrid [...,...*=...]</code> * nx = NUMMER * ny = NUMBER * dx = NUMBER * dy = NUMBER * faktor = NUMBER * meritko = NUMBER * xkrok = NUMBER * ykrok = NUMBER * offset = DIMENSION * xoffset = DIMENSION * yoffset = DIMENSION * zarovnani = nastred * jednotka = cm mm in pc pt bp * pismo = STYLE BEFEHL * barva = COLOR * barvalinky = COLOR * tloustkalinky = DIMENSION
<code>\baselinebottom</code>
<code>\baselineleftbox {...}</code> * CONTENT

$\backslash\text{baselinemiddlebox}$ {...} * CONTENT
$\backslash\text{baselinerightbox}$ {...} * CONTENT
$\backslash\text{bordermatrix}$ {...} * CONTENT
$\backslash\text{bbox}$ {...} * CONTENT
$\backslash\text{before split string}$... ¹ \at ... ² \to \... ³ 1 TEXT 2 TEXT 3 CSNAME
$\backslash\text{before test and split string}$... ¹ \at ... ² \to \... ³ 1 TEXT 2 TEXT 3 CSNAME
$\backslash\text{begin BLOCK}$ [..., ¹ ...] [..., ² ...] ... \endBLOCK 1 + - NAME OPT OPT 2 KEY = VALUE
$\backslash\text{begin hbox}$... \endhbox
$\backslash\text{begin of shape box}$... \end of shape box
$\backslash\text{begin vbox}$... \endvbox
$\backslash\text{begin vtop}$... \endvtop
$\backslash\text{beg strut}$... \endstrut
$\backslash\text{bez serif}$
$\backslash\text{big body font}$
$\backslash\text{bigg}$... * CHARACTER
$\backslash\text{bigger}$
$\backslash\text{biggl}$... * CHARACTER
$\backslash\text{biggm}$... * CHARACTER
$\backslash\text{biggr}$... * CHARACTER
$\backslash\text{bigl}$... * CHARACTER

<code>\bigm ...</code> <code>* CHARACTER</code>
<code>\bigr ...</code> <code>* CHARACTER</code>
<code>\bigskip</code>
<code>\bitmapimage [...,\stackrel{1}{...},...] {\stackrel{2}{...}}</code> <code>1 barva = rgb cmyk seda</code> <code> sirka = DIMENSION</code> <code> vyska = DIMENSION</code> <code> x = NUMMER</code> <code> y = NUMMER</code> <code>2 NUMMER</code>
<code>\blankafter [...,*,...]</code> <code>* inherits: \preskoc</code>
<code>\blankbefore [...,*,...]</code> <code>* inherits: \preskoc</code>
<code>\blap {...}</code> <code>* CONTENT</code>
<code>\bleed [...,\stackrel{1}{...},...] {\stackrel{2}{...}}</code> <code>1 inherits: \setupbleeding</code> <code>2 CONTENT</code>
<code>\bleedheight</code>
<code>\bleedwidth</code>
<code>\blockligatures [...,*,...]</code> <code>* TEXT</code>
<code>\blocksynctexfile [...,*,...]</code> <code>* FILE</code>
<code>\blockuservariable {...}</code> <code>* KEY</code>
<code>\bodyfontenvironmentlist</code>
<code>\bodyfontsize</code>
<code>\boldface</code>
<code>\booleanmodevalue {...}</code> <code>* NAME</code>
<code>\bordermatrix {...}</code> <code>* CONTENT</code>
<code>\bottombox {...}</code> <code>* CONTENT</code>

<code>\bottomleftbox {...}</code> * CONTENT
<code>\bottomrightbox {...}</code> * CONTENT
<code>\boxcursor</code>
<code>\boxfixstretch ¹... ²...</code> 1 TEXT OPT 2 CSNAME NUMBER
<code>\boxmarker {¹...} {²...}</code> 1 NAME 2 NUMMER
<code>\boxofsize \¹... ²... {³...}</code> 1 CSNAME OPT 2 DIMENSION 3 CONTENT
<code>\boxreference [...¹,...]² {³...}</code> 1 REFERENCE 2 CSNAME 3 CONTENT
<code>\bpar ... \epar</code>
<code>\bpos {...}</code> * NAME
<code>\breakhere [...¹] {²...}</code> 1 vlevo vpravo ^{OPT} před po ^{OPT} stranka stejnastranka 2 TEXT
<code>\bTABLE [...[*]...[*]...][*] ... \eTABLE</code> * inherits: \setupTABLE ^{OPT}
<code>\bTABLEbody [...[*]...[*]...][*] ... \eTABLEbody</code> * inherits: \setupTABLE ^{OPT}
<code>\bTABLEfoot [...[*]...[*]...][*] ... \eTABLEfoot</code> * inherits: \setupTABLE ^{OPT}
<code>\bTABLEhead [...[*]...[*]...][*] ... \eTABLEhead</code> * inherits: \setupTABLE ^{OPT}
<code>\bTABLEnested [...[*]...[*]...][*] ... \eTABLEnested</code> * inherits: \setupTABLE ^{OPT}
<code>\bTABLEnext [...[*]...[*]...][*] ... \eTABLEnext</code> * inherits: \setupTABLE ^{OPT}
<code>\bTABLEsection [...[*]...[*]...][*] ... \eTABLEsection</code> * opakovat = NUMBER OPT
<code>\bTC [...[*]...[*]...][*] ... \eTC</code> * inherits: \bTD

<pre> \btD [...,..[*]...,...] ... \eTD * nx = NUMBER ny = NUMBER nc = NUMBER nr = NUMBER n = NUMBER m = NUMBER akce = REFERENCE inherits: \setupTABLE </pre>
<pre> \btDs [...] ... \eTDs * NAME </pre>
<pre> \btH [...,..[*]...,...] ... \eTH * inherits: \bTD </pre>
<pre> \btN [...,..[*]...,...] ... \eTN * inherits: \bTD </pre>
<pre> \btR [...,..[*]...,...] ... \eTR * inherits: \setupTABLE </pre>
<pre> \btRs [...] ... \eTRs * NAME </pre>
<pre> \btX [...,..[*]...,...] ... \eTX * inherits: \bTD </pre>
<pre> \btY [...,..[*]...,...] ... \eTY * inherits: \bTD\setupTABLE </pre>
<pre> \btxabbreviatedjournal {...} * NAME </pre>
<pre> \btxaddjournal [...¹] [...²] 1 NAME 2 NAME </pre>
<pre> \btxalwayscitation [...,..¹...,...] [...²] 1 odkaz = REFERENCE^{OPT} alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 REFERENCE </pre>
<pre> \btxalwayscitation [...¹] [...²] 1 implicitni category entry^{OPT}short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear 2 REFERENCE </pre>
<pre> \btxalwayscitation [...,..¹...,...] [...,..²...,...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 KEY = VALUE </pre>

\btxauthorfield {...}

* initials firstnames vons surnames juniors

\btxdetail {...}

* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME

\btxdirect {...}

* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME

\btxdoif {...} {...}

1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME
2 TRUE

\btxdoifcitedoneelse {...} {...} {...} {...}

1 NAME
2 REFERENCE
3 TRUE
4 FALSE

\btxdoifcombiinlistelse {...} {...} {...} {...}

1 NAME
2 NAME
3 TRUE
4 FALSE

\btxdoifelse {...} {...} {...}

1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME
2 TRUE
3 FALSE

\btxdoifelsecitedone {...} {...} {...} {...}

1 NAME
2 REFERENCE
3 TRUE
4 FALSE

\btxdoifelsecombiinlist {...} {...} {...} {...}

1 NAME
2 NAME
3 TRUE
4 FALSE

\btxdoifelsesameasprevious {...} {...} {...}

1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME
2 TRUE
3 FALSE

\btxdoifelsesameaspreviouschecked {...} {...} {...} {...}

1 vzdy dvoustranny
2 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME
3 TRUE
4 FALSE

<p><code>\btxdfelseuservariable {¹.} {².} {³.}</code></p> <p>1 KEY</p> <p>2 TRUE</p> <p>3 FALSE</p>
<p><code>\btxdfifnot {¹.} {².}</code></p> <p>1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME</p> <p>2 TRUE</p>
<p><code>\btxdfisameaspreviouselse {¹.} {².} {³.}</code></p> <p>1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME</p> <p>2 TRUE</p> <p>3 FALSE</p>
<p><code>\btxdfisameaspreviouscheckedelse {¹.} {².} {³.} {⁴.}</code></p> <p>1 vzdy dvoustranny</p> <p>2 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME</p> <p>3 TRUE</p> <p>4 FALSE</p>
<p><code>\btxdfuservariableelse {¹.} {².} {³.}</code></p> <p>1 KEY</p> <p>2 TRUE</p> <p>3 FALSE</p>
<p><code>\btxexpandedjournal {[*].}</code></p> <p>* NAME</p>
<p><code>\btxfield {[*].}</code></p> <p>* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME</p>
<p><code>\btxfieldname {[*].}</code></p> <p>* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME</p>
<p><code>\btxfieldtype {[*].}</code></p> <p>* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME</p>
<p><code>\btxfirstofrange {[*].}</code></p> <p>* volume pages</p>
<p><code>\btxflush {[*].}</code></p> <p>* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME</p>
<p><code>\btxflushauthor [¹.] {².}</code></p> <p>1 num normalni normals#ört inverted invertedshort</p> <p>2 autor editor</p>
<p><code>\btxflushauthorinverted {[*].}</code></p> <p>* autor editor</p>

\btxflushauthorinvertedshort {...} * autor editor
\btxflushauthorname {...} * autor editor
\btxflushauthornormal {...} * autor editor
\btxflushauthornormalshort {...} * autor editor
\btxflushsuffix
\btxfoundname {...} * address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
\btxfoundtype {...} * address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
\btxhiddencitation [...] * REFERENCE
\btxhybridcite [... ¹ ... ² ...] [...] 1 odkaz = REFERENCE ^T alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 REFERENCE
\btxhybridcite [...] [...] 1 implicitni category ^{OP} entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear 2 REFERENCE
\btxhybridcite {...} * REFERENCE
\btxhybridcite [... ¹ ... ² ...] [... ² ... ¹ ...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 KEY = VALUE

`\btxlabelcitation [...1...2...] [...]`

```
1 odkaz      = REFERENCE OPT
  alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
               authornum authoryear
  pred        = BEFEHL
  po          = BEFEHL
  vlevo       = BEFEHL
  vpravo      = BEFEHL
  inherits: \setupbtx
2 REFERENCE
```

`\btxlabelcitation [...1...] [...2...]`

```
1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE
```

`\btxlabelcitation [...1...2...] [...2...1...]`

```
1 odkaz      = REFERENCE
  alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
               authornum authoryear
  pred        = BEFEHL
  po          = BEFEHL
  vlevo       = BEFEHL
  vpravo      = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE
```

`\btloadjournalist [...]`

* FILE

`\btoneorrange {...1} {...2} {...3}`

```
1 volume pages
2 TRUE
3 FALSE
```

`\btextractfield {...}`

* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME

`\btextractauthor [...1] [...2...]`

```
1 TEXT
2 TEXT
```

`\btextractjournalist [...]`

* FILE

`\btextract {...}`

* NAME

`\btextractsingularorplural {...1} {...2} {...3}`

```
1 editor producer director
2 TRUE
3 FALSE
```

`\btextractsingularplural {...1} {...2} {...3}`

```
1 editor producer director
2 TRUE
3 FALSE
```

\btxttextcitation [...¹...²...] [...]

```
1 odkaz      = REFERENCE OPT
  alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
                authornum authoryear
  pred        = BEFEHL
  po          = BEFEHL
  vlevo       = BEFEHL
  vpravo      = BEFEHL
  inherits: \setupbtx
2 REFERENCE
```

\btxttextcitation [...¹...] [...]

```
1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE
```

\btxttextcitation [...¹...²...] [...²...²...]

```
1 odkaz      = REFERENCE
  alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
                authornum authoryear
  pred        = BEFEHL
  po          = BEFEHL
  vlevo       = BEFEHL
  vpravo      = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE
```

\TOOLTIP [...¹...²...] {...} {...}

```
1 inherits: \setupOPTtooltip
2 TEXT
3 TEXT
instances: tooltip
```

\TOOLTIP [...¹...] {...²...} {...³...}

```
1 vlevo nastrED vpravo
2 TEXT
3 TEXT
instances: tooltip
```

\tooltip [...¹...] {...²...} {...³...}

```
1 vlevo nastrED vpravo
2 TEXT
3 TEXT
```

\tooltip [...¹...²...] {...²...} {...³...}

```
1 inherits: \setupOPTtooltip
2 TEXT
3 TEXT
```

\buildtextaccent {...¹...} {...²...}

```
1 CHARACTER
2 CHARACTER
```

\buildtextbottomcomma {...^{*}...}

```
* CHARACTER
```

\buildtextbottomdot {...^{*}...}

```
* CHARACTER
```

\buildtextcedilla {...^{*}...}

```
* CHARACTER
```

\buildtextgrave {...^{*}...}

```
* CHARACTER
```

\buildtextmacron {...} * CHARACTER
\buildtextognek {...} * CHARACTER
\Camel {...} * TEXT
\Caps {...} * TEXT
\Cisla {...} * NUMMER
\CONTEXT
\ConTeXt
\Context
\ConvertConstantAfter \ ¹ ... { ² ...} { ³ ...} 1 CSNAME 2 TEXT 3 TEXT
\ConvertToConstant \ ¹ ... { ² ...} { ³ ...} 1 CSNAME 2 TEXT 3 TEXT
\camel {...} * TEXT
\casing [¹ ...] { ² ...} 1 reset SLOVO slovo Slovo Slova kapitalky Kapitalky nahodny mixed camel Camel kap Kap 2 CONTENT
\catcodetablename
\cbox ¹ ... { ² ...} 1 TEXT <small>OPT</small> 2 CONTENT
\centraligned {...} * CONTENT
\centerbox ¹ ... { ² ...} 1 TEXT <small>OPT</small> 2 CONTENT
\centeredbox ¹ ... { ² ...} 1 TEXT <small>OPT</small> 2 CONTENT
\centeredlastline

\centerednextbox ¹ ... { ² ...} 1 TEXT OPT 2 CONTENT	
\centerline {...} * CONTENT	
\cernalinka [..., [*] ...,...] * inherits: \nastavcerne ^{OPT} linky	
\cernelinky [..., [*] ...,...] * inherits: \nastavcerne ^{OPT} elinky	
\cisle {...} * NUMMER	
\cislonadpisu [¹ ...] [² ...] 1 ABSCHNITT OPT 2 predchozi aktualni dalsi prvni posledni	
\cislorovnice [..., [*] ...] * REFERENCE OPT	
\cislostrany	
\citation [..., ¹ ...,...] ^{OPT} [² ...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 REFERENCE	
\citation [¹ ...] [² ...] 1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear ^{OPT} 2 REFERENCE	
\citation {...} * REFERENCE	
\citation [..., ¹ ...,...] ^{OPT} [..., ² ...,...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 KEY = VALUE	
\cite [..., ¹ ...,...] ^{OPT} [² ...] 1 odkaz ^{OPT} = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 REFERENCE	

<code>\cite [...]¹ [...]²</code> 1 <code>implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear</code> 2 <code>REFERENCE</code>
<code>\cite {...}</code> * <code>REFERENCE</code>
<code>\cite [...]¹ [...]² [...]³ [...]⁴</code> 1 <code>odkaz = REFERENCE</code> <code>alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears</code> <code>authornum authoryear</code> <code>pred = BEFEHL</code> <code>po = BEFEHL</code> <code>vlevo = BEFEHL</code> <code>vpravo = BEFEHL</code> <code>inherits: \setupbtx</code> 2 <code>KEY = VALUE</code>
<code>\clap {...}</code> * <code>CONTENT</code>
<code>\classfont {...} {...}</code> 1 <code>NAME</code> 2 <code>FONT</code>
<code>\cldcommand {...}</code> * <code>BEFEHL</code>
<code>\cldcontext {...}</code> * <code>BEFEHL</code>
<code>\cldloadfile {...}</code> * <code>FILE</code>
<code>\cldprocessfile {...}</code> * <code>FILE</code>
<code>\clearmarking [...]</code> * <code>BESCHRIFTUNG</code>
<code>\clippedoverlayimage {...}</code> * <code>FILE</code>
<code>\collect {...}</code> * <code>CONTENT</code>
<code>\collectedmath</code>
<code>\collectedtext [...]¹ [...]² {...}³ {...}⁴</code> 1 <code>inherits: \setupcollecto^{OPT}</code> 2 <code>pismeno = STYLE BEFEHL</code> <code>barva = COLOR</code> <code>inherits: \nastavoramovani</code> 3 <code>TEXT</code> 4 <code>CONTENT</code>
<code>\collectexpanded {...}</code> * <code>CONTENT</code>
<code>\colorcomponents {...}</code> * <code>COLOR</code>

<pre> \colored [...] {...} 1 inherits: \definujbarvu 2 CONTENT </pre>
<pre> \colored [...] {...} 1 COLOR 2 CONTENT </pre>
<pre> \coloronly [...] {...} 1 COLOR 2 CONTENT </pre>
<pre> \columnbreak [...*...] * ano ne nastaveni lokalne sila prvni posledni NUMBER NAME </pre>
<pre> \columnsetspanwidth {...} * NUMBER </pre>
<pre> \combinepages [...] [...*...*...] 1 FILE 2 alternativa = a b c horizontalne vertikalne n = NUMBER nx = NUMBER ny = NUMBER start = NUMBER stop = NUMBER vzdalenost = DIMENSION vrsek = BEFEHL spodek = BEFEHL vlevo = BEFEHL vpravo = BEFEHL pred = BEFEHL po = BEFEHL mezi = BEFEHL ramecek = zap vyp pozadi = popredi barevne NAME barvapozadi = COLOR </pre>
<pre> \commalistelement </pre>
<pre> \commalistsentence [...*...*] [...*...*] 1 TEXT 2 TEXT </pre>
<pre> \commalistsize </pre>
<pre> \comparedimension {...} {...} 1 DIMENSION 2 DIMENSION </pre>
<pre> \comparedimensioneps {...} {...} 1 DIMENSION 2 DIMENSION </pre>
<pre> \completebt rendering [...] [...*...*...] 1 NAME 2 inherits: \setupbt rendering </pre>
<pre> \uplNyCOMBINEDLIST [...*...*...] * inherits: \nastavkombinovanys@znam instances: content </pre>
<pre> \uplNycontent [...*...*...] * inherits: \nastavkombinovanys@znam </pre>

$\backslash\text{completelist}$ [¹ ...] [² ... [*] ...] 1 LISTE 2 inherits: \nastavseznam
$\backslash\text{completelistofFLOATS}$ [[*] ...] * inherits: \nastavseznam instances: chemicals figures tables intermezzi graphics
$\backslash\text{completelistoffigures}$ [[*] ...] * inherits: \nastavseznam
$\backslash\text{completelistofgraphics}$ [[*] ...] * inherits: \nastavseznam
$\backslash\text{completelistofchemicals}$ [[*] ...] * inherits: \nastavseznam
$\backslash\text{completelistofintermezzi}$ [[*] ...] * inherits: \nastavseznam
$\backslash\text{completelistoftables}$ [[*] ...] * inherits: \nastavseznam
$\backslash\text{completelistofpublications}$ [¹ ...] [² ... [*] ...] 1 NAME 2 inherits: \setupbt rendering
$\backslash\text{completelistofsorts}$ [¹ ...] [² ... [*] ...] 1 SINGULAR 2 inherits: \nastavtrideni
$\backslash\text{completelistofSORTS}$ [[*] ...] * inherits: \nastavtrideni instances: logos
$\backslash\text{completelistoflogos}$ [[*] ...] * inherits: \nastavtrideni
$\backslash\text{completelistofsynonyms}$ [¹ ...] [² ... [*] ...] 1 SINGULAR 2 inherits: \nastavsynonyma
$\backslash\text{completelistofSYNONYMS}$ [[*] ...] * inherits: \nastavsynonyma instances: abbreviations
$\backslash\text{completelistofabbreviations}$ [[*] ...] * inherits: \nastavsynonyma
$\backslash\text{completepagenumber}$
$\backslash\text{completeregister}$ [¹ ...] [² ... [*] ...] 1 NAME 2 inherits: \nastavrejstrik
$\backslash\text{uplnyREGISTER}$ [[*] ...] * inherits: \nastavrejstri ^{OPT} instances: index

$\backslash\mathrm{upl\!nyindex}\ [\ldots,\ldots^*\ldots,\ldots]$ * inherits: \nastavrej ^{OPT} strik
$\backslash\mathrm{complexorsimple}\ \backslash\ldots$ * CSNAME
$\backslash\mathrm{complexorsimpleempty}\ \backslash\ldots$ * CSNAME
$\backslash\mathrm{complexorsimpleempty}\ \{\ldots\}$ * TEXT CSNAME
$\backslash\mathrm{complexorsimple}\ \{\ldots\}$ * TEXT CSNAME
$\backslash\mathrm{composedcollector}\ \{\ldots\}$ * NAME
$\backslash\mathrm{composedlayer}\ \{\ldots\}$ * NAME
$\backslash\mathrm{compounddiscretionary}$
$\backslash\mathrm{compresult}$
$\backslash\mathrm{constantdimen}\ \backslash\ldots$ * CSNAME
$\backslash\mathrm{constantdimenargument}\ \backslash\ldots$ * CSNAME
$\backslash\mathrm{constantemptyargument}\ \backslash\ldots$ * CSNAME
$\backslash\mathrm{constantnumber}\ \backslash\ldots$ * CSNAME
$\backslash\mathrm{constantnumberargument}\ \backslash\ldots$ * CSNAME
$\backslash\mathrm{contentreference}\ [\ldots,\ldots]^1[\ldots,\ldots^2\ldots,\ldots]\ \{\ldots\}^3$ 1 REFERENCE 2 inherits: \nastavoramovani 3 CONTENT
$\backslash\mathrm{continuednumber}\ \{\ldots\}$ * NUMMER
$\backslash\mathrm{continueifinputfile}\ \{\ldots\}$ * FILE
$\backslash\mathrm{convertargument}\ \ldots^1\ \backslash\mathrm{to}\ \backslash\ldots^2$ 1 TEXT 2 CSNAME
$\backslash\mathrm{convertcommand}\ \backslash\ldots^1\ \backslash\mathrm{to}\ \backslash\ldots^2$ 1 CSNAME 2 CSNAME

$\backslash\text{convertedcounter}$ [¹ ...] [² ...,... _{OPT} ...] 1 NAME 2 inherits: \setupcounter
$\backslash\text{convertedddimen}$ {...} {...} 1 DIMENSION 2 ex em pt in cm mm sp bp pc dd cc nc
$\backslash\text{convertedsubcounter}$ [¹ ...] [² ...] [³ ...,... _{OPT} ...] 1 NAME 2 NUMBER NUMBER:NUMBER NUMBER:* NUMBER:vse 3 inherits: \setupcounter
$\backslash\text{convertmonth}$ {...} * NUMMER
$\backslash\text{convertvalue}$. ¹ ... \to \ ² ... 1 NAME 2 CSNAME
$\backslash\text{convertvboxtohbox}$
$\backslash\text{copyboxfromcache}$ {...} {...} ³ ... 1 NAME 2 NUMBER TEXT 3 CSNAME NUMBER
$\backslash\text{copyLABELtext}$ [¹ ...] [² ...,... _{OPT} ...] 1 SPRACHE 2 KEY = KEY instances: head label mathlabel taglabel unit operator prefix suffix btxlabel
$\backslash\text{copybtxlabeltext}$ [¹ ...] [² ...,... _{OPT} ...] 1 SPRACHE 2 KEY = KEY
$\backslash\text{copyheadtext}$ [¹ ...] [² ...,... _{OPT} ...] 1 SPRACHE 2 KEY = KEY
$\backslash\text{copylabeltext}$ [¹ ...] [² ...,... _{OPT} ...] 1 SPRACHE 2 KEY = KEY
$\backslash\text{copymathlabeltext}$ [¹ ...] [² ...,... _{OPT} ...] 1 SPRACHE 2 KEY = KEY
$\backslash\text{copyoperatortext}$ [¹ ...] [² ...,... _{OPT} ...] 1 SPRACHE 2 KEY = KEY
$\backslash\text{copyprefixtext}$ [¹ ...] [² ...,... _{OPT} ...] 1 SPRACHE 2 KEY = KEY
$\backslash\text{copysuffixtext}$ [¹ ...] [² ...,... _{OPT} ...] 1 SPRACHE 2 KEY = KEY

<pre> \copytaglabeltext [...] [...] 1 SPRACHE 2 KEY = KEY </pre>
<pre> \copyunittext [...] [...] 1 SPRACHE 2 KEY = KEY </pre>
<pre> \copypages [...] [...] [...] 1 FILE 2 znaceni = zap vyp offset = DIMENSION n = NUMMER 3 inherits: \setupexternalfigure </pre>
<pre> \copyparameters [...] [...] [...] 1 TEXT 2 TEXT 3 KEY </pre>
<pre> \copyposition {...} {...} 1 NAME 2 NAME </pre>
<pre> \copysetups [...] [...] 1 NAME 2 NAME </pre>
<pre> \countersubs [...] [...] 1 NAME 2 NUMMER </pre>
<pre> \counttoken ... \in ... \to \... 1 TEXT 2 TEXT 3 CSNAME </pre>
<pre> \counttokens ... \to \... 1 TEXT 2 CSNAME </pre>
<pre> \cramped {...} * CONTENT </pre>
<pre> \crampedclap {...} * CONTENT </pre>
<pre> \crampedllap {...} * CONTENT </pre>
<pre> \crampedrlap {...} * CONTENT </pre>
<pre> \crlf </pre>
<pre> \crlfplaceholder </pre>
<pre> \ctop ... {...} 1 TEXT 2 CONTENT </pre>

\ctxcommand {...} * BEFEHL
\ctxdirectcommand {...} * BEFEHL
\ctxdirectlua {...} * BEFEHL
\ctxfunction {...} * NAME
\CTXFUNCTIONDEFINITION
\CTXFUNCTION
\ctxlatecommand {...} * BEFEHL
\ctxlatelua {...} * BEFEHL
\ctxloadluafile {...} * FILE
\ctxlua {...} * BEFEHL
\ctxluabuffer [...] * BUFFER OPT
\ctxluacode {...} * BEFEHL
\ctxreport {...} * BEFEHL
\CTXSCANNER
\ctxsprint {...} * BEFEHL
\currentassignmentlistkey
\currentassignmentlistvalue
\currentbtxuservariable {...} * KEY
\currentcommalistitem
\currentcomponent
\currentenvironment

\currentfeaturetest
\currentinterface
\currentPOPISEK [... ¹ ; ² ...] {...} 1 REFERENCE OPT OPT 2 TEXT
\currentlanguage
\currentlistentrydestinationattribute
\currentlistentrylimitedtext {...} * TEXT
\currentlistentrynumber
\currentlistentrypagenumber
\currentlistentryreferenceattribute {...} * cislo text cislostranky vse
\currentlistentrytitle
\currentlistentrytitlerendered
\currentlistsymbol
\currentmainlanguage
\currentmessagetext
\currentmoduleparameter {...} * KEY
\currentoutputstream
\currentproduct
\currentproject
\currentregime
\currentregisterpageuserdata {...} * KEY
\currentresponses
\currenttime [... [*] ; ^{OPT} ...] * h m TEXT OPT
\currentvalue
\currentxtablecolumn

<code>\currentxtablerow</code>
<code>\DAYLONG {...}</code> * NUMBER
<code>\DAYSHORT {...}</code> * NUMBER
<code>\d {...}</code> * CHARACTER
<code>\dalsipodstranka</code>
<code>\datasetvariable {...} {...} {...}</code> 1 NAME 2 NAME NUMBER 3 KEY realpage
<code>\datum [...,¹...,...]</code> <code>[...²,...]</code> 1 d = NUMBER <small>OPT</small> m = NUMBER y = NUMBER 2 rok year:NAME y y:NAME yy Y Y:NAME YY mesic month:mnem month:hebrew month:jalali m m:mnem m:hebrew m:jalali MESIC MONTH:mnem MONTH:hebrew MONTH:jalali mm M den day:NAME day:+ day:ord day:++ day:highord d d:NAME d:+ d:ord d:++ d:highord dd dd:+ dd:ord dd:++ dd:highord D D:+ D:ord D:++ D:highord vsedniden weekday:mnem weekday:hebrew weekday:jalali w w:mnem w:hebrew w:jalali VSEDNIDEN WEEKDAY:mnem WEEKDAY:hebrew WEEKDAY:jalali W znacka mezera _␣ TEXT hebrew:to jalali:to jalali:from
<code>\datum [...,¹...,...]</code> <code>[...²]</code> 1 d = NUMBER <small>OPT</small> m = NUMBER y = NUMBER 2 NAME
<code>\daylong {...}</code> * NUMBER
<code>\dayoftheweek {...} {...} {...}</code> 1 NUMBER 2 NUMBER 3 NUMBER
<code>\dayshort {...}</code> * NUMBER
<code>\dayspermonth {...} {...}</code> 1 NUMBER 2 NUMBER
<code>\decrement \...</code> * CSNAME
<code>\decrementcounter [...]</code> <code>[...²]</code> 1 NAME <small>OPT</small> 2 NUMBER
<code>\decrementedcounter [...]</code> * NAME
<code>\decrementpagenumber</code>

<code>\decrementsubpagenumber</code>
<code>\decrementvalue {...}</code> * NAME
<code>\decrement (...;...)</code> * CSNAME NUMBER
<code>\defaultinterface</code>
<code>\defaultobjectpage</code>
<code>\defaultobjectreference</code>
<code>\defcatcodecommand \¹... \²... {³...}</code> 1 CSNAME 2 CHARACTER NUMBER 3 BEFEHL
<code>\defconvertedargument \¹... {²...}</code> 1 CSNAME 2 TEXT
<code>\defconvertedcommand \¹... \²...</code> 1 CSNAME 2 CSNAME
<code>\defconvertedvalue \¹... {²...}</code> 1 CSNAME 2 NAME
<code>\defineactivecharacter \¹... {²...}</code> 1 CHARACTER 2 BEFEHL
<code>\defineadaptive [¹...] [²...] [...,³..._{OPT},..._{OPT}]</code> 1 NAME 2 NAME 3 inherits: \setupadaptive
<code>\definealign [¹...] [...,²...]</code> 1 NAME 2 inherits: \nastavzarovnnani
<code>\definealternativestyle [...,¹...] [²...] [³...]</code> 1 NAME 2 BEFEHL 3 BEFEHL
<code>\defineanchor [¹...] [²...] [...,³..._{OPT},..._{OPT}] [...,⁴..._{OPT},..._{OPT}]</code> 1 NAME 2 NAME 3 inherits: \setuplayer 4 inherits: \setuplayerinherits: \nastavoramovani
<code>\defineattachment [¹...] [²...] [...,³..._{OPT},..._{OPT}]</code> 1 NAME 2 NAME 3 inherits: \setupattachment

<pre> \defineattribute [...] [...²,...] 1 NAME OPT 2 lokalne globalne public private pickup </pre>
<pre> \definebackground [...] [...²] [...,³...,...] 1 NAME OPT OPT 2 NAME 3 inherits: \nastavpozadi </pre>
<pre> \definebar [...] [...²] [...,³...,...] 1 NAME OPT OPT 2 NAME 3 inherits: \setupbar </pre>
<pre> \definebodyfontswitch [...] [...²,...] 1 NAME 2 inherits: \nastavzakladnifont </pre>
<pre> \definebreakpoint [...] [...²] [...,³...,...] 1 NAME OPT 2 CHARACTER 3 typ = 1 2 3 4 5 nvlevo = NUMMER nvpravo = NUMMER vlevo = BEFEHL stredni = BEFEHL vpravo = BEFEHL range = ano ne language = SPRACHE </pre>
<pre> \definebreakpoints [...] * NAME </pre>
<pre> \definebtx [...] [...²] [...,³...,...] 1 NAME OPT OPT 2 NAME 3 inherits: \setupbtx </pre>
<pre> \definebtxdataset [...] [...²] [...,³...,...] 1 NAME OPT OPT 2 NAME 3 inherits: \setupbtxdataset </pre>
<pre> \definebtxregister [...] [...²] [...,³...,...] 1 NAME OPT OPT 2 NAME 3 inherits: \setupbtxregister </pre>
<pre> \definebtxrendering [...] [...²] [...,³...,...] 1 NAME OPT OPT 2 NAME 3 inherits: \setupbtxrendering </pre>
<pre> \definebutton [...] [...²] [...,³...,...] 1 NAME OPT OPT 2 NAME 3 inherits: \setupbutton </pre>
<pre> \definecapitals [...] [...²] [...,³...,...] 1 NAME OPT OPT 2 NAME 3 inherits: \nastavkapitalky </pre>

<pre> \definecollector [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupcollector </pre>
<pre> \definecolumnbreak [...] [...] 1 NAME 2 ano ne nastaveni lokalne sila prvni posledni NUMMER </pre>
<pre> \definecolumnset [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupcolumnset </pre>
<pre> \definecolumnsetarea [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupcolumnsetarea </pre>
<pre> \definecolumnsetspan [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupcolumnsetspan </pre>
<pre> \definecombination [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupcombination </pre>
<pre> \definecomment [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavkomentar </pre>
<pre> \definecomplexorsimple *.. * CSNAME </pre>
<pre> \definecomplexorsimpleempty *.. * CSNAME </pre>
<pre> \definecomplexorsimpleempty {...} * TEXT CSNAME </pre>
<pre> \definecomplexorsimple {...} * TEXT CSNAME </pre>
<pre> \defineconversionset [...] [...] [...] 1 NAME SECTIONBLOCK:NAME 2 NAME PROCESSOR->NAME 3 NAME PROCESSOR->NAME </pre>
<pre> \definecounter [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupcounter </pre>
<pre> \definedataset [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupdataset </pre>

\definedate [¹...] [²...]

1 NAME
2 rok year:NAME y y:NAME yy Y Y:NAME YY mesic month:mnem month:hebrew month:jalali m m:mnem m:hebrew m:jalali
MESIC MONTH:mnem MONTH:hebrew MONTH:jalali mm M den day:NAME day:+ day:ord day:++ day:highord d d:NAME d:+ d:ord
d:++ d:highord dd dd:++ dd:ord dd:++ dd:highord D D:++ D:ord D:++ D:highord vsedniden weekday:mnem weekday:hebrew
weekday:jalali w w:mnem w:hebrew w:jalali VSEDNIDEN WEEKDAY:mnem WEEKDAY:hebrew WEEKDAY:jalali W znacka mezera _
TEXT hebrew:to jalali:to jalali:from

\definedelimitedtext [¹...] [²...] [³...]

1 NAME
2 NAME
3 inherits: \setupdelimitedtext

\definedfont [...]

* FONT OPT

\definedocument [¹...] [²...] [³...]

1 NAME
2 NAME
3 inherits: \setupdocument

\defineeffect [¹...] [²...] [³...]

1 NAME
2 NAME
3 inherits: \setupeffect

\defineexpandable [¹...] \²... {³...}

1 NUMBER
2 CSNAME
3 CONTENT

\defineexpansion [¹...] [²...] [³...]

1 NAME
2 NAME
3 inherits: \setupexpansion

\defineexternalfigure [¹...] [²...] [³...]

1 NAME
2 NAME
3 inherits: \setupexternalfigure

\definefacingfloat [¹...] [²...] [³...]

1 NAME
2 NAME
3 inherits: \setupfacingfloat

\definefallbackfamily [¹...] [²...] [³...] [⁴...]

1 NAME
2 rm ss tt mm hw cg antikva serif pravidelne bezserifu sans podpora strojopis opis mono rukopisne kaligraficke math
matematika
3 FONT
4 rscale = NUMBER
designsize = implicitni auto
goodies = FILE
range = NUMBER NAME
offset = NUMBER NAME
check = ano ne
sila = ano ne
features = NAME
tf = TEXT
bf = TEXT
it = TEXT
sl = TEXT
bi = TEXT
bs = TEXT
sc = TEXT

`\definefallbackfamily` [¹...] [²...] [³...] [⁴...,...]

1 NAME OPT
 2 rm ss tt mm hw cg antikva serif pravidelne bezserifu sans podpora strojopis opis mono rukopisne kaligraficke math matematika
 3 FONT
 4 NAME

`\definefieldbody` [¹...] [²...] [³...,...]

1 NAME OPT
 2 NAME OPT
 3 inherits: \setupfieldbody

`\definefieldbodyset` [¹...] [²...,...]

1 NAME
 2 NAME

`\definefieldcategory` [¹...] [²...] [³...,...]

1 NAME OPT
 2 NAME OPT
 3 inherits: \setupfieldcategory

`\definefileconstant` {¹...} {²...}

1 NAME
 2 NAME

`\definefilefallback` [¹...] [²...,...]

1 NAME
 2 FILE

`\definefilesynonym` [¹...] [²...]

1 NAME
 2 FILE

`\definefiller` [¹...] [²...] [³...,...]

1 NAME OPT
 2 NAME OPT
 3 inherits: \setupfiller

`\definefirstline` [¹...] [²...] [³...,...]

1 NAME OPT
 2 NAME OPT
 3 inherits: \setupfirstline

`\definefittingpage` [¹...] [²...] [³...,...]

1 NAME OPT
 2 NAME OPT
 3 inherits: \setupfittingpage

`\definefontalternative` [^{*}...]

* NAME

`\definefontfallback` [¹...] [²...] [³...,...] [⁴...,...]

1 NAME OPT
 2 FONT NAME
 3 NAME NUMMER
 4 rscale = NUMMER
 sila = ano ne
 check = ano ne
 offset = NUMMER NAME
 target = NUMMER NAME
 features = NAME
 faktor = NUMMER
 metoda = lowercase uppercase

```

\definefontfamily [...]1 [...]2 [...]3 [...]4OPT...
1 NAME
2 rm ss tt mm hw cg antikva serif pravidelne bezserifu sans podpora strojopis opis mono rukopisne kaligraficke math
  matematika
3 FONT
4 rscale      = NUMBER
  designsize  = implicitni auto
  goodies     = FILE
  features    = NAME
  tf          = TEXT
  bf          = TEXT
  it          = TEXT
  sl          = TEXT
  bi          = TEXT
  bs          = TEXT
  sc          = TEXT

```

```

\definefontfamilypreset [...]1 [...]2...
1 NAME
2 inherits: \definefontfamily

```

```

\definefontfamilypreset [...]1 [...]2
1 NAME
2 NAME

```

```

\definefontfamily [...]1 [...]2 [...]3 [...]4OPT...
1 NAME
2 rm ss tt mm hw cg antikva serif pravidelne bezserifu sans podpora strojopis opis mono rukopisne kaligraficke math
  matematika
3 FONT
4 NAME

```

```

\definefontfeature [1...] [2...] [3...,...3...,...]
1  NAME
2  NAME
3  language      = NAME
    script       = NAME auto
    mode         = node base auto zadny
    liga         = ano ne
    kern         = ano ne
    extrakerns   = ano ne
    tlig         = ano ne
    trep         = ano ne
    missing      = ano ne
    dummies      = ano ne
    analyze      = ano ne
    unicoding    = ano ne
    expanzen     = NAME
    protrusion   = NAME
    nostackmath  = ano ne
    realdimensions = ano ne
    itlc         = ano ne
    textitalics  = ano ne
    mathitalics  = ano ne
    slant        = NUMMER
    extend       = NUMMER
    dimensions   = NUMMER strut
    boundingbox  = ano ne pozadi ramecek prazdne COLOR
    compose      = ano ne
    char-ligatures = ano ne
    compat-ligatures = ano ne
    goodies      = FILE
    extrafeatures = ano ne
    featureset   = NAME
    colorscheme  = NAME
    postprocessor = NAME
    mathdimensions = NAME
    keepligatures = ano ne auto
    devanagari   = ano ne
    features     = ano ne
    tcom         = ano ne
    anum         = ano ne
    mathsize     = ano ne
    decomposehangul = ano ne
    mathalternatives = ano ne
    mathgaps     = ano ne
    checkmarks   = ano ne
    uppercasing  = ano ne
    lowercasing  = ano ne
    mathnolimitsmode = NUMMER
    blockligatures = ano ne
    metapost     = NAME
    NAME        = ano ne

```

```

\definefontfile [1...] [2...] [3...,...3...,...]
1  NAME
2  FILE
3  features      = NAME
    fallbacks    = NAME
    goodies      = NAME
    designsize   = auto implicitni

```

```

\definefontsize [...]  

*  NAME

```

```

\definefontsolution [1...] [2...] [3...,...3...,...]
1  NAME
2  NAME
3  inherits: \setupfontsolution

```

```

\defineformula [1...] [2...] [3...,...3...,...]
1  NAME
2  NAME
3  inherits: \nastavrovnice

```


<pre> \defineformulaalternative [...] [...] [...] 1 NAME 2 CSNAME 3 CSNAME </pre>
<pre> \defineformulaframed [...] [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupformulaframed </pre>
<pre> \defineframedcontent [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupframedcontent </pre>
<pre> \defineframedtable [...] [...] 1 NAME 2 NAME </pre>
<pre> \definefrozenfont [...] [...] 1 NAME 2 FONT </pre>
<pre> \defineglobalcolor [...] [...] 1 NAME 2 inherits: \definujbarvu </pre>
<pre> \defineglobalcolor [...] [...] 1 NAME 2 COLOR </pre>
<pre> \definegraphictypesynonym [...] [...] 1 NAME 2 NAME </pre>
<pre> \definegridsnapping [...] [...] 1 NAME 2 lokalne globalne noheight nodepth box max min zadny radek pulradku prvni posledni minvyska maxheight mindepth maxdepth vrsek spodek strut NUMMER minheight:NUMMER maxheight:NUMMER mindepth:NUMMER maxdepth:NUMMER box:NUMMER top:NUMMER bottom:NUMMER offset:NUMMER </pre>
<pre> \defineheadalternative [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupheadalternative </pre>
<pre> \definehelp [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuphelp </pre>
<pre> \definehigh [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuphigh </pre>
<pre> \definehighlight [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuphighlight </pre>

\definehspace [¹...] [²...] [³...]

1 NAME
2 NAME
3 DIMENSION

\definehyphenationfeatures [¹] [...,²...,...]

1 NAME
2 characters = TEXT
hyphens = ano vse TEXT
joiners = ano vse TEXT
rightwords = NUMMER
hyphenmin = NUMMER
lefthyphenmin = NUMMER
righthyphenmin = NUMMER
lefthyphenchar = NUMMER
righthyphenchar = NUMMER
alternativa = original tex hyphenate expanded traditional zadny
pravahrana = tex
rightchars = slovo NUMMER

\definecharacterkerning [¹] [²...] [...,³...,...]

1 NAME
2 NAME
3 inherits: \setupcharacterkerning

\definecharacterspacing [¹] [²...]

1 NAME
2 NAME

\definechemical [¹] {²...}

1 NAME
2 CONTENT

\definechemicals [¹] [²...] [...,³...,...]

1 NAME
2 NAME
3 inherits: \setupchemical

\definechemicalsymbol [¹] [²...]

1 NAME
2 TEXT

\defineindentedtext [¹] [²...] [...,³...,...]

1 NAME
2 NAME
3 inherits: \setupindentedtext

\defineindenting [¹] [...,²...,...]

1 NAME
2 [-+]male [-+]stredni [-+]velke zadny ne ne prvni dalsi ano vzdy nikdy liche sude normalni reset toggle DIMENSION

\defineinitial [¹] [²...] [...,³...,...]

1 NAME
2 NAME
3 inherits: \setupinitial

\defineinsertion [¹] [²...] [...,³...,...]

1 NAME
2 NAME
3 inherits: \setupinsertion

\defineinteraction [¹] [²...] [...,³...,...]

1 NAME
2 NAME
3 inherits: \nastavinterakci

<pre> \defineinteractionbar [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavinterakcnilistu </pre>
<pre> \defineinterfaceconstant {...} {...} 1 NAME 2 NAME </pre>
<pre> \defineinterfaceelement {...} {...} 1 NAME 2 NAME </pre>
<pre> \defineinterfacevariable {...} {...} 1 NAME 2 NAME </pre>
<pre> \defineinterlinespace [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavmeziradkovoumezeru </pre>
<pre> \defineintermediatecolor [...] [...] [...] 1 NAME 2 COLOR NUMBER 3 a = NUMBER t = NUMBER </pre>
<pre> \defineitemgroup [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupitemgroup </pre>
<pre> \defineitems [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavpolozky </pre>
<pre> \definelabelclass [...] [...] 1 NAME 2 NUMMER </pre>
<pre> \definelayer [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuplayer </pre>
<pre> \definelayerpreset [...] [...] 1 NAME 2 inherits: \setuplayer </pre>
<pre> \definelayerpreset [...] [...] 1 NAME 2 NAME </pre>
<pre> \definelayout [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavvzhled </pre>
<pre> \definelinefiller [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuplinefiller </pre>

\defineline¹**note** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplinenote

\defineline¹**numbering** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavcislovaniradku

\defineline¹**profile** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplineprofile

\defineline¹**s** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavradky

\definelist¹**alternative** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplistalternative

\definelist¹**extra** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplistextra

\defineline¹**localboxes** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplocalboxes

\defineline¹**low** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplow

\defineline¹**lowhigh** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplowhigh

\defineline¹**lowmidhigh** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplowmidhigh

\define¹**MPinstance** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupMPinstance

\define¹**marginblock** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmarginblock

\define¹**margin****data** [...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmargindata

\backslash definemarker [...] * NAME	
\backslash definemathaccent [...] [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupmathaccent	
\backslash definemathalignment [...] [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupmathalignment	
\backslash definemathbottomaccent [...] [...] [...] 1 spodek bottom:stretch NAME 2 NAME 3 NUMMER	
\backslash definemathcases [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupmathcases	
\backslash definemathcommand [...] [...] [...] 1 NAME 2 vse begin end unset ordinary operator binary relation open close punctuation variable active uvnitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation 3 BEFEHL	
\backslash definemathcommand [...] [...] [...] [...] 1 NAME 2 vse begin end unset ordinary operator binary relation open close punctuation variable active uvnitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation 3 vse begin end unset ordinary operator binary relation open close punctuation variable active uvnitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation 4 BEFEHL	
\backslash definemathcommand [...] [...] [...] [...] 1 NAME 2 vse begin end unset ordinary operator binary relation open close punctuation variable active uvnitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation 3 jedna 4 \...#1	
\backslash definemathcommand [...] [...] [...] [...] 1 NAME 2 vse begin end unset ordinary operator binary relation open close punctuation variable active uvnitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation 3 dve 4 \...#1#2	
\backslash definemathdelimited [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupmathdelimited	

```
\definemathdelimiter [...] [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupmathdelimiters
```

```
\definemathdouble [...] [...] [...] [...]
1 obe vfenced NAME
2 inherits: \setupmathstackers
3 NAME
4 NUMMER
5 NUMMER
```

```
\definemathdoubleaccent [...] [...] [...]
1 obe both:stretch NAME
2 NAME
3 NUMMER
4 NUMMER
```

```
\definemathdoubleextensible [...] [...]
1 obe vfenced
2 NAME
3 NUMMER
4 NUMMER
```

```
\definemathtics [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupmathematics
```

```
\definemathextensible [...] [...]
1 reverse mathematika text chemistry
2 NAME
3 NUMMER
```

```
\definemathfence [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupmathfences
```

```
\definemathfraction [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupmathfraction
```

```
\definemathframed [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupmathframed
```

```
\definemathfunction [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupmathfunctions
```

```
\definemathmatrix [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupmathmatrix
```

```
\definemathnesting [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupmathnesting
```

```

\definemathoperator [...]1 [...]2 [...]3 [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmathoperators

```

```

\definemathornament [...]1 [...]2 [...]3 [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmathornament

```

```

\definemathover [...]1 [...]2 [...]3
1 vrsek vfenced NAME
2 NAME
3 NUMMER

```

```

\definemathoverextensible [...]1 [...]2 [...]3
1 vrsek vfenced OPT
2 NAME
3 NUMMER

```

```

\definemathovertextextensible [...]1 [...]2 [...]3
1 bothtext OPT
2 NAME
3 NUMMER

```

```

\definemathradical [...]1 [...]2 [...]3 [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmathradical

```

```

\definemathsimplealign [...]1 [...]2 [...]3 [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmathsimplealign

```

```

\definemathstackers [...]1 [...]2 [...]3 [...]
1 NAME OPT OPT
2 NAME
3 inherits: \setupmathstackers

```

```

\definemathstyle [...]1 [...]2 [...]
1 NAME
2 obrazovka text script scriptscript cramped uncramped normalni zhustene male velke

```

```

\definemathtopaccent [...]1 [...]2 [...]3
1 vrsek top:stretch top:dot NAME
2 NAME
3 NUMMER

```

```

\definemathtriplet [...]1 [...]2 [...]3
1 NAME OPT OPT
2 NAME
3 TEXT

```

```

\definemathunder [...]1 [...]2 [...]3
1 spodek vfenced NAME
2 NAME
3 NUMMER

```

```

\definemathunderextensible [...]1 [...]2 [...]3
1 spodek vfenced OPT
2 NAME
3 NUMMER

```

<pre> \definemathundertexttextensible [...] [...] [...] 1 bothtext 2 NAME 3 NUMMER </pre>
<pre> \definemathunstacked [...] [...] [...] 1 siroce 2 NAME 3 NUMMER </pre>
<pre> \definemeasure [...] [...] 1 NAME 2 DIMENSION </pre>
<pre> \definemessageconstant {...} * NAME </pre>
<pre> \definemixedcolumns [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupmixedcolumns </pre>
<pre> \definemode [..., ...] [...] 1 NAME 2 ano ne drzet </pre>
<pre> \definemulticolumns [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupmulticolumns </pre>
<pre> \definemultitonecolor [...] [...] [...] [...] 1 NAME 2 COLOR = NUMMER 3 inherits: \definujbarvu 4 inherits: \definespotcolor </pre>
<pre> \definenamecolor [...] [...] 1 NAME 2 inherits: \definujbarvu </pre>
<pre> \definenamecolor [...] [...] 1 NAME 2 COLOR </pre>
<pre> \definenamespace [...] [...] 1 NAME 2 jmeno = TEXT parent = TEXT pismo = ano ne prikaz = ano ne seznam setup = ano ne seznam set = ano ne seznam ramecek = ano ne </pre>
<pre> \definennarrower [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavzuzeni </pre>
<pre> \definernote [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupnote </pre>

<pre> \defineoptimize [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupoptimize </pre>
<pre> \defineorientation [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuporientation </pre>
<pre> \defineornament [...] [...] [...] 1 NAME 2 alternativa = a b inherits: \setupcollector 3 pismo = STYLE BEFEHL barva = COLOR inherits: \nastavoramovani </pre>
<pre> \defineornament [...] [...] [...] 1 NAME 2 alternativa = a b inherits: \setupplayer 3 inherits: \setuplayeredtext </pre>
<pre> \defineoutputroutine [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupoutputroutine </pre>
<pre> \defineoutputroutinecommand [...] * KEY </pre>
<pre> \definepage [...] [...] 1 NAME 2 REFERENCE </pre>
<pre> \definepagebreak [...] [...] 1 NAME 2 prazdne zhlavi upati dummy ramecek NUMMER +NUMMER implicitni reset zablokovat ano ne zlom prazdny nastaveni vysokapriorita vlevo vpravo sude liche ctyrnasobny posledni poslednistrana start stop xy </pre>
<pre> \definepagecolumns [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuppagecolumns </pre>
<pre> \definepagechecker [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuppagechecker </pre>
<pre> \definepageinjection [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuppageinjection </pre>
<pre> \definepageinjectionalternative [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuppageinjectionalternative </pre>
<pre> \definepageshift [...] [...] [...] 1 NAME 2 horizontalne vertikálne 3 DIMENSION </pre>

<pre> \definepagestate [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuppagestate </pre>
<pre> \definepairedbox [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuppairedbox </pre>
<pre> \defineparagraph [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupparagraph </pre>
<pre> \defineparallel [...] [...] 1 NAME 2 NAME </pre>
<pre> \defineparbuilder [...] * NAME </pre>
<pre> \defineperiodkerning [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupperiodkerning </pre>
<pre> \defineplaceholder [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupplaceholder </pre>
<pre> \defineplacement [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupplacement </pre>
<pre> \definepositioning [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavumistovani </pre>
<pre> \defineprefixset [...] [...] [...] 1 NAME SECTIONBLOCK:NAME 2 ABSCHNITT 3 ABSCHNITT </pre>
<pre> \defineprocesscolor [...] [...] [...] 1 NAME 2 COLOR 3 inherits: \definujbarvu </pre>
<pre> \defineprocessor [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupprocessor </pre>
<pre> \definepushbutton [...] [...] 1 NAME 2 inherits: \setupfieldcontentframed </pre>
<pre> \definepushsymbol [...] [...] 1 NAME 2 n r d </pre>

\definerenderingwindow [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuprenderingwindow

\defineresetset [¹...] [...,²...] [³...]

- 1 NAME SECTIONBLOCK:NAME
- 2 NUMMER
- 3 NUMMER

\defineruby [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupruby

\definescale [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupscale

\definescript [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupscript

\definesectionlevels [¹...] [...,²...]

- 1 NAME
- 2 ABSCHNITT

\defineselector [¹...] [...,²...,...]

- 1 NAME
- 2 inherits: \setupselector

\defineseparatorset [¹...] [...,²...] [³...]

- 1 NAME SECTIONBLOCK:NAME
- 2 BEFEHL PROCESSOR->BEFEHL
- 3 BEFEHL PROCESSOR->BEFEHL

\defineshift [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupshift

\definesidebar [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupsidebar

\definesort [¹...] [²...] [³...] {⁴...}

- 1 ano ne
- 2 SINGULAR
- 3 NAME
- 4 CONTENT

\definespotcolor [¹...] [²...] [³...,...]

- 1 NAME
- 2 COLOR
- 3 a = NUMMER zadny normalni multiply rastr prekryv softlight hardlight colordodge colorburn darken lighten difference
exclusion hue saturation barevne luminosity
t = NUMMER
e = TEXT
p = NUMMER

$\backslash\text{definestacking}$ [¹ ...] [² ...] [³ ...,... ³ ...,...] 1 NAME 2 NAME 3 inherits: \setupstacking
$\backslash\text{definestyleinstance}$ [¹ ...] [² ...] [³ ...] [⁴ ...] 1 NAME 2 rm ss tt mm hw cg 3 tf bf it sl bi bs sc 4 BEFEHL
$\backslash\text{definesubformula}$ [¹ ...] [² ...] [³ ...,... ³ ...,...] 1 NAME 2 NAME 3 inherits: \setupsubformula
$\backslash\text{definesynchronize}$ [¹ ...] [² ...] [³ ...,... ³ ...,...] 1 NAME 2 NAME 3 inherits: \setupsynchronize
$\backslash\text{definesynchronizecontent}$ [¹ ...] [² ...] [³ ...,... ³ ...,...] 1 NAME 2 NAME 3 inherits: \setupsynchronizecontent
$\backslash\text{definesynonym}$ [¹ ...] [² ...] [³ ...] [⁴ ...] { ⁵ ...} { ⁶ ...} 1 ano ne 2 SINGULAR 3 NAME 4 TEXT 5 TEXT 6 CONTENT
$\backslash\text{definesystemattribute}$ [¹ ...] [² ...,...] 1 NAME 2 lokale globalne public private pickup
$\backslash\text{definesystemconstant}$ { [*] ...} * NAME
$\backslash\text{definesystemvariable}$ { [*] ...} * NAME
$\backslash\text{defineTABLEsetup}$ [¹ ...] [² ...,... ² ...,...] 1 NAME 2 inherits: \setupTABLE
$\backslash\text{definetabulatemove}$ [¹ ...] [² ...] [³ ...,... ³ ...,...] 1 NAME 2 NAME 3 inherits: \setuptabulatemove
$\backslash\text{definetextbackground}$ [¹ ...] [² ...] [³ ...,... ³ ...,...] 1 NAME 2 NAME 3 inherits: \setuptextbackground
$\backslash\text{definetextdisplay}$ [¹ ...] [² ...] [³ ...,... ³ ...,...] 1 NAME 2 NAME 3 inherits: \setuptextdisplay

<pre> \definetextflow [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuptextflow </pre>
<pre> \definetextnote [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuptextnote </pre>
<pre> \definetokenlist [...] * NAME </pre>
<pre> \definetooltip [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuptooltip </pre>
<pre> \definetransparency [...] [...] 1 NAME 2 NUMMER </pre>
<pre> \definetransparency [...] [...] 1 NAME 2 a = NUMMER zadny normalni multiply rastr prekryv softlight hardlight colordodge colorburn darken lighten difference exclusion hue saturation barevne luminosity t = NUMMER </pre>
<pre> \definetransparency [...] [...] 1 NAME 2 NAME </pre>
<pre> \definetwopasslist {...} * NAME </pre>
<pre> \definetype [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavtype </pre>
<pre> \definetypeface [...] [...] [...] [...] [...] [...] 1 NAME 2 rm ss tt mm hw cg 3 serif sans mono math handwriting calligraphy 4 NAME 5 implicitni dtp 6 rscale = auto NUMMER features = NAME fallbacks = NAME goodies = NAME designsize = auto implicitni smer = obe </pre>
<pre> \definetypescriptprefix [...] [...] 1 NAME 2 TEXT </pre>
<pre> \definetypescriptsynonym [...] [...] 1 NAME 2 TEXT </pre>
<pre> \definetypesetting [...] [...] [...] 1 NAME 2 TEXT 3 inherits: \setupexternalfigure </pre>

\defineunit [¹...] [²...] [³...³...]

1 NAME
2 NAME
3 inherits: \setupunit

\defineuserdata [¹...] [²...] [³...³...]

1 NAME
2 NAME
3 inherits: \setupuserdata

\defineuserdataalternative [¹...] [²...] [³...³...]

1 NAME
2 NAME
3 inherits: \setupuserdataalternative

\defineviewerlayer [¹...] [²...] [³...³...]

1 NAME
2 NAME
3 inherits: \setupviewerlayer

\definespace [¹...] [²...] [³...]

1 NAME
2 NAME
3 DIMENSION

\definevspacing [¹...] [²...]

1 NAME
2 inherits: \vspacing

\definevspacingamount [¹...] [²...] [³...]

1 NAME
2 DIMENSION
3 DIMENSION

\definetable [¹...] [²...] [³...³...]

1 NAME
2 NAME
3 inherits: \setupxtable

\definuj [¹...] \²... {³...}

1 NUMMER
2 CSNAME
3 CONTENT

\definujakcent ...¹ ...² ...³

1 CHARACTER
2 CHARACTER
3 CHARACTER

\definujbarvu [¹...] [²...²...]

1 NAME
2 r = NUMMER
g = NUMMER
b = NUMMER
c = NUMMER
m = NUMMER
y = NUMMER
k = NUMMER
h = NUMMER
s = NUMMER
v = NUMMER
w = NUMMER
x = NUMMER
a = NUMMER zadny normalni multiply rastr prekryv softlight hardlight colordodge colorburn darken lighten difference
exclusion hue saturation barevne luminosity
t = NUMMER

<pre> \definujbarvu [...] [...] 1 NAME 2 COLOR </pre>
<pre> \definujblok [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavblok </pre>
<pre> \definujbloksekce [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavbloksekce </pre>
<pre> \definujbuffer [...] [...] [...] 1 NAME 2 BUFFER 3 inherits: \nastavbuffer </pre>
<pre> \definujfont [...] [...] [...] 1 NAME 2 FONT 3 inherits: \nastavmeziradkovoumezeru </pre>
<pre> \definujfont [...] [...] [...] 1 NAME 2 FONT 3 NAME </pre>
<pre> \definujformatodkazu [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupreferenceformat </pre>
<pre> \definujhbox [...] [...] 1 NAME 2 DIMENSION </pre>
<pre> \definujinterakcnimenu [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavinterakcnimenu </pre>
<pre> \definujkombinovanyseznam [...] [...] [...] 1 NAME 2 LISTE 3 inherits: \nastavkombinovanyseznam </pre>
<pre> \definujkonverzi [...] [...] [...] 1 SPRACHE 2 NAME 3 CSNAME </pre>
<pre> \definujkonverzi [...] [...] [...] 1 SPRACHE 2 NAME 3 TEXT </pre>
<pre> \definujnadpis [...] [...] [...] 1 NAME 2 ABSCHNITT 3 inherits: \nastavnadpis </pre>

<pre> \definujobrazeksymbol [...] [...] [...,..³...,...] 1 NAME 2 FILE NAME 3 inherits: \externiobraz </pre>
<pre> \definujodkaz [...] [...,..²,...] 1 NAME 2 REFERENCE </pre>
<pre> \definujodstavce [...] [...²] [...,..³...,...] 1 NAME 2 NAME 3 inherits: \nastavodstavce </pre>
<pre> \definujopis [...] [...²] [...,..³...,...] 1 NAME 2 NAME 3 inherits: \nastavopis </pre>
<pre> \definujoramovani [...] [...²] [...,..³...,...] 1 NAME 2 NAME 3 inherits: \nastavoramovani </pre>
<pre> \definujoramovanytext [...] [...²] [...,..³...,...] 1 NAME 2 NAME 3 inherits: \setupframedtext </pre>
<pre> \definujpaletu [...] [...,..²...,...] 1 NAME 2 NAME = COLOR </pre>
<pre> \definujpaletu [...] [...] 1 NAME 2 NAME </pre>
<pre> \definujplvouciobjekt [...] [...²] [...,..³...,...] 1 SINGULAR 2 SINGULAR PLURAL 3 inherits: \nastavplvouciobjekt instances: chemical figure table intermezzo graphic </pre>
<pre> \definujplvouciobjekt [...] [...²] [...³] 1 SINGULAR 2 PLURAL 3 SINGULAR instances: chemical figure table intermezzo graphic </pre>
<pre> \definujpodpole [...] [...²] [...,..³,...] 1 NAME 2 NAME 3 NAME </pre>
<pre> \definujpole [...] [...²] [...³] [...,..⁴,...] [...⁵] 1 NAME 2 radio pod text radek push check signature 3 NAME 4 NAME 5 NAME </pre>
<pre> \definujpopis [...] [...²] [...,..³...,...] 1 NAME 2 NAME 3 inherits: \setupdescription </pre>

<pre> \definujpopisek [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setuplabel </pre>
<pre> \definujprekryv [...] [...] [...] 1 NAME 2 NAME 3 BEFEHL </pre>
<pre> \definujprikaz 1 CHARACTER 2 BEFEHL </pre>
<pre> \definujprofil [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupprofile </pre>
<pre> \definujprogram [...] [...] [...] 1 NAME 2 TEXT 3 TEXT </pre>
<pre> \definujprostredizakladnihofontu [...] [...] [...] 1 NAME 2 implicitni DIMENSION 3 velky = DIMENSION NUMMER male = DIMENSION NUMMER a = DIMENSION NUMMER b = DIMENSION NUMMER c = DIMENSION NUMMER d = DIMENSION NUMMER text = DIMENSION NUMMER x = DIMENSION NUMMER xx = DIMENSION NUMMER script = DIMENSION NUMMER scriptscript = DIMENSION NUMMER meziradkovamezera = DIMENSION em = sklonene kurziva STYLE BEFEHL * = NUMMER </pre>
<pre> \definujrejstrik [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavrejstrik </pre>
<pre> \definujsablonutabulky [...] [...] [...] [...] 1 NAME 2 TEMPLATE 3 NAME 4 NAME </pre>
<pre> \definujsekci [...] * NAME </pre>
<pre> \definujseznam [...] [...] [...] 1 NAME 2 LISTE 3 inherits: \nastavseznam </pre>
<pre> \definujskupinubarev [...] [...] [x:y:z,...] 1 NAME 2 seda rgb cmyk spot 3 TRIPLET </pre>

<pre> \definujstartstop [...] [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupstartstop </pre>
<pre> \definujstyl [...] [...] [...] [...] 1 NAME 2 NAME 3 inherits: \setupstyle </pre>
<pre> \definujstylfontu [...] [...] 1 NAME 2 NAME </pre>
<pre> \definujsymbol [...] [...] [...] 1 NAME 2 NAME 3 BEFEHL </pre>
<pre> \definujsynonumumfontu [...] [...] [...] 1 NAME 2 FONT 3 features = NAME fallbacks = NAME goodies = NAME designsize = auto implicitni </pre>
<pre> \definujsynonyma [...] [...] [...] [...] 1 SINGULAR 2 PLURAL 3 CSNAME 4 CSNAME </pre>
<pre> \definujtabelaci [...] [...] [...] 1 NAME 2 NAME 3 TEMPLATE </pre>
<pre> \definujtext [...] [...] [...] [...] [...] [...] [...] 1 NAME 2 vrsek zahlavi text upati spodek 3 text marginalie hrana 4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL 5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL 6 datum cislostranky BESCHRIFTUNG TEXT BEFEHL 7 datum cislostranky BESCHRIFTUNG TEXT BEFEHL </pre>
<pre> \definujtrideni [...] [...] [...] 1 SINGULAR 2 PLURAL 3 zadny CSNAME </pre>
<pre> \definujupravu [...] [...] [...] 1 NAME 2 NAME 3 inherits: \nastavupravu </pre>
<pre> \definujvelikostpapiru [...] [...] 1 NAME 2 sirka = DIMENSION vyska = DIMENSION vrsek = BEFEHL spodek = BEFEHL vlevo = BEFEHL vpravo = BEFEHL vzdalenost = DIMENSION stranka = inherits: \nastavvelikostpapiru papir = inherits: \nastavvelikostpapiru </pre>

```
\definujvelikostpapiru [...] [...] [...]
1 NAME
2 inherits: \nastavvelikostpapiru
3 inherits: \nastavvelikostpapiru
```

```
\definujvycet [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupenumeration
```

```
\definujzakladnifont [...] [...] [...] [...]
1 NAME implicitni
2 NAME DIMENSION
3 rm ss tt hw cg
4 tf = FILE
bf = FILE
it = FILE
sl = FILE
bi = FILE
bs = FILE
sc = FILE
mr = FILE
mrlr = FILE
mrrl = FILE
mb = FILE
mblr = FILE
mbrl = FILE
```

```
\definujzakladnifont [...] [...] [...] [...]
1 NAME implicitni
2 NAME DIMENSION
3 rm ss tt hw cg
4 NAME
```

```
\definujzasobnikpoli [...] [...] [...]
1 NAME
2 NAME
3 inherits: \setupfieldcategory
```

```
\definujznaceni [...] [...] [...]
1 NAME
2 BESCHRIFTUNG
3 inherits: \nastavznaceni
```

```
\definujznak ... ..
1 CHARACTER
2 NUMMER
```

```
\defrostparagraphproperties
```

```
\delimited [...] [...] [...]
1 NAME
2 SPRACHE
3 CONTENT
```

```
\delimitedtext [...] [...] [...]
1 NAME
2 SPRACHE
3 CONTENT
```

```
\DELIMITEDTEXT [...] [...]
1 SPRACHE
2 CONTENT
instances: quotation quote blockquote speech aside
```

<code>\aside [...] {...}</code> 1 SPRACHE <small>OPT</small> 2 CONTENT
<code>\blockquote [...] {...}</code> 1 SPRACHE <small>OPT</small> 2 CONTENT
<code>\quotation [...] {...}</code> 1 SPRACHE <small>OPT</small> 2 CONTENT
<code>\quote [...] {...}</code> 1 SPRACHE <small>OPT</small> 2 CONTENT
<code>\speech [...] {...}</code> 1 SPRACHE <small>OPT</small> 2 CONTENT
<code>\delkaseznamu</code>
<code>\depthlinebottom</code>
<code>\depthofstring {...}</code> * TEXT
<code>\depthonlybox {...}</code> * CONTENT
<code>\depthspanningtext {...} {...} {...}</code> 1 TEXT 2 DIMENSION 3 FONT
<code>\depthstrut</code>
<code>\determinednoflines {...}</code> * CONTENT
<code>\determinenoflines {...}</code> * CONTENT
<code>\devanagarinumerals {...}</code> * NUMMER
<code>\digits {...}</code> * NUMMER
<code>\digits ...</code> * NUMMER
<code>\dimensiontocount {...} \...</code> 1 DIMENSION 2 CSNAME
<code>\directboxfromcache {...} {...}</code> 1 NAME 2 NUMMER TEXT

<code>\directcolor [...]</code> * COLOR
<code>\directcolored [...,...=...,...]</code> * inherits: \definujbarvu
<code>\directcolored [...]</code> * COLOR
<code>\directconvertedcounter {...} {...}</code> 1 NAME 2 prvni predchozi dalsi posledni cislo
<code>\directcopyboxfromcache {...} {...}</code> 1 NAME 2 NUMMER TEXT
<code>\directdummyparameter {...}</code> * KEY
<code>\directgetboxllx ...</code> * CSNAME NUMBER
<code>\directgetboxlly ...</code> * CSNAME NUMBER
<code>\directhighlight {...} {...}</code> 1 NAME 2 TEXT
<code>\directlocalframed [...] {...}</code> 1 NAME 2 CONTENT
<code>\directluacode {...}</code> * BEFEHL
<code>\directmathextensible [...] {...} {...} {...} {...}</code> 1 reverse matematika text chemistry 2 NUMBER 3 TEXT 4 TEXT
<code>\directparwrapper {...} {...}</code> 1 CONTENT 2 CONTENT
<code>\directselect {...} {...} {...} {...} {...} {...}</code> 1 NAME 2 CONTENT 3 CONTENT 4 CONTENT 5 CONTENT 6 CONTENT
<code>\directsetbar {...}</code> * NAME
<code>\directsetup {...}</code> * NAME

<code>\directsymbol {...} {...}</code> 1 NAME 2 NAME
<code>\directtextensibile [...]¹ {...} {...} {...}</code> 1 reverse mathematika text chem ^{OPT} istry 2 NUMMER 3 TEXT 4 TEXT
<code>\directvspacing {...,*,...}</code> * inherits: \vspacing
<code>\dis {...}</code> * CONTENT
<code>\disableddelimiter</code>
<code>\disabledirectives [...,*,...]</code> * NAME
<code>\disableexperiments [...,*,...]</code> * NAME
<code>\disablefiller</code>
<code>\disablemode [...,*,...]</code> * NAME
<code>\disableoutputstream</code>
<code>\disableparpositions</code>
<code>\disableregime</code>
<code>\disabletrackers [...,*,...]</code> * NAME
<code>\displaymath {...}</code> * CONTENT
<code>\displaymathematics {...}</code> * CONTENT
<code>\displaymessage {...}</code> * TEXT
<code>\disposeluatable *...</code> * CSNAME
<code>\distributedhsize {...} {...} {...}</code> 1 DIMENSION 2 DIMENSION 3 NUMMER

<div> <div>\dividedsize {¹...} {²...} {³...}</div> <div> <div>1</div> <div>DIMENSION</div> </div> <div> <div>2</div> <div>DIMENSION</div> </div> <div> <div>3</div> <div>NUMMER</div> </div> </div>
<div> <div>\dm {[*]...}</div> <div> <div>*</div> <div>CONTENT</div> </div> </div>
<div> <div>\doadaptleftskip {[*]...}</div> <div> <div>*</div> <div>ano ne standardni DIMENSION</div> </div> </div>
<div> <div>\doadaptrightskip {[*]...}</div> <div> <div>*</div> <div>ano ne standardni DIMENSION</div> </div> </div>
<div> <div>\doaddfeature {[*]...,...}</div> <div> <div>*</div> <div>NAME</div> </div> </div>
<div> <div>\doassign [¹...] [²...]</div> <div> <div>1</div> <div>TEXT</div> </div> <div> <div>2</div> <div>KEY = VALUE</div> </div> </div>
<div> <div>\doassignempty [¹...] [²...]</div> <div> <div>1</div> <div>TEXT</div> </div> <div> <div>2</div> <div>KEY = VALUE</div> </div> </div>
<div> <div>\doboundtext {¹...} {²...} {³...}</div> <div> <div>1</div> <div>TEXT</div> </div> <div> <div>2</div> <div>DIMENSION</div> </div> <div> <div>3</div> <div>BEFEHL</div> </div> </div>
<div> <div>\documentvariable {[*]...}</div> <div> <div>*</div> <div>KEY</div> </div> </div>
<div> <div>\dodoubleargument \¹... [²...] [³...]</div> <div> <div>1</div> <div>CSNAME</div> </div> <div> <div>2</div> <div>TEXT</div> </div> <div> <div>3</div> <div>TEXT</div> </div> </div>
<div> <div>\dodoubleargumentwithset \¹... [...²,...] [...³...]</div> <div> <div>1</div> <div>CSNAME</div> </div> <div> <div>2</div> <div>TEXT</div> </div> <div> <div>3</div> <div>TEXT</div> </div> </div>
<div> <div>\dodoubleempty \¹... [²...] [³...]</div> <div> <div>1</div> <div>CSNAME</div> </div> <div> <div>2</div> <div>TEXT</div> </div> <div> <div>3</div> <div>TEXT</div> </div> <div> <div>OPT</div> <div>OPT</div> </div> </div>
<div> <div>\dodoubleemptywithset \¹... [...²,...] [...³...]</div> <div> <div>1</div> <div>CSNAME</div> </div> <div> <div>2</div> <div>TEXT</div> </div> <div> <div>3</div> <div>TEXT</div> </div> <div> <div>OPT</div> <div>OPT</div> </div> </div>
<div> <div>\dodoublegroupempty \¹... {²...} {³...}</div> <div> <div>1</div> <div>CSNAME</div> </div> <div> <div>2</div> <div>TEXT</div> </div> <div> <div>3</div> <div>TEXT</div> </div> <div> <div>OPT</div> <div>OPT</div> </div> </div>
<div> <div>\doeassign [¹...] [²...]</div> <div> <div>1</div> <div>TEXT</div> </div> <div> <div>2</div> <div>KEY = VALUE</div> </div> </div>

<code>\doexpandedrecurse {¹...} {²...}</code> 1 NUMBER 2 BEFEHL
<code>\doexpandedrecursed {¹...} {²...}</code> 1 NUMBER 2 BEFEHL
<code>\dofastloopcs {¹...} \²...</code> 1 NUMBER 2 CSNAME
<code>\dogetattribute {[*]...}</code> * NAME
<code>\dogetattributeid {[*]...}</code> * NAME
<code>\dogetcommacommandelement ¹... \from ²... \to \³...</code> 1 NUMBER 2 TEXT 3 CSNAME
<code>\dogobbledoubleempty [¹...] [²...]</code> 1 TEXT OPT OPT 2 TEXT
<code>\dogobblesingleempty [[*]...]</code> * TEXT OPT
<code>\dohyphens</code>
<code>\docheckassignment {[*]...}</code> * TEXT
<code>\docheckedpair {...[*],...}</code> * TEXT
<code>\doif {¹...} {²...} {³...}</code> 1 CONTENT 2 CONTENT 3 TRUE
<code>\doifallcommon {...¹,...} {...²,...} {³...}</code> 1 TEXT 2 TEXT 3 TRUE
<code>\doifallcommonelse {...¹,...} {...²,...} {³...} {⁴...}</code> 1 TEXT 2 TEXT 3 TRUE 4 FALSE
<code>\doifalldefinedelse {...¹,...} {²...} {³...}</code> 1 NAME 2 TRUE 3 FALSE
<code>\doifallmodes {...¹,...} {²...}</code> 1 NAME 2 TRUE

`\doifallmodeselse {...1,...} {...2} {...3}`

1 NAME
2 TRUE
3 FALSE

`\doifallundefinedelse {...1,...} {...2} {...3}`

1 NAME
2 TRUE
3 FALSE

`\doifassignmentelse {...1} {...2} {...3}`

1 TEXT
2 TRUE
3 FALSE

`\doifassignmentelsecs {...1} \2... \3...`

1 TEXT
2 CSNAME
3 CSNAME

`\doifblackelse {...1} {...2} {...3}`

1 COLOR
2 TRUE
3 FALSE

`\doifbothsides {...1} {...2} {...3}`

1 BEFEHL
2 BEFEHL
3 BEFEHL

`\doifbothsidesoverruled {...1} {...2} {...3}`

1 BEFEHL
2 BEFEHL
3 BEFEHL

`\doifboxelse {...1} {...2} {...3} {...4}`

1 NAME
2 NAME
3 TRUE
4 FALSE

`\doifbufferelse {...1} {...2} {...3}`

1 BUFFER
2 TRUE
3 FALSE

`\doifcolor {...1} {...2}`

1 COLOR
2 TRUE

`\doifcolorelse {...1} {...2} {...3}`

1 COLOR
2 TRUE
3 FALSE

`\doifcommandhandler \1... {...2} {...3}`

1 CSNAME
2 NAME
3 TRUE

`\doifcommandhandlerelse \1... {...2} {...3} {...4}`

1 CSNAME
2 NAME
3 TRUE
4 FALSE

`\doifcommon {...1,...} {...2,...} {...3}`

1 TEXT
2 TEXT
3 TRUE

`\doifcommonelse {...1,...} {...2,...} {...3} {...4}`

1 TEXT
2 TEXT
3 TRUE
4 FALSE

`\doifcontent {...1} {...2} {...3} \... {...5}`

1 BEFEHL
2 BEFEHL
3 BEFEHL
4 CSNAME
5 CONTENT

`\doifconversiondefinedelse {...1} {...2} {...3}`

1 NAME
2 TRUE
3 FALSE

`\doifconversionnumberelse {...1} {...2} {...3} {...4}`

1 NAME
2 NUMMER
3 TRUE
4 FALSE

`\doifcounter {...1} {...2}`

1 NAME
2 TRUE

`\doifcounterelse {...1} {...2} {...3}`

1 NAME
2 TRUE
3 FALSE

`\doifcurrentfonthasfeatureelse {...1} {...2} {...3}`

1 NAME
2 TRUE
3 FALSE

`\doifdefined {...1} {...2}`

1 NAME
2 TRUE

`\doifdefinedcounter {...1} {...2}`

1 NAME
2 TRUE

`\doifdefinedcounterelse {...1} {...2} {...3}`

1 NAME
2 TRUE
3 FALSE

`\doifdefinedelse {...1} {...2} {...3}`

1 NAME
2 TRUE
3 FALSE

`\doifdimensionelse {...1} {...2} {...3}`

1 TEXT
2 TRUE
3 FALSE

\doifdimenstringelse {...} {...} {...}

1 TEXT
2 TRUE
3 FALSE

\doifdocumentargument {...} {...}

1 NAME
2 TRUE

\doifdocumentargumentelse {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifdocumentfilename {...} {...}

1 NUMBER
2 TRUE

\doifdocumentfilenameelse {...} {...} {...}

1 NUMBER
2 TRUE
3 FALSE

\doifdocumentvariable {...} {...}

1 KEY
2 TRUE

\doifdocumentvariableelse {...} {...} {...}

1 KEY
2 TRUE
3 FALSE

\doifdrawingblackelse {...} {...}

1 TRUE
2 FALSE

\doifelse {...} {...} {...} {...}

1 CONTENT
2 CONTENT
3 TRUE
4 FALSE

\doifelseallcommon {...,¹...} {...,²...} {...} {...⁴}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelsealldefined {...,¹...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelseallmodes {...,¹...} {...²} {...³}

1 NAME
2 TRUE
3 FALSE

\doifelseallundefined {...,¹...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelseassignment {...} {...} {...}

1 TEXT
2 TRUE
3 FALSE

\doifelseassignmentcs {...} \^2... \^3...

1 TEXT
2 CSNAME
3 CSNAME

\doifelseblack {...} {...} {...}

1 COLOR
2 TRUE
3 FALSE

\doifelseblockempty {...} {...} {...} {...} {...}

1 NAME
2 NAME
3 text ABSCHNITT
4 TRUE
5 FALSE

\doifelsebox {...} {...} {...} {...}

1 NAME
2 NAME
3 TRUE
4 FALSE

\doifelseboxincache {...} {...} {...} {...}

1 NAME
2 NUMMER TEXT
3 TRUE
4 FALSE

\doifelsebuffer {...} {...} {...}

1 BUFFER
2 TRUE
3 FALSE

\doifelsecolor {...} {...} {...}

1 COLOR
2 TRUE
3 FALSE

\doifelsecommandhandler \^1... {...} {...} {...}

1 CSNAME
2 NAME
3 TRUE
4 FALSE

\doifelsecommon {...,¹...} {...,²...} {...} {...}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelseconversiondefined {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelseconversionnumber {...} {...} {...} {...}

1 NAME
2 NUMMER
3 TRUE
4 FALSE

\doifelsecounter {...} {...} {...} 1 NAME 2 TRUE 3 FALSE
\doifelsecurrentfonthasfeature {...} {...} {...} 1 NAME 2 TRUE 3 FALSE
\doifelsecurrentsortingused {...} {...} 1 TRUE 2 FALSE
\doifelsecurrentsynonymshown {...} {...} 1 TRUE 2 FALSE
\doifelsecurrentsynonymused {...} {...} 1 TRUE 2 FALSE
\doifelsedefined {...} {...} {...} 1 NAME 2 TRUE 3 FALSE
\doifelsedefinedcounter {...} {...} {...} 1 NAME 2 TRUE 3 FALSE
\doifelsedimension {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE
\doifelsedimenstring {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE
\doifelsedocumentargument {...} {...} {...} 1 NAME 2 TRUE 3 FALSE
\doifelsedocumentfilename {...} {...} {...} 1 NUMMER 2 TRUE 3 FALSE
\doifelsedocumentvariable {...} {...} {...} 1 KEY 2 TRUE 3 FALSE
\doifelsedrawingblack {...} {...} 1 TRUE 2 FALSE

\doifelseempty {...} {...} {...}

1 CONTENT
2 TRUE
3 FALSE

\doifelseemptyvalue {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelseemptyvariable {...} {...} {...} {...}

1 NAME
2 KEY
3 TRUE
4 FALSE

\doifelseenv {...} {...} {...}

1 KEY
2 TRUE
3 FALSE

\doifelsefastoptionalcheck {...} {...}

1 TRUE
2 FALSE

\doifelsefastoptionalcheckcs \^1... \^2...

1 CSNAME
2 CSNAME

\doifelsefieldbody {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsefieldcategory {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsefigure {...} {...} {...}

1 FILE
2 TRUE
3 FALSE

\doifelsefile {...} {...} {...}

1 FILE
2 TRUE
3 FALSE

\doifelsefiledefined {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsefileexists {...} {...} {...}

1 FILE
2 TRUE
3 FALSE

\doifelsefirstchar {...} {...} {...} {...}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelseflagged {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsefontfeature {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsefontchar {...} {...} {...} {...}

1 FONT
2 NUMMER
3 TRUE
4 FALSE

\doifelsefontpresent {...} {...} {...}

1 FONT
2 TRUE
3 FALSE

\doifelsefontsynonym {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelseframed \^1 {...} {...}

1 CSNAME
2 TRUE
3 FALSE

\doifelsehasspace {...} {...} {...}

1 TEXT
2 TRUE
3 FALSE

\doifelsehelp {...} {...}

1 TRUE
2 FALSE

\doifelseincsname {...} {...} {...} {...}

1 TEXT
2 CSNAME
3 TRUE
4 FALSE

\doifelseindented {...} {...}

1 TRUE
2 FALSE

\doifelseinelement {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelseinputfile {...} {...} {...}

1 FILE
2 TRUE
3 FALSE

\doifelseinsertion {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

```
\doifelseinset {...} {...,2...} {...3} {...4}  
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\doifelseinstring {...} {...2} {...3} {...4}  
1 TEXT  
2 TEXT  
3 TRUE  
4 FALSE
```

```
\doifelseinsymbolset {...} {...2} {...3} {...4}  
1 NAME  
2 NAME  
3 TRUE  
4 FALSE
```

```
\doifelseintoks {...} {...2} {...3} {...4}  
1 BEFEHL  
2 BEFEHL  
3 TRUE  
4 FALSE
```

```
\doifelseintwopassdata {...} {...2} {...3} {...4}  
1 NAME  
2 NAME  
3 TRUE  
4 FALSE
```

```
\doifelseitalic {...} {...2}  
1 TRUE  
2 FALSE
```

```
\doifelselanguage {...} {...2} {...3}  
1 SPRACHE  
2 TRUE  
3 FALSE
```

```
\doifelselayerdata {...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelselayoutdefined {...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelselayoutsomeline {...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelselayouttextline {...} {...2} {...3}  
1 NAME  
2 TRUE  
3 FALSE
```

```
\doifelseleapyear {...} {...2} {...3}  
1 NUMMER  
2 TRUE  
3 FALSE
```


\doifselist {...} {...} {...}

1 LISTE
2 TRUE
3 FALSE

\doifselocation {...} {...}

1 TRUE
2 FALSE

\doifselocfile {...} {...} {...}

1 FILE
2 TRUE
3 FALSE

\doifseMPgraphic {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifsemainfloatbody {...} {...}

1 TRUE
2 FALSE

\doifsemarkedcontent {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifsemarkedpage {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifsemarking {...} {...} {...}

1 BESCHRIFTUNG
2 TRUE
3 FALSE

\doifsemessage {...} {...} {...} {...}

1 NAME
2 NAME NUMMER
3 TRUE
4 FALSE

\doifsemode {...,¹...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifsenextbgroup {...} {...}

1 TRUE
2 FALSE

\doifsenextbgroupcs \¹... \²...

1 CSNAME
2 CSNAME

\doifsenextchar {...} {...} {...}

1 CHARACTER
2 TRUE
3 FALSE

<pre> \doifelsenextoptional {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifelsenextoptionalcs \^1... \^2... 1 CSNAME 2 CSNAME </pre>
<pre> \doifelsenextparenthesis {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifelsenonzeropositive {...} {...} {...} 1 NUMMER 2 TRUE 3 FALSE </pre>
<pre> \doifelsenoteonsamepage {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifelsenothing {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE </pre>
<pre> \doifelsenumber {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE </pre>
<pre> \doifelseobjectfound {...} {...} {...} {...} 1 NAME 2 NAME 3 TRUE 4 FALSE </pre>
<pre> \doifelseobjectreferencefound {...} {...} {...} {...} 1 NAME 2 NAME 3 TRUE 4 FALSE </pre>
<pre> \doifelseoddpage {...} {...} 1 BEFEHL 2 BEFEHL </pre>
<pre> \doifelseoddpagefloat {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifelseoldercontext {...} {...} {...} 1 NUMMER 2 TRUE 3 FALSE </pre>
<pre> \doifelseolderversion {...} {...} {...} {...} 1 NUMMER 2 NUMMER 3 TRUE 4 FALSE </pre>

```
\doifelseorientation {...} {...} {...}
1 normalni up down vlevo vpravo vrsek spodek NAME
2 TRUE
3 FALSE
```

```
\doifelseoverlapping {...} {...} {...} {...}
1 NAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifelseoverlay {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifelseparallel {...} {...,2...} {...} {...}
1 NAME
2 NAME vse
3 TRUE
4 FALSE
```

```
\doifelseparentfile {...} {...} {...}
1 FILE
2 TRUE
3 FALSE
```

```
\doifelseparwrapper {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifelsepath {...} {...} {...}
1 PATH
2 TRUE
3 FALSE
```

```
\doifelsepathexists {...} {...} {...}
1 PATH
2 TRUE
3 FALSE
```

```
\doifelsepatterns {...} {...} {...}
1 SPRACHE
2 TRUE
3 FALSE
```

```
\doifelseposition {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifelsepositionaction {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifelsepositiononpage {...} {...} {...} {...}
1 NAME
2 NUMMER
3 TRUE
4 FALSE
```

\doifelsepositionsonsamepage {...,¹...} {...²} {...³}

1 NAME
2 TRUE
3 FALSE

\doifelsepositionsonthispage {...,¹...} {...²} {...³}

1 NAME
2 TRUE
3 FALSE

\doifelsepositionsused {...¹} {...²}

1 TRUE
2 FALSE

\doifelserreferencefound {...¹} {...²} {...³}

1 REFERENCE
2 TRUE
3 FALSE

\doifelserightpage {...¹} {...²}

1 TRUE
2 FALSE

\doifelserightpagefloat {...¹} {...²}

1 TRUE
2 FALSE

\doifelserighttopleftinbox ...¹ {...²} {...³}

1 CSNAME NUMBER
2 TRUE
3 FALSE

\doifelsesamelinereference {...¹} {...²} {...³}

1 REFERENCE
2 TRUE
3 FALSE

\doifelsesamestring {...¹} {...²} {...³} {...⁴}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelsesetups {...¹} {...²} {...³}

1 NAME
2 TRUE
3 FALSE

\doifelsesimilartokens {...¹} {...²} {...³} {...⁴}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelsesomebackground {...¹} {...²} {...³}

1 NAME
2 TRUE
3 FALSE

\doifelsesomespace {...¹} {...²} {...³}

1 TEXT
2 TRUE
3 FALSE

\doifelsesomething {...} {...} {...}

1 TEXT
2 TRUE
3 FALSE

\doifelsesometoks \... {...} {...}

1 CSNAME
2 TRUE
3 FALSE

\doifelsestringinstring {...} {...} {...} {...}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifelsestructurelisthasnumber {...} {...}

1 TRUE
2 FALSE

\doifelsestructurelisthaspage {...} {...}

1 TRUE
2 FALSE

\doifelsesymboldefined {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsesymbolset {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsetext {...} {...} {...}

1 TEXT
2 TRUE
3 FALSE

\doifelsetextflow {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsetextflowcollector {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsetopofpage {...} {...}

1 TRUE
2 FALSE

\doifelsetypingfile {...} {...} {...}

1 FILE
2 TRUE
3 FALSE

\doifelseundefined {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelseurldefined {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsevalue {...} {...} {...} {...}

1 NAME
2 TEXT
3 TRUE
4 FALSE

\doifelsevaluenothing {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifelsevariable {...} {...} {...} {...}

1 NAME
2 KEY
3 TRUE
4 FALSE

\doifempty {...} {...}

1 CONTENT
2 TRUE

\doifemptyelse {...} {...} {...}

1 CONTENT
2 TRUE
3 FALSE

\doifemptytoks \^1... {...}

1 CSNAME
2 TRUE

\doifemptyvalue {...} {...}

1 NAME
2 TRUE

\doifemptyvalueelse {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifemptyvariable {...} {...} {...}

1 NAME
2 KEY
3 TRUE

\doifemptyvariableelse {...} {...} {...} {...}

1 NAME
2 KEY
3 TRUE
4 FALSE

\doifenv {...} {...}

1 KEY
2 TRUE

\doifenvelse {...} {...} {...}

1 KEY
2 TRUE
3 FALSE

<pre> \doiffastoptionalcheckcselse \¹... \²... 1 CSNAME 2 CSNAME </pre>
<pre> \doiffastoptionalcheckelse {¹...} {²...} 1 TRUE 2 FALSE </pre>
<pre> \doiffielddbodyelse {¹...} {²...} {³...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doiffielddcategoryelse {¹...} {²...} {³...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doiffigureelse {¹...} {²...} {³...} 1 FILE 2 TRUE 3 FALSE </pre>
<pre> \doiffile {¹...} {²...} 1 FILE 2 TRUE </pre>
<pre> \doiffiledefinedelse {¹...} {²...} {³...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doiffileelse {¹...} {²...} {³...} 1 FILE 2 TRUE 3 FALSE </pre>
<pre> \doiffileexistselse {¹...} {²...} {³...} 1 FILE 2 TRUE 3 FALSE </pre>
<pre> \doiffirstcharelse {¹...} {²...} {³...} {⁴...} 1 TEXT 2 TEXT 3 TRUE 4 FALSE </pre>
<pre> \doifflaggedelse {¹...} {²...} {³...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doiffontfeatureelse {¹...} {²...} {³...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doiffontcharelse {¹...} {²...} {³...} {⁴...} 1 FONT 2 NUMMER 3 TRUE 4 FALSE </pre>

\doiffontpresentelse {...} {...} {...}

1 FONT
2 TRUE
3 FALSE

\doiffontsynonymelse {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifhasspaceelse {...} {...} {...}

1 TEXT
2 TRUE
3 FALSE

\doifhelpelse {...} {...}

1 TRUE
2 FALSE

\doifcheckedpagestate {...} {...} {...} {...} {...} {...} {...}

1 REFERENCE
2 BEFEHL
3 BEFEHL
4 BEFEHL
5 BEFEHL
6 BEFEHL
7 BEFEHL

\doifincsnameelse {...} {...} {...} {...}

1 TEXT
2 CSNAME
3 TRUE
4 FALSE

\doifinelementelse {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifinputfileelse {...} {...} {...}

1 FILE
2 TRUE
3 FALSE

\doifinsectionelse {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifinset {...} {...,²...} {...}

1 TEXT
2 TEXT
3 TRUE

\doifinsetelse {...} {...,²...} {...} {...⁴}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifinstring {...} {...} {...}

1 TEXT
2 TEXT
3 TRUE


```
\doifinstringelse {...} {...} {...} {...}
1 TEXT
2 TEXT
3 TRUE
4 FALSE
```

```
\doifinsymbolset {...} {...} {...} {...}
1 NAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifinsymbolsetelse {...} {...} {...} {...}
1 NAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifintokselse {...} {...} {...} {...}
1 BEFEHL
2 BEFEHL
3 TRUE
4 FALSE
```

```
\doifintwopassdataelse {...} {...} {...} {...}
1 NAME
2 NAME
3 TRUE
4 FALSE
```

```
\doifitalicelse {...} {...}
1 TRUE
2 FALSE
```

```
\doiflanguageelse {...} {...} {...}
1 SPRACHE
2 TRUE
3 FALSE
```

```
\doiflayerdataelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doiflayoutdefinedelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doiflayoutsomelineelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doiflayouttextlineelse {...} {...} {...}
1 NAME
2 TRUE
3 FALSE
```

```
\doifleapyearelse {...} {...} {...}
1 NUMMER
2 TRUE
3 FALSE
```

<pre> \doiflistelse {...} {...} {...} 1 LISTE 2 TRUE 3 FALSE </pre>
<pre> \doiflocationelse {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doiflocfileelse {...} {...} {...} 1 FILE 2 TRUE 3 FALSE </pre>
<pre> \doifMPgraphicelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifmainfloatbodyelse {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifmarkedpage {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifmarkingelse {...} {...} {...} 1 BESCHRIFTUNG 2 TRUE 3 FALSE </pre>
<pre> \doifmessageelse {...} {...} {...} {...} 1 NAME 2 NAME NUMBER 3 TRUE 4 FALSE </pre>
<pre> \doifmode {...,¹...} {...²} 1 NAME 2 TRUE </pre>
<pre> \doifmodeelse {...,¹...} {...²} {...³} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifnextbgroupcselse \¹... \²... 1 CSNAME 2 CSNAME </pre>
<pre> \doifnextbgroupelse {...¹} {...²} 1 TRUE 2 FALSE </pre>
<pre> \doifnextcharelse {...¹} {...²} {...³} 1 CHARACTER 2 TRUE 3 FALSE </pre>
<pre> \doifnextoptionalcselse \¹... \²... 1 CSNAME 2 CSNAME </pre>

<pre> \doifnextoptionalelse {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifnextparenthesiseelse {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifnonzeropositiveelse {...} {...} {...} 1 NUMMER 2 TRUE 3 FALSE </pre>
<pre> \doifnot {...} {...} {...} 1 CONTENT 2 CONTENT 3 TRUE </pre>
<pre> \doifnotallcommon {...,¹...} {...,²...} {...³} 1 TEXT 2 TEXT 3 TRUE </pre>
<pre> \doifnotallmodes {...,¹...} {...²} 1 NAME 2 TRUE </pre>
<pre> \doifnotcommandhandler \¹... {...²} {...³} 1 CSNAME 2 NAME 3 TRUE </pre>
<pre> \doifnotcommon {...,¹...} {...,²...} {...³} 1 TEXT 2 TEXT 3 TRUE </pre>
<pre> \doifnotcounter {...¹} {...²} 1 NAME 2 TRUE </pre>
<pre> \doifnotdocumentargument {...¹} {...²} 1 NAME 2 TRUE </pre>
<pre> \doifnotdocumentfilename {...¹} {...²} 1 NUMMER 2 TRUE </pre>
<pre> \doifnotdocumentvariable {...¹} {...²} 1 KEY 2 TRUE </pre>
<pre> \doifnotempty {...¹} {...²} 1 CONTENT 2 TRUE </pre>
<pre> \doifnotemptyvalue {...¹} {...²} 1 NAME 2 TRUE </pre>

<pre> \doifnotemptyvariable {...} {...} {...} 1 NAME 2 KEY 3 TRUE </pre>
<pre> \doifnotenv {...} {...} 1 KEY 2 TRUE </pre>
<pre> \doifnoteonsamepageelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifnotescollected {...} {...} 1 NAME 2 TRUE </pre>
<pre> \doifnotfile {...} {...} 1 FILE 2 TRUE </pre>
<pre> \doifnotflagged {...} {...} 1 NAME 2 TRUE </pre>
<pre> \doifnothing {...} {...} 1 TEXT 2 TRUE </pre>
<pre> \doifnothingelse {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE </pre>
<pre> \doifnotinset {...} {...,²...} {...} 1 TEXT 2 TEXT 3 TRUE </pre>
<pre> \doifnotinsidesplitfloat {...} * TRUE </pre>
<pre> \doifnotinstring {...} {...} {...} 1 TEXT 2 TEXT 3 TRUE </pre>
<pre> \doifnotmode {...,¹...} {...} 1 NAME 2 TRUE </pre>
<pre> \doifnotnumber {...} {...} 1 TEXT 2 TRUE </pre>
<pre> \doifnotsamestring {...} {...} {...} 1 TEXT 2 TEXT 3 TRUE </pre>

<pre> \doifnotsetups {...} {...} 1 NAME 2 TRUE </pre>
<pre> \doifnotvalue {...} {...} {...} 1 NAME 2 TEXT 3 TRUE </pre>
<pre> \doifnotvariable {...} {...} {...} 1 NAME 2 KEY 3 TRUE </pre>
<pre> \doifnumber {...} {...} 1 TEXT 2 TRUE </pre>
<pre> \doifnumberelse {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE </pre>
<pre> \doifobjectfoundelse {...} {...} {...} {...} 1 NAME 2 NAME 3 TRUE 4 FALSE </pre>
<pre> \doifobjectreferencefoundelse {...} {...} {...} {...} 1 NAME 2 NAME 3 TRUE 4 FALSE </pre>
<pre> \doifoddpagelse {...} {...} 1 BEFEHL 2 BEFEHL </pre>
<pre> \doifoddpagefloatelse {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifoldercontextelse {...} {...} {...} 1 NUMMER 2 TRUE 3 FALSE </pre>
<pre> \doifolderversionelse {...} {...} {...} {...} 1 NUMMER 2 NUMMER 3 TRUE 4 FALSE </pre>
<pre> \doifoutermode {...} * CONTENT </pre>
<pre> \doifoverlappingelse {...} {...} {...} {...} 1 NAME 2 NAME 3 TRUE 4 FALSE </pre>

\doifoverlayelse {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifparallelelse {...} {...,²...} {...} {...}

1 NAME
2 NAME vse
3 TRUE
4 FALSE

\doifparentfileelse {...} {...} {...}

1 FILE
2 TRUE
3 FALSE

\doifpathelse {...} {...} {...}

1 PATH
2 TRUE
3 FALSE

\doifpathexistselse {...} {...} {...}

1 PATH
2 TRUE
3 FALSE

\doifpatternselse {...} {...} {...}

1 SPRACHE
2 TRUE
3 FALSE

\doifposition {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifpositionaction {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifpositionactionelse {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifpositionelse {...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifpositiononpageelse {...} {...} {...} {...}

1 NAME
2 NUMMER
3 TRUE
4 FALSE

\doifpositionsonsamepageelse {...,¹...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifpositionsonthispageelse {...,¹...} {...} {...}

1 NAME
2 TRUE
3 FALSE

\doifpositionsusedelse {...} {...²..}

1 TRUE
2 FALSE

\doifreferencefoundelse {...} {...²..} {...³..}

1 REFERENCE
2 TRUE
3 FALSE

\doifrightpageelse {...} {...²..}

1 TRUE
2 FALSE

\doifrightpagefloatelse {...} {...²..}

1 TRUE
2 FALSE

\doifrighttopleftinboxelse ... {...²..} {...³..}

1 CSNAME NUMBER
2 TRUE
3 FALSE

\doifsamelinereferenceelse {...} {...²..} {...³..}

1 REFERENCE
2 TRUE
3 FALSE

\doifsamestring {...} {...²..} {...³..}

1 TEXT
2 TEXT
3 TRUE

\doifsamestringelse {...} {...²..} {...³..} {...⁴..}

1 TEXT
2 TEXT
3 TRUE
4 FALSE

\doifsetups {...} {...²..}

1 NAME
2 TRUE

\doifsetupselse {...} {...²..} {...³..}

1 NAME
2 TRUE
3 FALSE

\doifsomebackground {...} {...²..} {...³..}

1 NAME
2 TRUE
3 FALSE

\doifsomebackgroundelse {...} {...²..} {...³..}

1 NAME
2 TRUE
3 FALSE

<pre> \doifsomespaceelse {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE </pre>
<pre> \doifsomething {...} {...} 1 TEXT 2 TRUE </pre>
<pre> \doifsomethingelse {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE </pre>
<pre> \doifsometoks \^1... {...} 1 CSNAME 2 TRUE </pre>
<pre> \doifsometokselse \^1... {...} {...} 1 CSNAME 2 TRUE 3 FALSE </pre>
<pre> \doifstringinstringelse {...} {...} {...} {...} 1 TEXT 2 TEXT 3 TRUE 4 FALSE </pre>
<pre> \doifstructurelisthasnumberelse {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifstructurelisthaspageelse {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doifsymboldefinedelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifsymbolsetelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doiftext {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE </pre>
<pre> \doiftextelse {...} {...} {...} 1 TEXT 2 TRUE 3 FALSE </pre>
<pre> \doiftextflowcollectorelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>

<pre> \doiftextflowelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doiftopofpageelse {...} {...} 1 TRUE 2 FALSE </pre>
<pre> \doiftypingfileelse {...} {...} {...} 1 FILE 2 TRUE 3 FALSE </pre>
<pre> \doifundefined {...} {...} 1 NAME 2 TRUE </pre>
<pre> \doifundefinedcounter {...} {...} 1 NAME 2 TRUE </pre>
<pre> \doifundefinedelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifunknownfontfeature {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifurldefinedelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifvalue {...} {...} {...} 1 NAME 2 TEXT 3 TRUE </pre>
<pre> \doifvalueelse {...} {...} {...} {...} 1 NAME 2 TEXT 3 TRUE 4 FALSE </pre>
<pre> \doifvaluenothing {...} {...} 1 NAME 2 TRUE </pre>
<pre> \doifvaluenothingelse {...} {...} {...} 1 NAME 2 TRUE 3 FALSE </pre>
<pre> \doifvaluesomething {...} {...} 1 NAME 2 TRUE </pre>

<code>\doifvariable {¹...} {²...} {³...}</code> 1 NAME 2 KEY 3 TRUE
<code>\doifvariableelse {¹...} {²...} {³...} {⁴...}</code> 1 NAME 2 KEY 3 TRUE 4 FALSE
<code>\doindentation</code>
<code>\dollar</code>
<code>\doloop {[*]...}</code> * BEFEHL
<code>\doloopoverlist {...,¹...} {²...}</code> 1 TEXT 2 BEFEHL
<code>\donothing</code>
<code>\dontconvertfont</code>
<code>\dontleavehmode</code>
<code>\dontpermitspacesbetweenengroups</code>
<code>\dopositionaction {[*]...}</code> * NAME
<code>\doprocesslocalsetups {...,[*]...}</code> * NAME
<code>\doquadrupleargument \¹... [²...] [³] [⁴] [⁵]</code> 1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT
<code>\doquadrupleempty \¹... [²] [³] [⁴] [⁵]</code> 1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT
<code>\doquadruplegroupempty \¹... {²...} {³...} {⁴...} {⁵...}</code> 1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT

<p><code>\doquintupleargument \¹... [²...] [³...] [⁴...] [⁵...] [⁶...]</code></p> <p>1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT</p>
<p><code>\doquintupleempty \¹... [²...] [³...] [⁴...] [⁵...] [⁶...]</code></p> <p>1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT</p>
<p><code>\doquintuplegroupempty \¹... {²...} {³...} {⁴...} {⁵...} {⁶...}</code></p> <p>1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT</p>
<p><code>\dorecurse {¹...} {²...}</code></p> <p>1 NUMMER 2 BEFEHL</p>
<p><code>\dorechecknextindentation</code></p>
<p><code>\dorepeatwithcommand [¹...] \²...</code></p> <p>1 TEXT NUMMER*TEXT 2 CSNAME</p>
<p><code>\doreplacefeature {...,*...}</code></p> <p>* NAME</p>
<p><code>\doresetandaddfeature {...,*...}</code></p> <p>* NAME</p>
<p><code>\doresetattribute {[*]...}</code></p> <p>* NAME</p>
<p><code>\dorotatebox {¹...} \²... {³...}</code></p> <p>1 NUMMER 2 CSNAME 3 CONTENT</p>
<p><code>\dosetattribute {¹...} {²...}</code></p> <p>1 NAME 2 NUMMER</p>
<p><code>\dosetleftskipadaption {[*]...}</code></p> <p>* ano ne standardni DIMENSION</p>
<p><code>\dosetrighskipadaption {[*]...}</code></p> <p>* ano ne standardni DIMENSION</p>
<p><code>\dosetupcheckedinterlinespace {...,*...}</code></p> <p>* inherits: \nastavmeziradkovoumezeru</p>
<p><code>\dosetupcheckedinterlinespace {...,*...}</code></p> <p>* zap vyp reset auto male stredni velke NUMMER DIMENSION</p>

<pre> \dosetupcheckedinterlinespace {...} * NAME </pre>
<pre> \doseventupleargument \¹... [²...] [³...] [⁴...] [⁵...] [⁶...] [⁷...] [⁸...] 1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT 7 TEXT 8 TEXT </pre>
<pre> \doseventupleempty \¹... [²...] [³...] [⁴...] [⁵...] [⁶...] [⁷...] [⁸...] 1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT 7 TEXT 8 TEXT </pre>
<pre> \dosingleargument \¹... [²...] 1 CSNAME 2 TEXT </pre>
<pre> \dosingleepy \¹... [²...] 1 CSNAME 2 TEXT </pre>
<pre> \dosinglegroupempty \¹... {²...} 1 CSNAME 2 TEXT </pre>
<pre> \dosixtupleargument \¹... [²...] [³...] [⁴...] [⁵...] [⁶...] [⁷...] 1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT 7 TEXT </pre>
<pre> \dosixtupleempty \¹... [²...] [³...] [⁴...] [⁵...] [⁶...] [⁷...] 1 CSNAME 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT 7 TEXT </pre>
<pre> \dosomebreak *... * CSNAME </pre>
<pre> \dostarttagged {...} {...} ... \dostoptagged 1 NAME 2 NAME </pre>
<pre> \dostepwiserecurse {...} {...} {...} {...} 1 NUMBER 2 NUMBER 3 [-+]NUMBER 4 BEFEHL </pre>

<code>\dosubtractfeature {...,*...}</code> * NAME
<code>\dotfill</code>
<code>\dotfskip {...}</code> * DIMENSION
<code>\dotoks \...</code> * CSNAME
<code>\dotripleargument \...¹ [...]² [...]³ [...]⁴</code> 1 CSNAME 2 TEXT 3 TEXT 4 TEXT
<code>\dotripleargumentwithset \...¹ [...,²...] [...]³ [...]⁴</code> 1 CSNAME 2 TEXT 3 TEXT 4 TEXT
<code>\dotripleempty \...¹ [...]² [...]³ [...]⁴</code> 1 CSNAME 2 TEXT 3 TEXT 4 TEXT
<code>\dotripleemptywithset \...¹ [...,²...] [...]³ [...]⁴</code> 1 CSNAME 2 TEXT 3 TEXT 4 TEXT
<code>\dotriplegroupempty \...¹ {...}² {...}³ {...}⁴</code> 1 CSNAME 2 TEXT 3 TEXT 4 TEXT
<code>\doublebond</code>
<code>\dowith {...,¹...} {...}²</code> 1 BEFEHL 2 BEFEHL
<code>\dowithnextbox {...}¹ \...² {...}³</code> 1 BEFEHL 2 CSNAME 3 CONTENT
<code>\dowithnextboxcontent {...}¹ {...}² \...³ {...}⁴</code> 1 BEFEHL 2 BEFEHL 3 CSNAME 4 CONTENT
<code>\dowithnextboxcontentcs \...¹ \...² \...³ {...}⁴</code> 1 CSNAME 2 CSNAME 3 CSNAME 4 CONTENT

<code>\dowithnextboxcs \¹... \²... {³...}</code> 1 CSNAME 2 CSNAME 3 CONTENT
<code>\dowithpargument \[*]...</code> * CSNAME
<code>\dowithrange {...,¹...} \²...</code> 1 NUMBER NUMBER:NUMBER 2 CSNAME
<code>\dowithwargument \[*]...</code> * CSNAME
<code>\dpofstring {[*]...}</code> * TEXT
<code>\dummydigit</code>
<code>\dummyparameter {[*]...}</code> * KEY
<code>\ETEX</code>
<code>\EveryLine {[*]...}</code> * BEFEHL
<code>\EveryPar {[*]...}</code> * BEFEHL
<code>\edefconvertedargument \¹... {²...}</code> 1 CSNAME 2 TEXT
<code>\efcmxheight {[*]...}</code> * NAME
<code>\efcmxwidth {[*]...}</code> * NAME
<code>\efcminheight {[*]...}</code> * NAME
<code>\efcminwidth {[*]...}</code> * NAME
<code>\efcparameter {¹...} {²...}</code> 1 NAME 2 KEY
<code>\effect [¹...] {²...}</code> 1 NAME 2 CONTENT
<code>\elapsedseconds</code>
<code>\elapsedsteptime</code>

<code>\elapsedtime</code>
<code>\em</code>
<code>\emphasisboldface</code>
<code>\emphasistypeface</code>
<code>\emptylines</code> [...] * NUMMER OPT
<code>\emspace</code>
<code>\enableasciimode</code>
<code>\enabledelimiter</code>
<code>\enabledirectives</code> [...*,...] * NAME
<code>\enableexperiments</code> [...*,...] * NAME
<code>\enablefiller</code>
<code>\enablemode</code> [...*,...] * NAME
<code>\enableoutputstream</code> [...] * NAME
<code>\enableparpositions</code>
<code>\enableregime</code> [...] * cp1250 cp1251 cp1252 cp1253 cp1254 cp1255 cp1256 cp1257 cp1258 8859-1 8859-2 8859-3 8859-4 8859-9 8859-10 8859-13 8859-14 8859-15 8859-16 utf windows-1250 windows-1251 windows-1252 windows-1253 windows-1254 windows-1255 windows-1256 windows-1257 windows-1258 il1 il2 il3 il4 il5 il6 il7 il8 il9 il10 iso-8859-1 iso-8859-2 iso-8859-3 iso-8859-4 iso-8859-9 iso-8859-10 iso-8859-13 iso-8859-14 iso-8859-15 iso-8859-16 latin1 latin2 latin3 latin4 latin5 latin6 latin7 latin8 latin9 latin10 utf-8 utf8 windows
<code>\enabletrackers</code> [...*,...] * NAME
<code>\enskip</code>
<code>\enspace</code>
<code>\env</code> {...} * KEY
<code>\envvar</code> {...} {...} 1 KEY 2 BEFEHL
<code>\epos</code> {...} * NAME

<code>\equaldigits {...}</code> * TEXT
<code>\eTeX</code>
<code>\executeifdefined {...} {...}</code> 1 NAME 2 BEFEHL
<code>\exitloop</code>
<code>\exitloopnow</code>
<code>\expanded {...}</code> * CONTENT
<code>\expandeddoif {...} {...} {...}</code> 1 CONTENT 2 CONTENT 3 TRUE
<code>\expandeddoifelse {...} {...} {...} {...}</code> 1 CONTENT 2 CONTENT 3 TRUE 4 FALSE
<code>\expandeddoifnot {...} {...} {...}</code> 1 CONTENT 2 CONTENT 3 TRUE
<code>\expandfontsynonym \^... {...}</code> 1 CSNAME 2 NAME
<code>\expandcheckedcsname \^... {...} {...}</code> 1 CSNAME 2 KEY 3 TEXT
<code>\expdoif {...} {...} {...}</code> 1 CONTENT 2 CONTENT 3 TRUE
<code>\expdoifcommonelse {...,¹...} {...,²...} {...³} {...⁴}</code> 1 TEXT 2 TEXT 3 TRUE 4 FALSE
<code>\expdoifelse {...} {...} {...} {...}</code> 1 CONTENT 2 CONTENT 3 TRUE 4 FALSE
<code>\expdoifelsecommon {...,¹...} {...,²...} {...³} {...⁴}</code> 1 TEXT 2 TEXT 3 TRUE 4 FALSE

<code>\expdoifelseinset {...} {...,²...} {...} {...}</code> 1 TEXT 2 TEXT 3 TRUE 4 FALSE
<code>\expdoifinsetelse {...} {...,²...} {...} {...}</code> 1 TEXT 2 TEXT 3 TRUE 4 FALSE
<code>\expdoifnot {...} {...²} {...}</code> 1 CONTENT 2 CONTENT 3 TRUE
<code>\externalfigurecollectionmaxheight {...}</code> * NAME
<code>\externalfigurecollectionmaxwidth {...}</code> * NAME
<code>\externalfigurecollectionminheight {...}</code> * NAME
<code>\externalfigurecollectionminwidth {...}</code> * NAME
<code>\externalfigurecollectionparameter {...} {...²}</code> 1 NAME 2 KEY
<code>\externiobraz [...¹] [...²] [...,³...,...]</code> 1 FILE 2 NAME 3 inherits: \setupexternalfigure <small>OPT OPT</small>
<code>\F {...}</code> * + - * NUMBER
<code>\fakebox ...</code> * CSNAME NUMBER
<code>\fakeleftdelimiter</code>
<code>\fakelimitrightdelimiter</code>
<code>\fastdecrement *</code> * CSNAME
<code>\fastincrement *</code> * CSNAME
<code>\fastlocalframed [...¹] [...,²...,...³] {...}</code> 1 NAME 2 inherits: \nastavoramovani 3 CONTENT
<code>\fastloopfinal</code>

<code>\fastloopindex</code>
<code>\fastscale {¹...} {²...}</code> 1 NUMBER 2 CONTENT
<code>\fastsetup {[*]...}</code> * NAME
<code>\fastsetupwithargument {¹...} {²...}</code> 1 NAME 2 CONTENT
<code>\fastsetupwithargumentswapped {¹...} {²...}</code> 1 CONTENT 2 NAME
<code>\fastswitchtobodyfont {[*]...}</code> * x xx male velke script scriptscript
<code>\fastsxsy {¹...} {²...} {³...}</code> 1 NUMBER 2 NUMBER 3 CONTENT
<code>\feature [¹...] [^{...}²,...]</code> 1 + - = ! > < more less novy reset implicitni old lokalne 2 NAME
<code>\feature {¹...} {^{...}²,...}</code> 1 + - = ! > < more less novy reset implicitni old lokalne 2 NAME
<code>\fenced [¹...] [^{...}²=...,...] {³...}</code> 1 cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle solidus ceiling floor moustache uppercorner lowercorner group openbracket nothing mirroredparenthesis mirroredbracket mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle mirroreddoubleangle mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner mirroredlowercorner mirroredgroup mirroredopenbracket mirrorednothing interval openinterval closedinterval leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval integerinterval abs innerproduct integerpart norm set sequence tuple NAME 2 inherits: \setupmathfences 3 CONTENT
<code>\fenced [¹...] [^{...}²=...,...] {³...} {⁴...}</code> 1 tupanddownarrows tupdownarrows tdownuparrows tuparrow tdownarrow NAME 2 inherits: \setupmathfences 3 CONTENT 4 CONTENT
<code>\FENCE [^{...}¹=...,...] {²...}</code> 1 inherits: \setupmathfences 2 CONTENT instances: parenthesis bracket brace ceiling floor interval openinterval closedinterval leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval integerinterval
<code>\FENCE [^{...}¹=...,...] {²...} {³...}</code> 1 inherits: \setupmathfences 2 CONTENT 3 CONTENT

$\backslash brace \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash bracket \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash ceiling \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash closedinterval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash floor \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash integerinterval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash interval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash leftopeninterval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash openinterval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash parenthesis \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash rightopeninterval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash varleftopeninterval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash varopeninterval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash varrightopeninterval \left[\dots \overset{1}{=} \dots \right] \{ \dots \}$ 1 inherits: $\backslash setupmathfences^{OPT}$ 2 CONTENT
$\backslash fetchallmarkings \left[\overset{1}{\dots} \right] \left[\overset{2}{\dots} \right]$ 1 BESCHRIFTUNG 2 stranka NAME NUMMER

\fetchallmarks [...] * BESCHRIFTUNG
\fetchmark [¹ ...] [² ...] 1 BESCHRIFTUNG OPT 2 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nochek last:nochek previous:nochek next:nochek top:nochek bottom:nochek
\fetchmarking [¹ ...] [² ...] [³ ...] 1 BESCHRIFTUNG 2 stranka NAME NUMMER 3 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nochek last:nochek previous:nochek next:nochek top:nochek bottom:nochek
\fetchonemark [¹ ...] [² ...] 1 BESCHRIFTUNG OPT 2 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nochek last:nochek previous:nochek next:nochek top:nochek bottom:nochek
\fetchonemarking [¹ ...] [² ...] [³ ...] 1 BESCHRIFTUNG 2 stranka NAME NUMMER 3 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nochek last:nochek previous:nochek next:nochek top:nochek bottom:nochek
\fetchruntimecommand \ ¹ ... { ² ...} 1 CSNAME 2 FILE
\fetchtwomarkings [¹ ...] [² ...] 1 BESCHRIFTUNG 2 stranka NAME NUMMER
\fetchtwomarks [...] * BESCHRIFTUNG
\fieldbody [¹ ...] [² ...,... ² ...,...] 1 NAME OPT 2 inherits: \setupfieldbody
\fifthoffivearguments {...} {...} {...} {...} {...} 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT
\fifthofsixarguments {...} {...} {...} {...} {...} {...} 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT
\figurefilename
\figurefilepath
\figurefiletype
\figurefullname

<code>\figureheight</code>
<code>\figurenaturalheight</code>
<code>\figurenaturalwidth</code>
<code>\figuresymbol</code> ¹ <code> [...] [...]</code> ² <code> [...] [...]</code> 1 FILE NAME <small>OPT</small> 2 inherits: \externiobraz
<code>\figurewidth</code>
<code>\filename</code> ¹ <code> {...}</code> * FILE
<code>\filledhboxb</code> ¹ <code> ...</code> ² <code> {...}</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\filledhboxc</code> ¹ <code> ...</code> ² <code> {...}</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\filledhboxg</code> ¹ <code> ...</code> ² <code> {...}</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\filledhboxk</code> ¹ <code> ...</code> ² <code> {...}</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\filledhboxm</code> ¹ <code> ...</code> ² <code> {...}</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\filledhboxr</code> ¹ <code> ...</code> ² <code> {...}</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\filledhboxy</code> ¹ <code> ...</code> ² <code> {...}</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\filler</code> ¹ <code> [...]</code> * sym symbol linka sirka mezera NAME
<code>\fillupto</code> ¹ <code> [...] {...}</code> 1 sym symbol linka sirka mezera NAME 2 TEXT
<code>\filterfromnext</code> ¹ <code> {...}</code> ² <code> {...}</code> ³ <code> {...}</code> ⁴ <code> {...}</code> ⁵ <code> {...}</code> ⁶ <code> {...}</code> ⁷ <code> {...}</code> 1 NUMBER <small>OPT</small> 2 NUMBER <small>OPT</small> 3 CONTENT <small>OPT</small> 4 CONTENT <small>OPT</small> 5 CONTENT <small>OPT</small> 6 CONTENT <small>OPT</small> 7 CONTENT <small>OPT</small>

\filterfromvalue { ¹ ...} { ² ...} { ³ ...} 1 NAME 2 NUMMER 3 NUMMER
\filterlist { ¹ ...} { ² ...} 1 NODE 2 LPATH
\filterpages [¹ ...] [..., ² ...] [..., ³ ... _{OPT} ,...] 1 FILE 2 sude liche NUMBER NUMBER:NUMBER 3 sirka = DIMENSION n = NUMBER category = NAME alternativa = a b implicitni stranka
\filterreference { [*] ...} * implicitni text titul cislo stranka realpage
\findtwopassdata { ¹ ...} { ² ...} 1 NAME 2 NAME
\finishregisterentry [¹ ...] [..., ² ... _{OPT} ,...] [..., ³ ... _{OPT} ,...] 1 NAME 2 popisek = NAME keys = TEXT PROCESSOR->TEXT entries = TEXT PROCESSOR->TEXT alternativa = TEXT 3 KEY = VALUE
\firstcounter [¹ ...] [² ... _{OPT}] 1 NAME 2 NUMMER
\firstcountervalue [[*] ...] * NAME
\firstcharacter
\firstinlist [..., [*] ...] * BEFEHL
\firstoffivearguments { ¹ ...} { ² ...} { ³ ...} { ⁴ ...} { ⁵ ...} 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT
\firstoffourarguments { ¹ ...} { ² ...} { ³ ...} { ⁴ ...} 1 TEXT 2 TEXT 3 TEXT 4 TEXT
\firstofoneargument { [*] ...} * TEXT
\firstofoneunexpanded { [*] ...} * TEXT

<p><code>\firstofsixarguments {...} {...} {...} {...} {...} {...}</code></p> <p>1 TEXT</p> <p>2 TEXT</p> <p>3 TEXT</p> <p>4 TEXT</p> <p>5 TEXT</p> <p>6 TEXT</p>
<p><code>\firstofthreearguments {...} {...} {...}</code></p> <p>1 TEXT</p> <p>2 TEXT</p> <p>3 TEXT</p>
<p><code>\firstofthreeunexpanded {...} {...} {...}</code></p> <p>1 TEXT</p> <p>2 TEXT</p> <p>3 TEXT</p>
<p><code>\firstoftwoarguments {...} {...}</code></p> <p>1 TEXT</p> <p>2 TEXT</p>
<p><code>\firstoftwounexpanded {...} {...}</code></p> <p>1 TEXT</p> <p>2 TEXT</p>
<p><code>\firstrealpage</code></p>
<p><code>\firstrealpagenumber</code></p>
<p><code>\firstsubcountervalue [...] [...]</code></p> <p>1 NAME</p> <p>2 NUMMER</p>
<p><code>\firstsubpagenumber</code></p>
<p><code>\firstuserpage</code></p>
<p><code>\firstuserpagenumber</code></p>
<p><code>\fitfieldframed [...¹...] {...}</code></p> <p>1 inherits: <code>\nastavoramovan^{PPT}</code></p> <p>2 CONTENT</p>
<p><code>\fittopbaselinegrid {...}</code></p> <p>* CONTENT</p>
<p><code>\flag {...}</code></p> <p>* NAME</p>
<p><code>\floatuserdataparameter {...}</code></p> <p>* KEY</p>
<p><code>\flushallmarginblocks [...]</code></p> <p>* DIMENSION <small>OPT</small></p>
<p><code>\flushbox {...} {...}</code></p> <p>1 NAME</p> <p>2 NAME</p>

\flushboxregister *. * CSNAME NUMBER
\flushcollector [...] * NAME
\flushedrightlastline
\flushinitial
\flushlayer [...] * NAME
\flushlocalfloats
\flushnextbox
\flushnotes
\flushoutputstream [...] * NAME
\flushpageblocks [...;...] * NAME
\flushshapebox
\flushtextflow {...} * NAME
\flushtokens [...] * NAME
\flushtoks *.. * CSNAME
\fontalternative
\fontbody
\fontclass
\fontclassname { ¹ ...} { ² ...} 1 NAME 2 FONT
\fontface
\fontfeaturelist [¹ ...] [² ...] 1 NAME 2 TEXT
\fontchar {...} * NAME

<code>\fontcharbyindex {.^{.}}{.}</code> * NUMMER
<code>\fontsize</code>
<code>\fontstyle</code>
<code>\footnotetext [...^{.1}] {.^{.2}}{.}</code> 1 REFERENCE OPT 2 TEXT
<code>\footnotetext [...^{.1}]{.^{.2}}{.}</code> * titul = TEXT * zalozka = TEXT * seznam = TEXT * odkaz = REFERENCE * referencetext = TEXT
<code>\forcecharacterstripping</code>
<code>\forcelocalfloats</code>
<code>\forgeteverypar</code>
<code>\forgetinitial</code>
<code>\forgetparagraphfreezing</code>
<code>\forgetparameters [...^{.1}] [...^{.2}]{.}</code> 1 TEXT 2 KEY = VALUE
<code>\forgetparskip</code>
<code>\forgetparwrapper</code>
<code>\forgetragged</code>
<code>\foundbox {.^{.1}} {.^{.2}}{.}</code> 1 NAME 2 NAME
<code>\fourthoffivearguments {.^{.1}} {.^{.2}} {.^{.3}} {.^{.4}} {.^{.5}}{.}</code> 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT
<code>\fourthoffourarguments {.^{.1}} {.^{.2}} {.^{.3}} {.^{.4}}{.}</code> 1 TEXT 2 TEXT 3 TEXT 4 TEXT

<p><code>\fourthofsixarguments</code> $\{.^1.\}$ $\{.^2.\}$ $\{.^3.\}$ $\{.^4.\}$ $\{.^5.\}$ $\{.^6.\}$</p> <p>1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT</p>
<p><code>\frameddimension</code> $\{.^*.\}$</p> <p>* KEY</p>
<p><code>\framedparameter</code> $\{.^*.\}$</p> <p>* KEY</p>
<p><code>\freezedimenmacro</code> $\backslash.^1.\ \backslash.^2.\$</p> <p>1 CSNAME 2 CSNAME</p>
<p><code>\freezemeasure</code> $[.^1.] [.^2.]$</p> <p>1 NAME 2 DIMENSION</p>
<p><code>\freezeparagraphproperties</code></p>
<p><code>\frenchspacing</code></p>
<p><code>\fromlinenote</code> $[.^1.] \{.^2.\}$</p> <p>1 REFERENCE 2 TEXT</p>
<p><code>\frozenhbox</code> $\{.^*.\}$</p> <p>* CONTENT</p>
<p><code>\frule</code> $...^*... \relax$</p> <p>* width_␣DIMENSION height_␣DIMENSION depth_␣DIMENSION radius_␣DIMENSION line_␣DIMENSION type_␣TEXT data_␣TEXT name_␣TEXT radius_␣DIMENSION corner_␣TEXT</p>
<p><code>\fsp</code> $\{.^*.\}$</p> <p>* CHARACTER</p>
<p><code>\GetPar</code></p>
<p><code>\GotoPar</code></p>
<p><code>\Greeknumpals</code> $\{.^*.\}$</p> <p>* NUMBER</p>
<p><code>\gdefconvertedargument</code> $\backslash.^1.\ \{.^2.\}$</p> <p>1 CSNAME 2 TEXT</p>
<p><code>\gdefconvertedcommand</code> $\backslash.^1.\ \backslash.^2.\$</p> <p>1 CSNAME 2 CSNAME</p>
<p><code>\getboxfromcache</code> $\{.^1.\} \{.^2.\} .^3.$</p> <p>1 NAME 2 NUMBER TEXT 3 CSNAME NUMBER</p>

<pre> \getboxllx ... * CSNAME NUMBER </pre>
<pre> \getboxlly ... * CSNAME NUMBER </pre>
<pre> \getbufferdata [...] * BUFFER OPT </pre>
<pre> \getcommacommandsize [...*,...] * BEFEHL </pre>
<pre> \getcommalistsize [...*,...] * BEFEHL </pre>
<pre> \getdatavalue {...} * NAME </pre>
<pre> \getdayoftheweek {...} {...} {...} 1 NUMBER 2 NUMBER 3 NUMBER </pre>
<pre> \getdayspermonth {...} {...} 1 NUMBER 2 NUMBER </pre>
<pre> \getdefinedbuffer [...] * BUFFER </pre>
<pre> \getdocumentargument {...} * NAME </pre>
<pre> \getdocumentargumentdefault {...} {...} 1 NAME 2 TEXT </pre>
<pre> \getdocumentfilename {...} * NUMBER </pre>
<pre> \getdummyparameters [...,...¹...,...] * KEY = VALUE </pre>
<pre> \getemptyparameters [...¹] [...,...²...,...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \geteparameters [...¹] [...,...²...,...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getexpandedparameters [...¹] [...,...²...,...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getfiguredimensions [...¹] [...,...²...,...] 1 FILE OPT 2 inherits: \setupexternalfigure </pre>

\getfirstcharacter {...} * TEXT
\getfirsttwopassdata {...} * NAME
\getfromcommacommand [... ¹ ,...] [... ² .] 1 BEFEHL 2 NUMMER
\getfromcommalist [... ¹ ,...] [... ² .] 1 BEFEHL 2 NUMMER
\getfromluatable \... ¹ {... ² .} 1 CSNAME 2 KEY NUMMER
\getfromtwopassdata {... ¹ .} {... ² .} 1 NAME 2 NAME
\getglyphdirect {... ¹ .} {... ² .} 1 FONT 2 NUMMER CHARACTER
\getglyphstyled {... ¹ .} {... ² .} 1 FONT 2 NUMMER CHARACTER
\getgparameters [... ¹ .] [... ² ...,...] 1 TEXT 2 KEY = VALUE
\getinlineuserdata
\getlasttwopassdata {...} * NAME
\getlocalfloat {...} * NUMMER
\getlocalfloats
\getMPdrawing
\getMPlayer [... ¹ .] [... ² ...,... ³ .] {... ³ .} 1 NAME 2 inherits: \nastavoramovani 3 CONTENT
\getmessage {... ¹ .} {... ² .} 1 NAME 2 NAME NUMMER
\getnamedglyphdirect {... ¹ .} {... ² .} 1 FONT 2 NAME

\getnamedglyphstyled {...} {...} 1 FONT 2 NAME
\getnamedtwopassdatalist \... {...} 1 CSNAME 2 NAME
\getnaturaldimensions ... * CSNAME NUMMER
\getnoflines {...} * DIMENSION
\getobject {...} {...} 1 NAME 2 NAME
\getobjectdimensions {...} {...} 1 NAME 2 NAME
\getpaletsizes [...]
\getparameters [...] [...]
\getparwrapper {...} * NAME
\getprivatechar {...} * NAME
\getprivateslot {...} * NAME
\getrandomcount \... {...} {...} 1 CSNAME 2 NUMMER 3 NUMMER
\getrandomdimen \... {...} {...} 1 CSNAME 2 DIMENSION 3 DIMENSION
\getrandomfloat \... {...} {...} 1 CSNAME 2 NUMMER 3 NUMMER
\getrandomnumber \... {...} {...} 1 CSNAME 2 NUMMER 3 NUMMER
\getrandomseed \... * CSNAME

<pre> \getraweparameters [...] [...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getrawgparameters [...] [...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getrawnoflines {...} * DIMENSION </pre>
<pre> \getrawparameters [...] [...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getrawxparameters [...] [...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \getreference [...] [...] 1 implicitni text titul cislo stranka realpage 2 REFERENCE </pre>
<pre> \getreferenceentry {...} * implicitni text titul cislo stranka realpage </pre>
<pre> \getroundednoflines {...} * DIMENSION </pre>
<pre> \getshapetext </pre>
<pre> \getsubstring {...} {...} {...} 1 NUMMER 2 NUMMER 3 TEXT </pre>
<pre> \gettokenlist [...] * NAME </pre>
<pre> \gettwopassdata {...} * NAME </pre>
<pre> \gettwopassdatalist {...} * NAME </pre>
<pre> \getuserdata </pre>
<pre> \getuvalue {...} * NAME </pre>
<pre> \getvalue {...} * NAME </pre>
<pre> \getvariable {...} {...} 1 NAME 2 KEY </pre>

<pre> \getvariabledefault {...} {...} {...} 1 NAME 2 KEY 3 BEFEHL </pre>
<pre> \getxparameters [...] [...²...] 1 TEXT 2 KEY = VALUE </pre>
<pre> \globaldisablemode [...*...] * NAME </pre>
<pre> \globalenablemode [...*...] * NAME </pre>
<pre> \globalletempty *... * CSNAME </pre>
<pre> \globalpopbox ... * CSNAME NUMBER </pre>
<pre> \globalpopmacro *... * CSNAME </pre>
<pre> \globalpreventmode [...*...] * NAME </pre>
<pre> \globalprocesscommalist [¹] *²... 1 BEFEHL 2 CSNAME </pre>
<pre> \globalpushbox ... * CSNAME NUMBER </pre>
<pre> \globalpushmacro *... * CSNAME </pre>
<pre> \globalpushreferenceprefix {...} ... \globalpopreferenceprefix * + - TEXT </pre>
<pre> \globalswapcounts *¹ *²... 1 CSNAME 2 CSNAME </pre>
<pre> \globalswapdimens *¹ *²... 1 CSNAME 2 CSNAME </pre>
<pre> \globalswapmacros *¹ *²... 1 CSNAME 2 CSNAME </pre>
<pre> \globalundefine {...} * NAME </pre>
<pre> \glyphfontfile {...} * FONT </pre>

1	TEXT	OPT	OPT
2	TEXT		

1	CONTENT
2	CONTENT
3	CONTENT
4	CONTENT
5	CONTENT
6	CONTENT
7	CONTENT
8	CONTENT

1	CONTENT
2	CONTENT
3	CONTENT
4	CONTENT
5	CONTENT

1	TEXT
2	TEXT
3	TEXT
4	TEXT
5	TEXT

1	CONTENT
2	CONTENT
3	CONTENT
4	CONTENT

1	TEXT
2	TEXT
3	TEXT
4	TEXT

1	CONTENT
2	CONTENT
3	CONTENT
4	CONTENT
5	CONTENT
6	CONTENT
7	CONTENT
8	CONTENT
9	CONTENT

* CONTENT

* TEXT

1	CONTENT
2	CONTENT
3	CONTENT
4	CONTENT
5	CONTENT
6	CONTENT
7	CONTENT

* TEXT OPT

`\gobblesixarguments {...} {...} {...} {...} {...} {...}`

1 CONTENT
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT

`\gobblespacetokens`

`\gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...} {...}`

1 CONTENT
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT
7 CONTENT
8 CONTENT
9 CONTENT
10 CONTENT

`\gobblethreearguments {...} {...} {...}`

1 CONTENT
2 CONTENT
3 CONTENT

`\gobblethreeoptionals [...] [...] [...]`

1 TEXT
2 TEXT
3 TEXT

`\gobbletwoarguments {...} {...}`

1 CONTENT
2 CONTENT

`\gobbletwooptionals [...] [...]`

1 TEXT
2 TEXT

`\gobbleuntil *..`

* CSNAME

`\gobbleuntilandfinalize *..`

* CSNAME

`\gobbleuntilrelax ... \relax`

* CONTENT

`\grabbufferdata [...]1 [...]2 [...]3 [...]4`
OPT

1 CATEGORY
2 NAME
3 NAME
4 NAME

`\grabbufferdatadirect {...} {...} {...}`

1 NAME
2 NAME
3 NAME

`\grabuntil {...} *..`

1 NAME
2 CSNAME

<code>\grayvalue {...}</code> * COLOR
<code>\greedystring ... \at ... \to ... \and ...</code> 1 TEXT 2 TEXT 3 CSNAME 4 CSNAME
<code>\greeknumerals {...}</code> * NUMBER
<code>\groupedcommand {...} {...}</code> 1 BEFEHL 2 BEFEHL
<code>\groupedcommandcs ... \...</code> 1 CSNAME 2 CSNAME
<code>\gsetboxllx ... {...}</code> 1 CSNAME NUMBER 2 DIMENSION
<code>\gsetboxlly ... {...}</code> 1 CSNAME NUMBER 2 DIMENSION
<code>\gujaratinumerals {...}</code> * NUMBER
<code>\gurmukhinumerals {...}</code> * NUMBER
<code>\hairspace</code>
<code>\halflinestrut</code>
<code>\halfstrut</code>
<code>\halfwaybox {...}</code> * CONTENT
<code>\handletokens ... \with ...</code> 1 TEXT 2 CSNAME
<code>\hash</code>
<code>\hboxofvbox ...</code> * CSNAME NUMBER
<code>\hboxreference [...¹...] {...²}</code> 1 REFERENCE 2 CONTENT
<code>\hboxBOX {...}</code> * CONTENT

<code>\hdofstring {...}</code> * TEXT
<code>\headhbox ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\headnumbercontent</code>
<code>\headnumberdistance</code>
<code>\headnumberwidth</code>
<code>\headreferenceattributes</code>
<code>\headsetupspacing</code>
<code>\headtextcontent</code>
<code>\headtextdistance</code>
<code>\headtextwidth</code>
<code>\headvbox ¹... {²...}</code> 1 TEXT OPT 2 CONTENT
<code>\headwidth</code>
<code>\hebrewnumerals {...}</code> * NUMMER
<code>\heightanddepthofstring {...}</code> * TEXT
<code>\heightofstring {...}</code> * TEXT
<code>\heightspanningtext {¹...} {²...} {³...}</code> 1 TEXT 2 DIMENSION 3 FONT
<code>\HELP [¹...] {²...} {³...}</code> 1 REFERENCE 2 TEXT 3 TEXT instances: helptext
<code>\helptext [¹...] {²...} {³...}</code> 1 REFERENCE OPT 2 TEXT 3 TEXT
<code>\hexnumber {...}</code> * NUMMER

<code>\hexstringtonumber {...}</code> * NUMBER
<code>\hglue ...</code> * DIMENSION
<code>\hiddencitation [...]</code> * REFERENCE
<code>\hiddencite [...]</code> * REFERENCE
<code>\highlight [...]¹ {...}²</code> 1 NAME 2 TEXT
<code>\HIGHLIGHT {...}</code> * TEXT
<code>\highordinalstr {...}</code> * TEXT
<code>\hilo [...]¹ {...}² {...}³</code> 1 vlevo v ^{pravo} 2 CONTENT 3 CONTENT
<code>\himilo {...}¹ {...}² {...}³</code> 1 CONTENT 2 CONTENT 3 CONTENT
<code>\hl [...]</code> * NUMBER ^T
<code>\hlavnijazyk [...]</code> * SPRACHE
<code>\hodnotabarvy {...}</code> * COLOR
<code>\horizontalgrowingbar [...,...[*]...,...]</code> * inherits: \setuppositionbar
<code>\horizontalpositionbar [...,...[*]...,...]</code> * inherits: \setuppositionbar
<code>\hpackbox</code>
<code>\hpackedbox</code>
<code>\hphantom {...}</code> * CONTENT
<code>\hpos {...}¹ {...}²</code> 1 NAME 2 CONTENT

$\backslash\hsizefraction$ {...} {...} 1 DIMENSION 2 NUMMER
$\backslash\hsmash$ {...} * CONTENT
$\backslash\hsmashbox$... * CSNAME NUMMER
$\backslash\hsmashed$ {...} * CONTENT
$\backslash\hspace$ [...] [...] 1 NAME OPT OPT 2 male sredni velke normalni implicitni zadny .5 1 2 3 speech citovat interquotation citace sentence intersentence finalni NAME
$\backslash\htdpofstring$ {...} * TEXT
$\backslash\htofstring$ {...} * TEXT
$\backslash\hyphen$
$\backslash\hyphenatedcoloredword$ {...} * TEXT
$\backslash\hyphenatedfile$ {...} * FILE
$\backslash\hyphenatedfilename$ {...} * TEXT
$\backslash\hyphenatedhbox$ {...} * CONTENT
$\backslash\hyphenatedpar$ {...} * TEXT
$\backslash\hyphenatedurl$ {...} * TEXT
$\backslash\hyphenatedword$ {...} * TEXT
$\backslash\CHARACTERKERNING$ [...] {...} 1 NUMMER OPT 2 TEXT
$\backslash\chardescription$ {...} * NUMMER
$\backslash\charwidthlanguage$
$\backslash\checkdelimiters$ {...} * CONTENT

<code>\checkedblank [...*...]</code> <code>* inherits: \preskoc</code>
<code>\checkedfiller {...}</code> <code>* sym symbol linka sirka mezera NAME BEFEHL</code>
<code>\checkedchar {...} {...}</code> <code>1 NUMMER</code> <code>2 CHARACTER</code>
<code>\checkedstrippedcsname *...</code> <code>* CSNAME</code>
<code>\checkcharacteralign {...}</code> <code>* CONTENT</code>
<code>\checkinjector [...]</code> <code>* NAME</code>
<code>\checknextindentation [...]</code> <code>* ano ne auto</code>
<code>\checknextinjector [...]</code> <code>* NAME</code>
<code>\checkpage [...¹] [...,²...,...]</code> <code>1 NAME</code> <code>2 inherits: \setuppagechecker</code>
<code>\checkparameters [...]</code> <code>* TEXT</code>
<code>\checkpreviousinjector [...]</code> <code>* NAME</code>
<code>\checktwopassdata {...}</code> <code>* NAME</code>
<code>\checkvariables [...¹] [...,²...,...]</code> <code>1 NAME</code> <code>2 set = BEFEHL</code> <code>reset = BEFEHL</code> <code>KEY = VALUE</code>
<code>\chem {...¹} {...²} {...³}</code> <code>1 TEXT</code> <code>2 TEXT</code> <code>3 TEXT</code>
<code>\chemical [...¹] [...,²...,...]</code> <code>1 NAME</code> <code>2 TEXT</code> <code>3 TEXT</code>
<code>\chemicalbottext {...}</code> <code>* TEXT</code>
<code>\chemicalmidtext {...}</code> <code>* TEXT</code>

<code>\chemicalsymbol [...]</code> * NAME
<code>\chemicaltext {...}</code> * TEXT
<code>\chemicaltoptext {...}</code> * TEXT
<code>\chineseallnumerals {...}</code> * NUMMER
<code>\chinesecapnumerals {...}</code> * NUMMER
<code>\chinesenumerals {...}</code> * NUMMER
<code>\INRSTEX</code>
<code>\ibox {...}</code> * CONTENT
<code>\idxfromluatable \¹... \²...</code> 1 CSNAME 2 NUMMER
<code>\ifassignment \¹... \else \²... \fi</code> 1 TRUE 2 FALSE
<code>\ifinobject \¹... \else \²... \fi</code> 1 TRUE 2 FALSE
<code>\ifinoutputstream \¹... \else \²... \fi</code> 1 TRUE 2 FALSE
<code>\iflua {...} \²... \else \³... \fi</code> 1 TEXT 2 TRUE 3 FALSE
<code>\ifparameters \¹... \else \²... \fi</code> 1 TRUE 2 FALSE
<code>\iftruetypeetting \¹... \else \²... \fi</code> 1 TRUE 2 FALSE
<code>\ifxml {...} {...} \³... \else \⁴... \fi</code> 1 NODE 2 LPATH 3 TRUE 4 FALSE

<pre> \ifxmlatt {...} {...} {...} ... \else ... \fi 1 NODE 2 NAME 3 TEXT 4 TRUE 5 FALSE </pre>
<pre> \ifxmlattempty {...} {...} ... \else ... \fi 1 NODE 2 NAME 3 TRUE 4 FALSE </pre>
<pre> \ifxmlempty {...} {...} ... \else ... \fi 1 NODE 2 LPATH 3 TRUE 4 FALSE </pre>
<pre> \ifxmlselfempty {...} {...} ... \else ... \fi 1 NODE 2 LPATH 3 TRUE 4 FALSE </pre>
<pre> \ifxmltext {...} {...} ... \else ... \fi 1 NODE 2 LPATH 3 TRUE 4 FALSE </pre>
<pre> \ignoreimplicitspaces </pre>
<pre> \ignoretagsinexport [...;...] * NAME </pre>
<pre> \ignorevalue {...} * NAME </pre>
<pre> \im {...} * CONTENT </pre>
<pre> \immediatesavetwopassdata {...} {...} {...} 1 NAME 2 NUMMER 3 CONTENT </pre>
<pre> \includemenu [...] * NAME </pre>
<pre> \includesvgbuffer [...¹] [...,²..._{OPT},...] 1 BUFFER 2 offset = DIMENSION </pre>
<pre> \includesvgfile [...¹] [...,²..._{OPT},...] 1 FILE 2 offset = DIMENSION </pre>
<pre> \includeversioninfo {...} * NAME </pre>

$\backslash\text{incrementcounter}$ [¹ ...] [² ...] 1 NAME 2 NUMBER
$\backslash\text{incrementedcounter}$ [...] * NAME
$\backslash\text{incrementpagenumber}$
$\backslash\text{incrementsubpagenumber}$
$\backslash\text{incrementvalue}$ {...} * NAME
$\backslash\text{indentation}$
$\backslash\text{infofont}$
$\backslash\text{infofontbold}$
$\backslash\text{inheritparameter}$ [¹ ...] [² ...] [³ ...] 1 TEXT 2 TEXT 3 KEY
$\backslash\text{inhibitblank}$
$\backslash\text{initializeboxstack}$ {...} * NAME
$\backslash\text{inlinebar}$ [¹ ...] {...} 1 NAME 2 CONTENT
$\backslash\text{inlinebuffer}$ [... [*] ...] * BUFFER
$\backslash\text{inlinedbox}$ {...} * CONTENT
$\backslash\text{inlinemath}$ {...} * CONTENT
$\backslash\text{inlinemathematics}$ {...} * CONTENT
$\backslash\text{inlinemessage}$ {...} * TEXT
$\backslash\text{inlineordisplaymath}$ {...} {...} 1 CONTENT 2 CONTENT
$\backslash\text{inlineprettyprintbuffer}$ {...} {...} 1 BUFFER 2 mp lua xml parsed-xml nested tex context zadny NAME

\inlinerrange [...] * REFERENCE
\innerflushshapebox
\input {...} * FILE
\inputfilebarename
\inputfilename
\inputfilerealsuffix
\inputfilesuffix
\inputgivenfile {...} * FILE
\input ... * FILE
\insertblankafter [...,*...] * inherits: \preskoc
\insertblankbefore [...,*...] * inherits: \preskoc
\insertlineafter {...} * CONTENT
\insertlinebefore {...} * CONTENT
\insertpages [... ¹] [..., ² ...] [..., ³ ... ⁼ ...] 1 FILE OPT OPT 2 NUMMER 3 sirka = DIMENSION n = NUMMER category = NAME alternativa = a b implicitni stranka
\inspectluatable *.. * CSNAME
\instalacejazyka [... ¹] [..., ² ...] 1 NAME 2 inherits: \nastavjazyk
\instalacejazyka [... ¹] [... ²] 1 NAME 2 SPRACHE
\installactionhandler {...} * NAME
\installactivecharacter ... * CHARACTER

<pre> \installanddefineactivecharacter ^.^ {.^} 1 CHARACTER 2 BEFEHL </pre>
<pre> \installattributestack *. * CSNAME </pre>
<pre> \installautocommandhandler \.^ {.^} \.^ 1 CSNAME 2 NAME 3 CSNAME </pre>
<pre> \installautosetuphandler \.^ {.^} 1 CSNAME 2 NAME </pre>
<pre> \installbasicautosetuphandler \.^ {.^} \.^ 1 CSNAME 2 NAME 3 CSNAME </pre>
<pre> \installbasicparameterhandler \.^ {.^} 1 CSNAME 2 NAME </pre>
<pre> \installbottomframerenderer {.^} {.^} 1 NAME 2 BEFEHL </pre>
<pre> \installcommandhandler \.^ {.^} \.^ 1 CSNAME 2 NAME 3 CSNAME </pre>
<pre> \installcorenamespace {.^} * NAME </pre>
<pre> \installctxfunction \.^ {.^} 1 CSNAME 2 CONTENT </pre>
<pre> \installctxscanner \.^ {.^} 1 CSNAME 2 CONTENT </pre>
<pre> \installdefinehandler \.^ {.^} \.^ 1 CSNAME 2 NAME 3 CSNAME </pre>
<pre> \installdefinitionset \.^ {.^} 1 CSNAME 2 NAME </pre>
<pre> \installdefinitionsetmember \.^ {.^} \.^ {.^} 1 CSNAME 2 NAME 3 CSNAME 4 NAME </pre>
<pre> \installdirectcommandhandler \.^ {.^} 1 CSNAME 2 NAME </pre>

<pre> \installdirectparameterhandler \... {...} 1 CSNAME 2 NAME </pre>
<pre> \installdirectparametersethandler \... {...} 1 CSNAME 2 NAME </pre>
<pre> \installdirectsetuphandler \... {...} 1 CSNAME 2 NAME </pre>
<pre> \installdirectstyleandcolorhandler \... {...} 1 CSNAME 2 NAME </pre>
<pre> \installframedautocommandhandler \... {...} \... 1 CSNAME 2 NAME 3 CSNAME </pre>
<pre> \installframedcommandhandler \... {...} \... 1 CSNAME 2 NAME 3 CSNAME </pre>
<pre> \installglobalmacrostack \... * CSNAME </pre>
<pre> \installleftframerenderer {...} {...} 1 NAME 2 BEFEHL </pre>
<pre> \installmacrostack \... * CSNAME </pre>
<pre> \installnamespace {...} * NAME </pre>
<pre> \installoutputroutine \... {...} 1 CSNAME 2 BEFEHL </pre>
<pre> \installpagearrangement ... {...} 1 NAME 2 BEFEHL </pre>
<pre> \installparameterhandler \... {...} 1 CSNAME 2 NAME </pre>
<pre> \installparameterhashhandler \... {...} 1 CSNAME 2 NAME </pre>
<pre> \installparametersethandler \... {...} 1 CSNAME 2 NAME </pre>

\installparentinjector \ ¹ ... { ² ...} 1 CSNAME 2 NAME
\installprotectedctxfunction \ ¹ ... { ² ...} 1 CSNAME 2 CONTENT
\installprotectedctxscanner \ ¹ ... { ² ...} 1 CSNAME 2 CONTENT
\installrightframerenderer { ¹ ...} { ² ...} 1 NAME 2 BEFEHL
\installrootparameterhandler \ ¹ ... { ² ...} 1 CSNAME 2 NAME
\installsetuphandler \ ¹ ... { ² ...} 1 CSNAME 2 NAME
\installsetuponlycommandhandler \ ¹ ... { ² ...} 1 CSNAME 2 NAME
\installshipoutmethod { ¹ ...} { ² ...} 1 NAME 2 BEFEHL
\installsimplecommandhandler \ ¹ ... { ² ...} \ ³ ... 1 CSNAME 2 NAME 3 CSNAME
\installsimpleframedcommandhandler \ ¹ ... { ² ...} \ ³ ... 1 CSNAME 2 NAME 3 CSNAME
\installstyleandcolorhandler \ ¹ ... { ² ...} 1 CSNAME 2 NAME
\installswitchcommandhandler \ ¹ ... { ² ...} \ ³ ... 1 CSNAME 2 NAME 3 CSNAME
\installswitchsetuphandler \ ¹ ... { ² ...} 1 CSNAME 2 NAME
\installtexdirective { ¹ ...} { ² ...} { ³ ...} 1 NAME 2 BEFEHL 3 BEFEHL

\installtexttracker {...} {...} {...} 1 NAME 2 BEFEHL 3 BEFEHL
\installtopframerenderer {...} {...} 1 NAME 2 BEFEHL
\installunitsseparator {...} {...} 1 NAME 2 BEFEHL
\installunitsspace {...} {...} 1 NAME 2 BEFEHL
\installversioninfo {...} {...} 1 NAME 2 BEFEHL
\integerrounding {...} * NUMMER
\interakcnilista [...] ¹ [...,... ² ...,...] 1 NAME OPT OPT 2 inherits: \nastavinterakcnilistu
\interakcnitlacitka [...,... ¹ ...,...] ¹ [...,... ² ...,...] 1 inherits: \nastavinterakcnilistu 2 stranka podstranka REFERENCE
\interaktivnimenu [...] ¹ [...,... ² ...,...] 1 NAME OPT 2 inherits: \nastavinterakcnimenu
\intertext {...} * TEXT
\interwordspaceafter
\interwordspacebefore
\interwordspaces {...} * NUMMER
\interwordspacesafter {...} * NUMMER
\interwordspacesbefore {...} * NUMMER
\invokepagehandler {...} {...} 1 normalni zadny NAME 2 CONTENT
\italiccorrection
\italicface

<code>\itemtag [...*,...]</code> * REFERENCE <small>OPT</small>
<code>\jazyk [...]</code> * SPRACHE
<code>\LANGUAGE</code>
<code>\jdidolu [...]</code> * DIMENSION
<code>\jdina {...} [...]</code> 1 CONTENT 2 REFERENCE
<code>\jdinabox {...} [...]</code> 1 CONTENT 2 REFERENCE
<code>\jdinastranu {...} [...]</code> 1 TEXT 2 REFERENCE
<code>\UNIT {...}</code> * CONTENT instances: unit
<code>\unit {...}</code> * CONTENT
<code>\jobfilename</code>
<code>\jobfilesuffix</code>
<code>\Kap {...}</code> * TEXT
<code>\kaligraficke</code>
<code>\kap {...}</code> * TEXT
<code>\kapitalky {...}</code> * TEXT
<code>\keeplinestogether {...}</code> * NUMMER
<code>\keepunwantedspaces</code>
<code>\kerncharacters [...¹] {...²}</code> 1 NUMMER <small>OPT</small> 2 TEXT

1	NAME
2	NAME
3	NAME
4	NAME

```

1  TEXT          OPT
2  inherits: \nastavkomentar
3  TEXT

```

```
instances: comment
```

```

1  TEXT          OPT
2  inherits: \nastavkomentar
3  TEXT

```

* FILE

* FILE

```
1 prazdne implicitni zadny mesic month:mnem pismo Pismo pisma Pisma a A Cisla slovo words Slovo Slova n N
rimskecislice Rimskecislice i I r R KR RK recky Recky g G abjadnumerals abjadnodotnumerals abjadnaivenumerals
hebrewnumerals yiddishnumerals thainumerals devanagarinumerals gurmurkhinumerals gujaratinnumerals tibetanumerals
greeknumerals GreekNumerals arabicnumerals persianumerals arabicexnumerals arabicdecimals persiandecimals koreanumerals
koreanparentnumerals koreancirclenumerals kr kr-p kr-c chinesenumerals chinesecapnumerals chineseallnumerals cn
cn-c cn-a sloveniannumerals slovenianNumerals spanishnumerals spanishNumerals russiannumerals russianNumerals
mathgreek set_0 set_1 set_2 set_3 continued zero NAME
2 NUMBER
```

```
1  NAME
2  NAME
```

* NUMMER

* NUMMER

* NUMMER

* NUMMER

* NUMMER

* CONTENT

\kurziva

\kurzivnitucne

\LAMSTEX

<code>\LATEX</code>
<code>\LamSTeX</code>
<code>\LaTeX</code>
<code>\LUAJITTEX</code>
<code>\LUAMETATEX</code>
<code>\LUATEX</code>
<code>\Lua</code>
<code>\LuajitTeX</code>
<code>\LuaMetaTeX</code>
<code>\LuaTeX</code>
<code>\LABELjazyk</code> instances: head label mathlabel taglabel unit operator prefix suffix btxlabel
<code>\btxlabeljazyk</code>
<code>\headjazyk</code>
<code>\labeljazyk</code>
<code>\mathlabeljazyk</code>
<code>\operatorjazyk</code>
<code>\prefixjazyk</code>
<code>\suffixjazyk</code>
<code>\taglabeljazyk</code>
<code>\unitjazyk</code>
<code>\LABELtexts {¹.} {².}</code> 1 KEY 2 TEXT instances: head label mathlabel
<code>\headtexts {¹.} {².}</code> 1 KEY 2 TEXT
<code>\labeltexts {¹.} {².}</code> 1 KEY 2 TEXT

$\backslash\mathit{labeltexts}$ {...} {...} 1 KEY 2 TEXT
$\backslash\mathit{languagecharacters}$ {...} * NUMMER
$\backslash\mathit{languageCharacters}$ {...} * NUMMER
$\backslash\mathit{languagecharwidth}$ {...} * SPRACHE
$\backslash\mathit{lastcounter}$ [...] [...] <small>OPT</small> 1 NAME 2 NUMMER
$\backslash\mathit{lastcountervalue}$ [...]
$\backslash\mathit{lastdigit}$ {...} * NUMMER
$\backslash\mathit{lastlinewidth}$
$\backslash\mathit{lastnaturalboxdp}$
$\backslash\mathit{lastnaturalboxht}$
$\backslash\mathit{lastnaturalboxwd}$
$\backslash\mathit{lastparwrapper}$ {...} * NAME
$\backslash\mathit{lastpredefinedsymbol}$
$\backslash\mathit{lastrealpage}$
$\backslash\mathit{lastrealpagenumber}$
$\backslash\mathit{lastsubcountervalue}$ [...] [...] <small>OPT</small> 1 NAME 2 NUMMER
$\backslash\mathit{lastsubpagenumber}$
$\backslash\mathit{lasttwodigits}$ {...} * NUMMER
$\backslash\mathit{lastuserpage}$
$\backslash\mathit{lastuserpagenumber}$
$\backslash\mathit{lateluacode}$ {...} * BEFEHL

$\backslash\text{layeredtext}$ [\dots , \dots , $\overset{1}{=}\dots$, \dots] [\dots , \dots , $\overset{2}{=}\dots$, \dots] $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setuplayer}$ ^{OPT} 2 inherits: $\backslash\text{setuplayeredtext}$ 3 TEXT 4 CONTENT
$\backslash\text{layerheight}$
$\backslash\text{layerwidth}$
$\backslash\text{lazysavetaggedtwopassdata}$ $\{\overset{1}{.}\dots\}$ $\{\overset{2}{.}\dots\}$ $\{\overset{3}{.}\dots\}$ $\{\overset{4}{.}\dots\}$ 1 NAME 2 NUMMER 3 NAME 4 CONTENT
$\backslash\text{lazysavetwopassdata}$ $\{\overset{1}{.}\dots\}$ $\{\overset{2}{.}\dots\}$ $\{\overset{3}{.}\dots\}$ 1 NAME 2 NUMMER 3 CONTENT
$\backslash\text{lbox}$ $\overset{1}{.}\dots$ $\{\overset{2}{.}\dots\}$ 1 TEXT ^{OPT} 2 CONTENT
$\backslash\text{leftbottombox}$ $\{.\overset{*}{.}\dots\}$ * CONTENT
$\backslash\text{leftbox}$ $\{.\overset{*}{.}\dots\}$ * CONTENT
$\backslash\text{lefthbox}$ $\{.\overset{*}{.}\dots\}$ * CONTENT
$\backslash\text{leftLABELtext}$ $\{.\overset{*}{.}\dots\}$ * KEY instances: head label mathlabel
$\backslash\text{leftheadtext}$ $\{.\overset{*}{.}\dots\}$ * KEY
$\backslash\text{leftlabeltext}$ $\{.\overset{*}{.}\dots\}$ * KEY
$\backslash\text{leftmathlabeltext}$ $\{.\overset{*}{.}\dots\}$ * KEY
$\backslash\text{leftline}$ $\{.\overset{*}{.}\dots\}$ * CONTENT
$\backslash\text{lefttorrighthbox}$ $\overset{1}{.}\dots$ $\{\overset{2}{.}\dots\}$ 1 TEXT ^{OPT} 2 CONTENT
$\backslash\text{lefttorrightvbox}$ $\overset{1}{.}\dots$ $\{\overset{2}{.}\dots\}$ 1 TEXT ^{OPT} 2 CONTENT

$\backslash\text{lefttorrightvtop}$ $\overset{1}{...}$ $\{\overset{2}{...}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{leftparbox}$ $[\overset{1}{...}]$ $\{\overset{2}{...}\}$ 1 globalne OPT 2 CONTENT
$\backslash\text{leftskipadaption}$
$\backslash\text{leftsubguillemot}$
$\backslash\text{lefttopbox}$ $\{...\}$ * CONTENT
$\backslash\text{lefttoright}$
$\backslash\text{lefttorighthbox}$ $\overset{1}{...}$ $\{\overset{2}{...}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{lefttorightvbox}$ $\overset{1}{...}$ $\{\overset{2}{...}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{lefttorightvtop}$ $\overset{1}{...}$ $\{\overset{2}{...}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{letbeundefined}$ $\{...\}$ * NAME
$\backslash\text{letcatcodecommand}$ $\overset{1}{...}$ $\overset{2}{...}$ $\overset{3}{...}$ 1 CSNAME 2 CHARACTER NUMBER 3 CSNAME
$\backslash\text{letcscsname}$ $\overset{1}{...}$ $\backslash\text{csname}$ $\overset{2}{...}$ $\backslash\text{endcsname}$ 1 CSNAME 2 NAME
$\backslash\text{letcsnamecs}$ $\backslash\text{csname}$ $\overset{1}{...}$ $\backslash\text{endcsname}$ $\overset{2}{...}$ 1 NAME 2 CSNAME
$\backslash\text{letcsnamecsname}$ $\backslash\text{csname}$ $\overset{1}{...}$ $\backslash\text{endcsname}$ $\backslash\text{csname}$ $\overset{2}{...}$ $\backslash\text{endcsname}$ 1 NAME 2 NAME
$\backslash\text{letdummyparameter}$ $\{\overset{1}{...}\}$ $\overset{2}{...}$ 1 KEY 2 CSNAME
$\backslash\text{letempty}$ $\overset{*}{...}$ * CSNAME
$\backslash\text{letgvalue}$ $\{\overset{1}{...}\}$ $\overset{2}{...}$ 1 NAME 2 CSNAME

<code>\letgvalueempty {...}</code> * NAME
<code>\letgvaluerelax {...}</code> * NAME
<code>\letterampersand</code>
<code>\letterat</code>
<code>\letterbackslash</code>
<code>\letterbar</code>
<code>\letterbgroup</code>
<code>\letterclosebrace</code>
<code>\lettercolon</code>
<code>\letterdollar</code>
<code>\letterdoublequote</code>
<code>\letteregroup</code>
<code>\letterescape</code>
<code>\letterexclamationmark</code>
<code>\letterhash</code>
<code>\letterhat</code>
<code>\letterhyphen</code>
<code>\letterleftbrace</code>
<code>\letterleftbracket</code>
<code>\letterleftparenthesis</code>
<code>\letterless</code>
<code>\lettermore</code>
<code>\letteropenbrace</code>
<code>\letterpercent</code>
<code>\letterquestionmark</code>
<code>\letterrightbrace</code>

<pre> \linebox {...} * CONTENT </pre>
<pre> \linefillerhbox [...] ^{.2}... {...} 1 NAME 2 TEXT 3 CONTENT </pre>
<pre> \linefillervbox [...] ^{.2}... {...} 1 NAME 2 TEXT 3 CONTENT </pre>
<pre> \linefillervtop [...] ^{.2}... {...} 1 NAME 2 TEXT 3 CONTENT </pre>
<pre> \LINENOTE {...} * TEXT instances: linenote </pre>
<pre> \linenote {...} * TEXT </pre>
<pre> \linespanningtext {...} {...} {...} 1 TEXT 2 DIMENSION 3 FONT </pre>
<pre> \listcitation [...^{.1}...^{.2}...] [...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 REFERENCE </pre>
<pre> \listcitation [...] ^{.2}... 1 implicitni category^{OPT} entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear 2 REFERENCE </pre>
<pre> \listcitation [...^{.1}...^{.2}...] [...^{.2}...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 KEY = VALUE </pre>
<pre> \listcite [...^{.1}...^{.2}...] [...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 REFERENCE </pre>

<pre> \listcite [...] [...] 1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear 2 REFERENCE </pre>
<pre> \listcite [...,...¹...,...] [...,...²...,...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 KEY = VALUE </pre>
<pre> \listnamespaces </pre>
<pre> \literalmode </pre>
<pre> \llap {...} * CONTENT </pre>
<pre> \loadanyfile [...] * FILE </pre>
<pre> \loadanyfileonce [...] * FILE </pre>
<pre> \loadbtxdefinitionfile [...] * FILE </pre>
<pre> \loadbtxreplacementfile [...] * FILE </pre>
<pre> \loadcldfile [...] * FILE </pre>
<pre> \loadcldfileonce [...] * FILE </pre>
<pre> \loadfontgoodies [...] * FILE </pre>
<pre> \loadluafile [...] * FILE </pre>
<pre> \loadluafileonce [...] * FILE </pre>
<pre> \loadspellchecklist [...] [...] 1 NAME 2 FILE </pre>
<pre> \loadtexfile [...] * FILE </pre>
<pre> \loadtexfileonce [...] * FILE </pre>

\loadtypescriptfile [...] * FILE
\localbox [...] {...} 1 NAME 2 CONTENT
\localframed [...] [...] {...} 1 NAME 2 inherits: \nastavoramovani 3 CONTENT
\localframedwithsettings [...] [...] {...} 1 NAME 2 inherits: \nastavoramovani 3 CONTENT
\localhsize
\localmargintext [...] {...} 1 NAME 2 CONTENT
\localpopbox ... * CSNAME NUMBER
\localpopmacro \... * CSNAME
\localpushbox ... * CSNAME NUMBER
\localpushmacro \... * CSNAME
\localundefine {...} * NAME
\locatedfilepath
\locatefilepath {...} * FILE
\locfilename {...} * FILE
\lomihi {...} {...} {...} 1 CONTENT 2 CONTENT 3 CONTENT
\lowerbox {...} \... {...} 1 DIMENSION 2 CSNAME 3 CONTENT
\lowercased {...} * TEXT

$\backslash\text{lowercasestring}$ $\overset{1}{...}$ $\backslash\text{to}$ $\overset{2}{...}$ 1 TEXT 2 CSNAME
$\backslash\text{lowercasing}$
$\backslash\text{lowerlefthdoubleninequote}$
$\backslash\text{lowerleftsingleninequote}$
$\backslash\text{lowerrighthdoubleninequote}$
$\backslash\text{lowerrightsingleninequote}$
$\backslash\text{LOWHIGH}$ $[\overset{1}{...}]$ $\{\overset{2}{...}\}$ $\{\overset{3}{...}\}$ 1 vlevo vprav ^{OPT} 2 CONTENT 3 CONTENT
$\backslash\text{LOWMIDHIGH}$ $\{\overset{1}{...}\}$ $\{\overset{2}{...}\}$ $\{\overset{3}{...}\}$ 1 CONTENT 2 CONTENT 3 CONTENT
$\backslash\text{lrtbbox}$ $\{\overset{1}{...}\}$ $\{\overset{2}{...}\}$ $\{\overset{3}{...}\}$ $\{\overset{4}{...}\}$ $\{\overset{5}{...}\}$ 1 DIMENSION 2 DIMENSION 3 DIMENSION 4 DIMENSION 5 CONTENT
$\backslash\text{ltop}$ $\overset{1}{...}$ $\{\overset{2}{...}\}$ 1 TEXT ^{OPT} 2 CONTENT
$\backslash\text{ltrhbox}$ $\overset{1}{...}$ $\{\overset{2}{...}\}$ 1 TEXT ^{OPT} 2 CONTENT
$\backslash\text{ltrtext}$ $\{.*\}$ * CONTENT
$\backslash\text{ltrvbox}$ $\overset{1}{...}$ $\{\overset{2}{...}\}$ 1 TEXT ^{OPT} 2 CONTENT
$\backslash\text{ltrvtop}$ $\overset{1}{...}$ $\{\overset{2}{...}\}$ 1 TEXT ^{OPT} 2 CONTENT
$\backslash\text{luacode}$ $\{.*\}$ * BEFEHL
$\backslash\text{luaconditional}$ $\backslash.*$ * CSNAME
$\backslash\text{luaenvironment}$ $.*$ * FILE

<code>\luaexpanded {...}</code> * BEFEHL
<code>\luaexpr [...]¹ {...}²</code> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\luafunction {...}</code> * BEFEHL
<code>\luajitTeX</code>
<code>\luamajorversion</code>
<code>\luametaTeX</code>
<code>\luaminorversion</code>
<code>\luaparameterset {...}¹ {...}²</code> 1 NAME 2 CONTENT
<code>\luasetup {...}</code> * NAME
<code>\luaTeX</code>
<code>\luaversion</code>
<code>\MESIC {...}</code> * NUMMER
<code>\METAFONT</code>
<code>\METAFUN</code>
<code>\METAPOST</code>
<code>\MetaFont</code>
<code>\MetaFontLogo</code>
<code>\MetaFun</code>
<code>\MetaPost</code>
<code>\MetaPostLogo</code>
<code>\MKII</code>
<code>\MKIV</code>
<code>\MKIX</code>

<code>\MKLX</code>
<code>\MKVI</code>
<code>\MKXI</code>
<code>\MKXL</code>
<code>\MONTHLONG {...}</code> * NUMBER
<code>\MONTHSHORT {...}</code> * NUMBER
<code>\MPanchor {...}</code> * NAME
<code>\MPbetex {...}</code> * NAME
<code>\MPc {...}</code> * NAME
<code>\MPcode {...} {...}</code> 1 metafun mififun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun 2 CONTENT
<code>\MPcolor {...}</code> * COLOR
<code>\MPcoloronly {...}</code> * COLOR
<code>\MPcolumn {...}</code> * NAME
<code>\MPd {...}</code> * NAME
<code>\MPdrawing {...}</code> * CONTENT
<code>\MPfontsizehskip {...}</code> * FONT
<code>\MPgetmultipars {...} {...}</code> 1 NAME 2 NAME
<code>\MPgetmultishape {...} {...}</code> 1 NAME 2 NAME
<code>\MPgetposboxes {...¹,...} {...²}</code> 1 NAME 2 NAME

\MPb {...} * NAME
\MPII
\MPIV
\MPinclusions [...] {...} {...} 1 + OPT OPT 2 metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun 3 CONTENT
\MPLX
\MPlleftskip {...} * NAME
\MPl {...} * NAME
\MPlr {...} * NAME
\MPls {...} * NAME
\MPmenubuttons {...} * NAME
\MPn {...} * NAME
\MPOptions {...} * COLOR
\MPOverlayanchor {...} * NAME
\MPP {...} * NAME
\MPPage {...} * NAME
\MPPardata {...} * NAME
\MPPplus [...] [...] [...] 1 NAME 2 NUMMER 3 CONTENT
\MPPos {...} * NAME

\MPpositiongraphic ¹ {...} {..., ² ...,...} 1 NAME OPT 2 KEY = VALUE
\MPposset {...} * NAME
\MPpr {...} * NAME
\MPrawvar ¹ {...} ² {...} 1 NAME 2 KEY
\MPregion {...} * NAME
\MPrest ¹ {...} ² {...} 1 NAME 2 CONTENT
\MPrightskip {...} * NAME
\MPrs {...} * NAME
\MPstring {...} * NAME
\MPtext {...} * NAME
\MPtransparency {...} * COLOR
\MPul {...} * NAME
\MPur {...} * NAME
\MPVI
\MPv ¹ {...} ² {...} ³ {...} 1 NAME 2 NUMBER 3 CONTENT
\MPvar {...} * KEY
\MPvariable {...} * KEY
\MPvv ¹ {...} ² {...} 1 NAME 2 CONTENT

\MPw {...} * NAME
\MPwhd {...} * NAME
\MPXL
\MPx {...} * NAME
\MPxy {...} * NAME
\MPxywhd {...} * NAME
\MPy {...} * NAME
\m [...] {...} 1 implicitni i:default i:half i:tight i:fixed NAME 2 CONTENT
\makecharacteractive ... * CHARACTER
\makerawcommalist [... ¹ ...] \ ² ... 1 BEFEHL 2 CSNAME
\makestrutofbox ... * CSNAME NUMBER
\male
\malekurzivnitucne
\malenormalni
\malesklonene
\malesklonenetucne
\maletucne
\maletucnekurzivni
\maletucnesklonene
\maletype
\mapfontsize [...] [... ²] 1 DIMENSION 2 DIMENSION

```

\margindata   [ 1... ] [ 2...,... ] [ 3...,... ] { 4... }
1 NAME
2 odkaz = REFERENCE
   inherits: \setupmargindata
3 inherits: \setupmarginframed
4 CONTENT

```

```
\MARGINDATA [...] 1 [...] [...] 2 [...] [...] [...] 3{}
1 odkaz = REFERENCE OPT OPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

instances: inleftmargin inrightmargin inoutermargin ininnermargin inleftedge inrightedge
inouteredge ininneredge atleftmargin atrightmargin inleft inright inouter ininner inmargin
inother margintext
```

```

\atleftmargin  [...,\stackrel{1}{=}\dots,]  [...,\stackrel{2}{=}\dots,]  {\stackrel{3}{\dots}}
1 odkaz = REFERENCE      OPT                OPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

$$\text{\texttt{\textbackslash atrightmargin}} \left[\dots, \overset{1}{=} \dots, \dots \right] \left[\dots, \overset{2}{=} \dots, \dots \right] \left\{ \overset{3}{\dots} \right\}$$

```

1  odkaz = REFERENCE
      OPT
2  inherits: \setupmargindata
3  inherits: \setupmarginframed
4  CONTENT

```

```
\ininner [...,\overset{1}{...},...] [...,\overset{2}{...},...] {\overset{3}{...}}
1 odkaz = REFERENCE
inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT
```

```

\ininneredge [...] 1 [...] 2 [...] {3}
1 odkaz = REFERENCE OPT OPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\ininnermargin [...,\stackrel{1}{=},...] [...,\stackrel{2}{=},...] {\stackrel{3}{...}}
1 odkaz = REFERENCE OPT OPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```

\inleft  [...,\overset{1}{.},...]  [...,\overset{2}{.},...]  {\overset{3}{.}}
1   odkaz = REFERENCE
      inherits: \setupmargindata
2   inherits: \setupmarginframed
3   CONTENT

```

```

\inleftedge [...,\overset{1}{...},...] [...,\overset{2}{...},...] {\overset{3}{...}}
1 odkaz = REFERENCEOPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT

```

```
\inleftmargin [...,\overset{1}{...},...] [...,\overset{2}{...},...] {\overset{3}{...}}
1 odkaz = REFERENCE OPT OPT
  inherits: \setupmargindata
2 inherits: \setupmarginframed
3 CONTENT
```


$\backslash inmargin$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash inother$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash inouter$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash inouteredge$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash inoutermargin$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash inright$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash inrightedge$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash inrightmargin$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash margintext$ [\dots $\overset{1}{=}$ \dots] [\dots $\overset{2}{=}$ \dots] $\{\dots\}$ 1 odkaz = REFERENCE ^{OPT} inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT
$\backslash markcontent$ [$\overset{1}{\dots}$] $\{\overset{2}{\dots}\}$ 1 reset vse NAME ^{OPT} 2 CONTENT
$\backslash markedpages$ [\dots] * NAME
$\backslash marker$ $\{\dots\}$ * NAME

\backslash markinjector [...] * NAME
\backslash markpage [¹ ...] [² ...,...] 1 NAME <small>OPT</small> 2 [-+]NUMBER
\backslash markreferencepage
\backslash mat {...} * CONTENT
\backslash matematika [¹ ...] {... ² } 1 implicitni i:default i:half i:tight i:fixed NAME <small>OPT</small> 2 CONTENT
\backslash matematika [... ¹ ...,...] {... ² } 1 inherits: \setupmathematics <small>OPT</small> 2 CONTENT
\backslash math [¹ ...] {... ² } 1 implicitni i:default i:half i:tight i:fixed NAME <small>OPT</small> 2 CONTENT
\backslash MATHACCENT [... ¹ ...,...] {... ² } 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT instances: grave acute hat tilde bar breve dot ddot overhook ring check overleftharpoon overrightharpoon dddot ddddots widegrave wideacute widehat widetilde widebar widebreve widedot wideddot widering widecheck widedddot vec wideoverleftharpoon wideoverrightharpoon wideoverleftarrow wideoverrightarrow wideoverleftrightarrow conjugate closure wideundertilde wideunderbar wideunderleftarrow wideunderrightarrow wideunderleftharpoon wideunderleftharpoon wideunderleftarrow wideunderrightarrow
\backslash acute [... ¹ ...,...] {... ² } 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\backslash bar [... ¹ ...,...] {... ² } 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\backslash breve [... ¹ ...,...] {... ² } 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\backslash closure [... ¹ ...,...] {... ² } 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\backslash conjugate [... ¹ ...,...] {... ² } 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\backslash ddddot [... ¹ ...,...] {... ² } 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\backslash dddot [... ¹ ...,...] {... ² } 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT

$\ddot{}$ <pre> \ddot [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\dot{}$ <pre> \dot [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\grave{}$ <pre> \grave [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\hat{}$ <pre> \hat [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\check{}$ <pre> \check [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\overhook{}$ <pre> \overhook [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\overleftharpoonup{}$ <pre> \overleftharpoonup [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\overrightarrow{}$ <pre> \overrightarrow [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\ring{}$ <pre> \ring [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\tilde{}$ <pre> \tilde [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\vec{}$ <pre> \vec [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\wideacute{}$ <pre> \wideacute [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\widebar{}$ <pre> \widebar [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\widebreve{}$ <pre> \widebreve [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>
$\widetilde{}$ <pre> \widetilde [...] {\dots} 1 inherits: \setupmathaccents^{OPT} 2 CONTENT </pre>

$\backslash\widetilde{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widehat{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widegrave{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widehat{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widecheck{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\wideoverleftarrow{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\wideoverleftharpoonup{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\wideoverrightarrow{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\wideoverrightarrow{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\wideoverrightarrow{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widetilde{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widetilde{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widetilde{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widetilde{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widetilde{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT
$\backslash\widetilde{\cdot}$ $[...,\overset{1}{\cdot},...] \{...\}$ 1 inherits: $\backslash\text{setupmathaccents}^{\text{OPT}}$ 2 CONTENT

$\wideunderleftrightharpoon$ $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\wideunderrightarrow $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\wideunderrightharpoon $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\wideundertilde $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathaccents <small>OPT</small> 2 CONTENT
\mathbf{b}
\mathbf{i}
\blacksquare
\mathbf{s}
\mathcal{M} $\{...\}$ $\{...\}$ 1 TEXT <small>OPT</small> 2 TEXT <small>OPT</small>
\mathcal{M}
\mathcal{M} $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathdelimited 2 CONTENT instances: ddotmarked barmarked hatmarked checkmarked brevemarked ringmarked tildemarked dddotmarked daggermarked ddaggermarked astmarked starmarked primed doubleprimed tripleprimed quadrupleprimed reverseprimed doublereverseprimed triplereverseprimed
\ast $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathdelimited 2 CONTENT
\bar $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathdelimited 2 CONTENT
\breve $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathdelimited 2 CONTENT
\dagger $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathdelimited 2 CONTENT
\ddagger $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathdelimited 2 CONTENT
\ddd $[...,\overset{1}{=},...]$ $\{...\}$ 1 inherits: \setupmathdelimited 2 CONTENT

$\ddot{}$ $\ddot{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\doubleprime{}$ $\doubleprime{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\doublereverseprime{}$ $\doublereverseprime{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\hat{}$ $\hat{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\check{}$ $\check{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\prime{}$ $\prime{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\quad\quad\quad\prime{}$ $\quad\quad\quad\prime{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\reverseprime{}$ $\reverseprime{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\ring{}$ $\ring{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\starmark{}$ $\starmark{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\tildemark{}$ $\tildemark{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\tripleprime{}$ $\tripleprime{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\triplereverseprime{}$ $\triplereverseprime{}$ 1 inherits: \setupmathdelimited 2 CONTENT
$\mathdelimit{}{}$ 1 NAME 2 NUMMER
$\mathdelimit{}{}$ 1 NAME 2 inherits: \setupmathdelimiters

$\backslash\mathdelimiternumber [..^*]$ * NUMBER OPT
$\backslash\mathdelimiternumber [..,..^*]$ * inherits: \setupmathdelimiternumbers
$\backslash\mathdouble [..^1] \{..^2\} \{..^3\} \{..^4\}$ 1 obe v fenced OPT 2 NUMBER 3 TEXT 4 TEXT
$\backslash\mathdoubleextensible [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT instances: doublebar doublebrace doubleparent doublebracket overbarunderbar overbraceunderbrace overparentunderparent overbracketunderbracket
$\backslash\doublebar [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT
$\backslash\doublebrace [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT
$\backslash\doublebracket [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT
$\backslash\doubleparent [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT
$\backslash\overbarunderbar [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT
$\backslash\overbraceunderbrace [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT
$\backslash\overbracketunderbracket [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT
$\backslash\overparentunderparent [..,..^1] \{..^2\}$ 1 inherits: \setupmathstackers OPT 2 TEXT
$\backslash\mathdouble \{..^* \}$ * TEXT

`\MATHEXTENSIBLE [...]{...}{...}`

1 reverse matematika ^{OPT}text chemistry ^{OPT}
 2 TEXT
 3 TEXT

instances: xrel xequal xleftarrow xrightarrow xleftrightharrow xlongleftarrow xlongrightarrow
 xlongleftrightharrow xLeftarrow xRightarrow xLeftrightharrow xtwoheadleftarrow
 xtwoheadrightarrow xmapsto xhookleftarrow xhookrightarrow xleftharpoondown xleftharpoonup
 xrightharpoondown xrightarpoonup xrightoverleftarrow xleftoverrightarrow xleftrightharpoons
 xrightleftharpoons xtriplerel mrel mequal mleftarrow mrightarrow mleftrightharrow mLeftarrow
 mRightarrow mLeftrightharrow mtwoheadleftarrow mtwoheadrightarrow mmapsto mhookleftarrow
 mhookrightarrow mleftharpoondown mleftharpoonup mrightharpoondown mrightharpoonup
 mrightoverleftarrow mleftoverrightarrow mleftrightharpoons mrightleftharpoons mtriplerel
 trel tequal tmapsto tleftarrow trightarrow tleftrightharrow tLeftarrow tRightarrow
 tLeftrightharrow ttwoheadleftarrow ttwoheadrightarrow tmapsto thookleftarrow thookrightarrow
 tleftharpoondown tleftharpoonup trightharpoondown trightharpoonup trightoverleftarrow
 tleftoverrightarrow tleftrightharpoons trightleftharpoons ttriplerel creturns cgives
 cmesomeric cequilibrium cleaningright cleaningleft clongreturns clonggives clongmesomeric
 clongequilibrium clongcleaningright clongcleaningleft

`\MATHEXTENSIBLE [...]{...}{...}`

1 inherits: \setupmathstackers ^{OPT}
 2 TEXT
 3 TEXT

instances: xrel xequal xleftarrow xrightarrow xleftrightharrow xlongleftarrow xlongrightarrow
 xlongleftrightharrow xLeftarrow xRightarrow xLeftrightharrow xtwoheadleftarrow
 xtwoheadrightarrow xmapsto xhookleftarrow xhookrightarrow xleftharpoondown xleftharpoonup
 xrightharpoondown xrightarpoonup xrightoverleftarrow xleftoverrightarrow xleftrightharpoons
 xrightleftharpoons xtriplerel mrel mequal mleftarrow mrightarrow mleftrightharrow mLeftarrow
 mRightarrow mLeftrightharrow mtwoheadleftarrow mtwoheadrightarrow mmapsto mhookleftarrow
 mhookrightarrow mleftharpoondown mleftharpoonup mrightharpoondown mrightharpoonup
 mrightoverleftarrow mleftoverrightarrow mleftrightharpoons mrightleftharpoons mtriplerel
 trel tequal tmapsto tleftarrow trightarrow tleftrightharrow tLeftarrow tRightarrow
 tLeftrightharrow ttwoheadleftarrow ttwoheadrightarrow tmapsto thookleftarrow thookrightarrow
 tleftharpoondown tleftharpoonup trightharpoondown trightharpoonup trightoverleftarrow
 tleftoverrightarrow tleftrightharpoons trightleftharpoons ttriplerel creturns cgives
 cmesomeric cequilibrium cleaningright cleaningleft clongreturns clonggives clongmesomeric
 clongequilibrium clongcleaningright clongcleaningleft

`\cequilibrium [...]{...}{...}`

1 inherits: \setupmathstackers ^{OPT}
 2 TEXT
 3 TEXT

`\cgives [...]{...}{...}`

1 inherits: \setupmathstackers ^{OPT}
 2 TEXT
 3 TEXT

`\cleaningleft [...]{...}{...}`

1 inherits: \setupmathstackers ^{OPT}
 2 TEXT
 3 TEXT

`\cleaningright [...]{...}{...}`

1 inherits: \setupmathstackers ^{OPT}
 2 TEXT
 3 TEXT

`\clongequilibrium [...]{...}{...}`

1 inherits: \setupmathstackers ^{OPT}
 2 TEXT
 3 TEXT

$\backslash\text{clonggives } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT 2 TEXT 3 TEXT
$\backslash\text{clongleaningleft } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT OPT 2 TEXT 3 TEXT
$\backslash\text{clongleaningright } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT OPT 2 TEXT 3 TEXT
$\backslash\text{clongmesomeric } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT 2 TEXT 3 TEXT
$\backslash\text{clongreturns } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT OPT 2 TEXT 3 TEXT
$\backslash\text{cmesomeric } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT 2 TEXT 3 TEXT
$\backslash\text{creturns } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT 2 TEXT 3 TEXT
$\backslash\text{mequal } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT 2 TEXT 3 TEXT
$\backslash\text{mhookleftarrow } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT OPT 2 TEXT 3 TEXT
$\backslash\text{mhookrightarrow } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT OPT 2 TEXT 3 TEXT
$\backslash\text{mLeftarrow } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT OPT 2 TEXT 3 TEXT
$\backslash\text{mLeftrightarrow } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT OPT 2 TEXT 3 TEXT
$\backslash\text{mleftarrow } [\dots\overset{1}{=}\dots] \{\dots\}^2 \{\dots\}^3$ 1 inherits: $\backslash\text{setupmathstackers}$ OPT OPT OPT 2 TEXT 3 TEXT

```
\leftharpoondown [...] {\stackrel{1}{...}} {\stackrel{2}{...}} {\stackrel{3}{...}}
```

```
1 inherits:\setupmathstackersOPT OPT OPT
```

```
2 TEXT
```

```
3 TEXT
```

```
\mleiftharpoonup [...1...] {2...} {3...}
1 inherits: \setupmathstackers OPT OPT
2 TEXT
3 TEXT
```

```
\leftoverrightarrow{[...,\overset{1}{=},...]}{\overset{2}{...}}{\overset{3}{...}}
```

```
1 inherits: \setupmathstackers OPT OPT OPT
2 TEXT
3 TEXT
```

```
\leftrightharpoonup [.,.\overset{1}{=},...] {\overset{2}{.}} {\overset{3}{.}}
```

```
1 inherits: \setupmathstackers OPT OPT
```

```
2 TEXT
```

```
3 TEXT
```

```
\leftrightharpoons [...] {\overset{1}{...}} {\overset{2}{...}} {\overset{3}{...}}
```

```
1 inherits: \setupmathstackers OPT OPT OPT
```

```
2 TEXT
```

```
3 TEXT
```

```
\mmapsto [...] {...} {...}
1 inherits: \setupmathstackers OPT OPT
2 TEXT
3 TEXT
```

```
\mrightarrow [...] 1 [...] 2 [...] 3
1 inherits: \setupmathstackers OPT OPT
2 TEXT
3 TEXT
```

```
\mrel [...1...2...] {...3}
1 inherits: \setupmathstackers OPT
2 TEXT
3 TEXT
```

```

\mrightarrow [...] 1{} 2{} 3{}
1 inherits: \setupmathstackers OPT OPT
2 TEXT
3 TEXT

```

```
\mrightharpoonowdown [...] {\sup} {\sup} {\sup}
1 inherits: \setupmathstackers OPT OPT OPT
2 TEXT
3 TEXT
```

```

\mrightharpoonup [...] {\stackrel{1}{...}} {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstackers
2 TEXT
3 TEXT

```

```
\mleftrightarpoons [...] {\stackrel{1}{...}} {\stackrel{2}{...}} {\stackrel{3}{...}}
```

```
1 inherits: \setupmathstackers OPT OPT OPT
```

```
2 TEXT
```

```
3 TEXT
```

```
\mrightoverleftarrow{[...,\overset{1}{=},...]}{\overset{2}{...}}{\overset{3}{...}}
```

```
1 inherits: \setupmathstackers OPT OPT OPT
```

```
2 TEXT
```

```
3 TEXT
```

$\backslash mtriplelrel \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

$\backslash mtwoheadleftarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

$\backslash mtwoheadrightarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

$\backslash tequal \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

$\backslash thookleftarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

$\backslash thookrightarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

$\backslash tleftarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

$\backslash tleftrightarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

$\backslash tleftarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT
 2 TEXT
 3 TEXT

$\backslash tleftharpoonup \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

$\backslash tleftharpoonup \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

$\backslash tleftoverrightarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

$\backslash tleftrightarrow \left[\dots \overset{1}{=} \dots \right] \{ \dots \}^2 \{ \dots \}^3$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT
 2 TEXT
 3 TEXT

\leftrightharpoons <pre> \leftrightharpoons [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT OPT 2 TEXT 3 TEXT </pre>
\mapsto <pre> \mapsto [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT 2 TEXT 3 TEXT </pre>
\rightarrow <pre> \rightarrow [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT 2 TEXT 3 TEXT </pre>
\rel <pre> \rel [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT 2 TEXT 3 TEXT </pre>
\rightarrow <pre> \rightarrow [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT 2 TEXT 3 TEXT </pre>
\harpoonright <pre> \harpoonright [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT OPT 2 TEXT 3 TEXT </pre>
\harpoonup <pre> \harpoonup [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT 2 TEXT 3 TEXT </pre>
\leftrightharpoons <pre> \leftrightharpoons [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT OPT 2 TEXT 3 TEXT </pre>
\rightarrowleftarrow <pre> \rightarrowleftarrow [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT OPT 2 TEXT 3 TEXT </pre>
\tripleleftarrow <pre> \tripleleftarrow [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT 2 TEXT 3 TEXT </pre>
\twoheadleftarrow <pre> \twoheadleftarrow [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT OPT 2 TEXT 3 TEXT </pre>
\twoheadrightarrow <pre> \twoheadrightarrow [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT OPT 2 TEXT 3 TEXT </pre>
\xequal <pre> \xequal [...] {\dots} {\dots} 1 inherits: \setupmathstackers OPT OPT 2 TEXT 3 TEXT </pre>

$\xhookrightarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xhookrightarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xleftarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xleftrightharpoonrightarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xleftarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xleftharpoonrightarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xleftharpoonup{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xleftarrow{\overrightarrow{[\dots\stackrel{1}{=}\dots]}}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT

2 TEXT

3 TEXT

$\xleftrightharpoonrightarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xleftrightharpoons{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT

2 TEXT

3 TEXT

$\xlongleftarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

$\xlongleftrightharpoonrightarrow{[\dots\stackrel{1}{=}\dots]}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT OPT

2 TEXT

3 TEXT

$\xrightarrow{\longleftarrow{[\dots\stackrel{1}{=}\dots]}}{\dots}{\dots}$

1 inherits: \setupmathstackers^{OPT} OPT OPT

2 TEXT

3 TEXT

```
\xmapsto [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrow [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT
2 TEXT
3 TEXT
```

```
\xrel [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrow [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrowdown [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrowup [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT OPT
2 TEXT
3 TEXT
```

```
\xrightleftharpoons [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrowleft [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT OPT
2 TEXT
3 TEXT
```

```
\xtriplel [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT
2 TEXT
3 TEXT
```

```
\xtwoheadleftarrow [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT OPT
2 TEXT
3 TEXT
```

```
\xtwoheadrightarrow [...,\stackrel{1}{=},...] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 inherits: \setupmathstacks OPT OPT OPT
2 TEXT
3 TEXT
```

```
\cequilibrium [...,\stackrel{1}{...}] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 reverse matematika text chemistry OPT
2 TEXT
3 TEXT
```

```
\cgives [...,\stackrel{1}{...}] {\stackrel{2}{...}} {\stackrel{3}{...}}
1 reverse matematika text chemistry OPT
2 TEXT
3 TEXT
```

`\cleaningleft [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\cleaningright [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\clongequilibrium [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\clonggives [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\clongleaningleft [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\clongleaningright [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\clongmesomeric [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\clongreturns [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\cmesomeric [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\creturns [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\mequal [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\mhookleftarrow [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\mhookrightarrow [...]{...}{...}`

1 reverse matematika^{OPT} text chemistry^{OPT}
2 TEXT
3 TEXT

`\mLeftarrow [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mLeftrightarrow [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mleftarrow [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mleftharpoondown [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mleftharpoonup [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mleftoverrightarrow [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mleftrightharpoonup [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mleftrightharpoons [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mmapsto [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mRightarrow [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mrel [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mrightarrow [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mrightharpoondown [...] {...} {...}`

1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\mrightharpoonup [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\mrightharpoons [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\mrightrightarrows [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\mtriplerel [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\mtwoheadleftarrow [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\mtwoheadrightarrow [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\tequal [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\thookleftarrow [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\thookrightarrow [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\tleftarrow [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\leftrightharpoons [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\leftarrow [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\leftharpoonowdown [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\tleftharpoonup [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\leftoverrightarrow [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\leftrightharpoonup [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\leftrightharpoons [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\tmapsto [...]{...}{...}`
 1 reverse ^{OPT}matematika ^{OPT}text ^{OPT}chemistry
 2 TEXT
 3 TEXT

`\tRrightarrow [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\trel [...]{...}{...}`
 1 reverse ^{OPT}matematika ^{OPT}text ^{OPT}chemistry
 2 TEXT
 3 TEXT

`\trightarrow [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\trightharpoondown [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\trightharpoonup [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\trightleftharpoons [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\trightoverleftarrow [...]{...}{...}`
 1 reverse matematika text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\ttriplerel [...]{...}{...}`
 1 reverse matematika ^{OPT}text ^{OPT}chemistry ^{OPT}
 2 TEXT
 3 TEXT

`\twoheadleftarrow [...]{...}{...}`
 1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\twoheadrightarrow [...]{...}{...}`
 1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\xequal [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\hookleftarrow [...]{...}{...}`
 1 reverse matematika text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\hookrightarrow [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\xleftarrow [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\leftrightharrow [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\xleftarrow [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\leftharpoondown [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\leftharpoonup [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\leftoverrightarrow [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\leftrightharrow [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

`\leftrightharpoons [...]{...}{...}`
 1 reverse matematika^{OPT}text^{OPT}chemistry^{OPT}
 2 TEXT
 3 TEXT

```
\xlongleftarrow [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry OPT
2 TEXT
3 TEXT
```

```
\xlongletrightarrow [...] {...} {...}
1 reverse matematika text OPTchemistry OPT OPT
2 TEXT
3 TEXT
```

```
\xlongrightarrow [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry OPT
2 TEXT
3 TEXT
```

```
\xmapsto [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry
2 TEXT
3 TEXT
```

```
\xrightarrow [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry OPT
2 TEXT
3 TEXT
```

```
\xrel [...] {...} {...}
1 reverse OPTmatematika OPTtext OPTchemistry
2 TEXT
3 TEXT
```

```
\xrightarrow [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry OPT
2 TEXT
3 TEXT
```

```
\xrightarrow[harpoon down] [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrow[harpoon up] [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrow[leftharpoons] [...] {...} {...}
1 reverse matematika text OPTchemistry OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrow[overleftarrow] [...] {...} {...}
1 reverse matematika text OPTchemistry OPT OPT
2 TEXT
3 TEXT
```

```
\xrightarrow[triple rel] [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry OPT
2 TEXT
3 TEXT
```

```
\xrightarrow[twoheadleftarrow] [...] {...} {...}
1 reverse matematika OPTtext OPTchemistry OPT
2 TEXT
3 TEXT
```

```
\twoheadrightarrow [...] {...} {...}
```

1 reverse matematika text Chemistry^{OPT} OPT

2 TEXT

3 TEXT

 \mathfrak{f}
$$\backslash\mathrm{MATHFRAMED} \quad [\dots,\dots\overset{1}{=}\dots,\dots] \quad \{\dots\overset{2}{.}\}$$

```

1 inherits: \setupmathframedopt
2 CONTENT
instances: mframed inmframed mcframed

```

$$\backslash inmframed \quad [\dots, \dots^1, \dots] \quad \{\dots^2\}$$

```

1 inherits: \setupmathframed
2 CONTENT

```

$$\backslash mcfamed \quad [\dots, \dots^1, \dots] \quad \{\dots^2\}$$

```

1 inherits: \setupmathframedOPT
2 CONTENT

```

$$\backslash mframed \quad [\dots \overset{1}{=} \dots] \quad \{\dots \overset{2}{.}\}$$

```

1 inherits: \setupOPTmathframed
2 CONTENT

```

\mathfunction

instances: arccos arcsin arctan arccosh arcsinh arctanh acos asin atan arg cosh cos coth cot
csc deg det dim erf erfc erfi exp gcd hom inf inv injlim ker lg liminf limsup lim ln log
median max min mod projlim Pr sec sinh sin sup tanh tan diff adjcoker neg

 $\backslash \cos$

\adj

 \arccos $\backslash arccosh$ \arcsin $\operatorname{arcsinh}$ \arctan $\backslash arctanh$ \arg $\backslash\mathit{MATHFUNCTION} \{...\}$

* CONTENT

instances: adjoint orthogonalcomplement transpose derivative secondderivative
thirdderivative fourthderivative preimage inverse

 $\backslash adjoint \{...\}$

* CONTENT

$$\backslash derivative \{...\}$$

* CONTENT

<code>\fourthderivative {...}</code> * CONTENT
<code>\inverse {...}</code> * CONTENT
<code>\orthogonalcomplement {...}</code> * CONTENT
<code>\preimage {...}</code> * CONTENT
<code>\secondderivative {...}</code> * CONTENT
<code>\thirdderivative {...}</code> * CONTENT
<code>\transpose {...}</code> * CONTENT
<code>\asin</code>
<code>\atan</code>
<code>\coker</code>
<code>\cos</code>
<code>\cosh</code>
<code>\cot</code>
<code>\coth</code>
<code>\csc</code>
<code>\deg</code>
<code>\det</code>
<code>\diff</code>
<code>\dim</code>
<code>\erf</code>
<code>\erfc</code>
<code>\erfi</code>
<code>\exp</code>
<code>\gcd</code>

<code>\hom</code>
<code>\inf</code>
<code>\injl</code>
<code>\inv</code>
<code>\ker</code>
<code>\lg</code>
<code>\lim</code>
<code>\liminf</code>
<code>\limsup</code>
<code>\ln</code>
<code>\log</code>
<code>\max</code>
<code>\median</code>
<code>\min</code>
<code>\mod</code>
<code>\neg</code>
<code>\Pr</code>
<code>\projlim</code>
<code>\sec</code>
<code>\sin</code>
<code>\sinh</code>
<code>\sup</code>
<code>\tan</code>
<code>\tanh</code>
<code>\mathgroupedcommandcs \dots</code> <code>* CSNAME</code>
<code>\mathit</code>

<code>\mathitalic</code>
$\backslash MATHMATRIX [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT instances: matrix bmatrix pmatrix vmatrix vvmatrix vvvmatrix gmatrix bracematrix thematrix
$\backslash bmatrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash bracematrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash gmatrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash matrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash pmatrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash thematrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash vmatrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash vvmatrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash vvvmatrix [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathmatrix$ 2 CONTENT
$\backslash mathnesting [\stackrel{1}{.}\dots] \{\stackrel{2}{.}\dots\}$ 1 NUMMER 2 CONTENT
$\backslash MATHNESTING [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathnesting$ 2 CONTENT instances: mathtogether mathloose
$\backslash mathloose [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathnesting$ 2 CONTENT
$\backslash mathtogether [\dots\stackrel{1}{=}\dots] \{\stackrel{2}{.}\dots\}$ 1 inherits: $\backslash setupmathnesting$ 2 CONTENT

$\backslash\mathop{\mathrm{hop}}\nolimits\{\dots\}$ * CONTENT
$\backslash\mathop{\mathrm{hopd}}\nolimits\limits\{\dots\}$ * CONTENT
$\backslash\mathop{\mathrm{MATHOPERATOR}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT instances: integral iintegral iiintegral iiiintegral int iint iiint iiiint oint oint oiiint intc ointc aointc sumint barint doublebarint slashint aodownintc rectangularpoleintc semicirclepoleintc circlepoleoutsideintc circlepoleinsideintc squareintc hookleftarrowint timesint capint cupint upperint lowerint sum blackboardsum modtwosum prod coprod bigwedge bigvee bigcap bigcup bigodot bigoplus bigotimes bigudot biguplus bigsqcap bigsqcup bigtimes leftouterjoin rightouterjoin fullouterjoin bigbottom bigtop bigsolidus bigreversesolidus bigdoublewedge bigdoublevee
$\backslash\mathop{\mathrm{aodownintc}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{aointc}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{barint}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{bigbottom}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{bigcap}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{bigcup}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{bigdoublevee}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{bigdoublewedge}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{bigodot}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{bigoplus}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT
$\backslash\mathop{\mathrm{bigotimes}}\nolimits[\dots,\dots,\dots,\dots]{\dots}^{\dots}$ 1 inherits: $\backslash\mathop{\mathrm{setupmathoperators}}\nolimits$ 2 CONTENT

$\backslash\text{bigreversesolidus}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{bigsolidus}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{bigsqcap}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{bigsqcup}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{bigtimes}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{bigtop}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{bigudot}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{biguplus}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{bigvee}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{bigwedge}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{blackboardsum}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{capint}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{circlepoleinsideintc}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{circlepoleoutsideintc}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT
$\backslash\text{coprod}$ $[\dots\overset{1}{=}\dots]$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}$ ^{OPT} ^{OPT} 2 CONTENT

$\backslash\text{cupint} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{doublebarint} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{fullouterjoin} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{hookleftarrowint} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{iiiint} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{iiiintegral} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{iiint} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{iiintegral} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{int} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{iintegral} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{intc} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{integral} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{leftouterjoin} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT
$\backslash\text{lowerint} [\dots\stackrel{1}{=}\dots] \{\dots\}$ 1 inherits: $\backslash\text{setupmathoperators}^{\text{OPT}}$ 2 CONTENT

$\backslash modtwosum \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash oiiint \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash oint \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash oint \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash ointc \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash prod \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash rectangularpoleintc \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash rightouterjoin \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash semicirclepoleintc \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash slashint \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash squareintc \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash sum \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash sumint \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash timesint \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT
$\backslash upperint \left[\dots \stackrel{1}{=} \dots \right] \{ \dots \}^2$ 1 inherits: $\backslash setupmathoperators^{OPT}$ 2 CONTENT

$$\lim_{n \rightarrow \infty} \frac{1}{n} \sum_{k=1}^n f\left(\frac{k}{n}\right) = \int_0^1 f(x) dx$$

\MATHORNAMENT {...}
* CONTENT

```
\mathover  [ \dots ]  [ \dots, \dots^2, \dots ]  \{ \dots^3 \}  \{ \dots^4 \}
```

```
1  vrsek vfencedOPT
2  inherits: \setupmathstackers
3  NUMBER
4  TEXT
```

```

\mathoverextensible [...] {\.^{.2}}
1 inherits: \setupmathstackers OPT
2 TEXT
instances: overleftarrow overrightarrow overleftrightarrow overtwoheadleftarrow
overtwoheadrightarrow overlefttailarrow overrighttailarrow overleftbararrow
overrightbararrow overlefthookarrow overrighthookarrow overleftharpoonup overleftharpoondown
overrightharpoonup overrightharpoondown overrightarrow overleftarrow overleftrightarrow
overleftbararrow overrightbararrow overbar overbrace overparent overbracket

```

```
\overbar [...,\overset{1}{...},...] {\overset{2}{...}}
```

```
1 inherits: \setupmathstackers
2 TEXT
```

```
\overbrace{[...,\overset{1}{=},...]}{\overset{2}{...}}
```

```
1 inherits: \setupmathstackers
2 TEXT
```

```
\overbracket [...] {\dots}
1 inherits: \setupmathstacks
2 TEXT
```

```
\overleftarrow{[...,\overset{1}{=},...]} \{\overset{2}{...}\}
```

```
1 inherits: \setupmathstackersSPT
```

```
2 TEXT
```

```
\overleftbararrow [...] {\dots}
1 inherits: \setupmathstackersOPT
2 TEXT
```

```
\overleftarrow{...} \overrightarrow{...} \overleftrightarrow{...} \overleftrightarrow{\dots}
```

```
1 inherits: \setupmathstackers OPT
```

```
2 TEXT
```

```
\overleftarrow{[...,\overset{1}{=}\dots]} \{\overset{2}{\dots}\}
```

```
1 inherits: \setupmathstackersOPT
```

```
2 TEXT
```

```
\overleftbararrow [...] {\dots}
1 inherits: \setupmathstackersOPT
2 TEXT
```

$$\overleftarrow{\text{tharpoondown}} \left[\dots, \overset{1}{\dots}, \dots \right] \{ \overset{2}{\dots} \}$$

```

1 inherits: \setupmathstackers OPT
2 TEXT

```

```
\overleftarrow{\overrightarrow{\dots}} [\dots1\dots] \{2\dots\}
```

```
1 inherits: \setupmathstackers OPT
```

```
2 TEXT
```

$$\overleftarrow{\hspace{.1cm}} [\dots \overset{1}{=} \dots] \{ \overset{2}{\dots} \}$$
$$\overleftrightarrow{\left[\dots \overset{1}{=} \dots \right] \{ \overset{2}{\dots} \}}$$
$$\overleftarrow{\hspace{0.1cm}} [\dots \overset{1}{=} \dots] \{ \overset{2}{\dots} \}$$
$$\overparent{[\dots,\dots^1\dots,\dots]} \{\dots^2\}$$
$$\overrightarrow{\text{Rightarrow}} \left[\dots \overset{1}{=} \dots \right] \{ \overset{2}{\dots} \}$$
$$\overrightarrow{\hspace{1.5cm}} \quad [\dots,\dots\overset{1}{=}\dots,\dots] \quad \{\dots\}$$
$$\overrightarrow{[\dots\overset{1}{=}\dots]} \{\overset{2}{\dots}\}$$
$$\overrightarrow{[\dots \overset{1}{=} \dots]} \{ \overset{2}{\dots} \}$$
$$\backslash\overrightharpoonup\text{tharpoondown} \quad [\dots\dots^1\dots\dots] \quad \{\dots\dots^2\dots\dots\}$$
$$\overrightarrow{\text{...}}^1 \text{...}^2$$
$$\overrightarrow{\hspace{1.5cm}} [\dots\dots\overset{1}{=}\dots\dots] \{\overset{2}{\dots}\}$$
$$\overrightarrow{\text{tailarrow}} \left[\dots \overset{1}{=} \dots \right] \{ \overset{2}{\dots} \}$$
$$\overrightarrow{\hspace{1.5cm}} \left[\dots \overset{1}{=} \dots \right] \{ \overset{2}{\dots} \}$$
$$\overrightarrow{\text{twoheadrightarrow}} \left[\dots \dots \overset{1}{=} \dots \dots \right] \{ \dots \}^2$$
$$\overline{[\dots]} \quad \{\overset{.2}{\dots}\} \quad \{\overset{.3}{\dots}\}$$

$\backslash\text{MATHOVERTEXTENSIBLE}$ $\{...\}^1 \{...\}^2$ 1 TEXT 2 TEXT instances: <code>overbartext overbracetext overparenttext overbrackettext</code>
$\backslash\text{overbartext}$ $\{...\}^1 \{...\}^2$ 1 TEXT 2 TEXT
$\backslash\text{overbracetext}$ $\{...\}^1 \{...\}^2$ 1 TEXT 2 TEXT
$\backslash\text{overbrackettext}$ $\{...\}^1 \{...\}^2$ 1 TEXT 2 TEXT
$\backslash\text{overparenttext}$ $\{...\}^1 \{...\}^2$ 1 TEXT 2 TEXT
$\backslash\text{MATHOVER}$ $\{...\}^*$ * TEXT instances: <code>interiorset</code>
$\backslash\text{interiorset}$ $\{...\}^*$ * TEXT
$\backslash\text{MATHRADICAL}$ $[...,\dots]^1 \dots \left[\dots \right]^2 \{...\}^3$ 1 inherits: $\backslash\text{setupmathradical}$ <small>OPT</small> 2 TEXT 3 CONTENT instances: <code>root sqrt rannuity lannuity lrannuity rlannuity annuity lbannuity rbannuity rlbannuity lrbannuity</code>
$\backslash\text{annuity}$ $[...,\dots]^1 \dots \left[\dots \right]^2 \{...\}^3$ 1 inherits: $\backslash\text{setupmathradical}$ <small>OPT</small> 2 TEXT 3 CONTENT
$\backslash\text{lannuity}$ $[...,\dots]^1 \dots \left[\dots \right]^2 \{...\}^3$ 1 inherits: $\backslash\text{setupmathradical}$ <small>OPT</small> 2 TEXT 3 CONTENT
$\backslash\text{lbannuity}$ $[...,\dots]^1 \dots \left[\dots \right]^2 \{...\}^3$ 1 inherits: $\backslash\text{setupmathradical}$ <small>OPT</small> 2 TEXT 3 CONTENT
$\backslash\text{lrannuity}$ $[...,\dots]^1 \dots \left[\dots \right]^2 \{...\}^3$ 1 inherits: $\backslash\text{setupmathradical}$ <small>OPT</small> 2 TEXT 3 CONTENT
$\backslash\text{rlbannuity}$ $[...,\dots]^1 \dots \left[\dots \right]^2 \{...\}^3$ 1 inherits: $\backslash\text{setupmathradical}$ <small>OPT</small> 2 TEXT 3 CONTENT

$\sqrt[n]{a}$ <pre> \ranunity [...,\frac{1}{n},...] [...] {...} 1 inherits: \setupmathradical OPT 2 TEXT 3 CONTENT </pre>
$\sqrt[n]{a}$ <pre> \rbannuity [...,\frac{1}{n},...] [...] {...} 1 inherits: \setupmathradical OPT 2 TEXT 3 CONTENT </pre>
$\sqrt[n]{a}$ <pre> \rlannuity [...,\frac{1}{n},...] [...] {...} 1 inherits: \setupmathradical OPT 2 TEXT 3 CONTENT </pre>
$\sqrt[n]{a}$ <pre> \rlbannuity [...,\frac{1}{n},...] [...] {...} 1 inherits: \setupmathradical OPT 2 TEXT 3 CONTENT </pre>
$\sqrt[n]{a}$ <pre> \root [...,\frac{1}{n},...] [...] {...} 1 inherits: \setupmathradical OPT 2 TEXT 3 CONTENT </pre>
$\sqrt[n]{a}$ <pre> \sqrt [...,\frac{1}{n},...] [...] {...} 1 inherits: \setupmathradical OPT 2 TEXT 3 CONTENT </pre>
a <pre> \mathrm </pre>
\mathscr{a} <pre> \mathscript </pre>
$\begin{aligned} a &= b \\ c &= d \end{aligned}$ <pre> \MATHSIMPLEALIGN [...,\frac{1}{n},...] {...} 1 inherits: \setupmathsimplealign 2 CONTENT instances: equationsystem lequationsystem reequationsystem </pre>
$\begin{aligned} a &= b \\ c &= d \end{aligned}$ <pre> \equationsystem [...,\frac{1}{n},...] {...} 1 inherits: \setupmathsimplealign 2 CONTENT </pre>
$\begin{aligned} a &= b \\ c &= d \end{aligned}$ <pre> \lequationsystem [...,\frac{1}{n},...] {...} 1 inherits: \setupmathsimplealign 2 CONTENT </pre>
$\begin{aligned} a &= b \\ c &= d \end{aligned}$ <pre> \requationsystem [...,\frac{1}{n},...] {...} 1 inherits: \setupmathsimplealign 2 CONTENT </pre>
\mathbf{a} <pre> \mathsl </pre>
\mathbf{a} <pre> \mathss </pre>
\mathbf{a} <pre> \mathstacker [...] {...} {...} {...} 1 reverse mathematica text chemistry 2 NUMBER 3 TEXT 4 TEXT </pre>

$\backslash\mathtext$ $\overset{1}{\dots} \{\overset{2}{\dots}\}$ 1 TEXT OPT 2 TEXT
$\backslash\mathtextbf$ $\overset{1}{\dots} \{\overset{2}{\dots}\}$ 1 TEXT OPT 2 TEXT
$\backslash\mathtextbi$ $\overset{1}{\dots} \{\overset{2}{\dots}\}$ 1 TEXT OPT 2 TEXT
$\backslash\mathtextbs$ $\overset{1}{\dots} \{\overset{2}{\dots}\}$ 1 TEXT OPT 2 TEXT
$\backslash\mathtextit$ $\overset{1}{\dots} \{\overset{2}{\dots}\}$ 1 TEXT OPT 2 TEXT
$\backslash\mathtextsl$ $\overset{1}{\dots} \{\overset{2}{\dots}\}$ 1 TEXT OPT 2 TEXT
$\backslash\mathtexttf$ $\overset{1}{\dots} \{\overset{2}{\dots}\}$ 1 TEXT OPT 2 TEXT
$\backslash\mathtf$
$\backslash\mathtriplet$ $[\overset{1}{\dots}] \{\overset{2}{\dots}\} \{\overset{3}{\dots}\} \{\overset{4}{\dots}\}$ 1 NAME OPT OPT OPT OPT 2 TEXT 3 TEXT 4 TEXT
$\backslash\mathtriplet$ $[\overset{1}{\dots}] \{\overset{2}{\dots}\} \{\overset{3}{\dots}\} \{\overset{4}{\dots}\}$ 1 NAME OPT OPT OPT OPT 2 TEXT 3 TEXT 4 TEXT
$\backslash\mathtt$
$\backslash\mathunder$ $[\overset{1}{\dots}] [\dots\overset{2}{=}\dots] \{\overset{3}{\dots}\} \{\overset{4}{\dots}\}$ 1 spodek vfenced ^{PT} OPT 2 inherits: \setupmathstackers 3 NUMMER 4 TEXT
$\backslash\mathunderextensible$ $[\dots\overset{1}{=}\dots] \{\overset{2}{\dots}\}$ 1 inherits: \setupmathstackers OPT 2 TEXT instances: underleftarrow underrightarrow underleftrightarrow undertwoheadleftarrow undertwoheadrightarrow underlefttailarrow underrighttailarrow underleftbararrow underrightbararrow underlefthookarrow underrighthookarrow underleftharpoonup underleftharpoondown underrightharpoonup underRightarrow underLeftarrow underLeftrightarrow underLeftbararrow underRightbararrow underbar underbrace underparent underbracket
$\backslash\underbar$ $[\dots\overset{1}{=}\dots] \{\overset{2}{\dots}\}$ 1 inherits: \setupmathstackers 2 TEXT

$\underbrace{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underbracket{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underleftarrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underleftbararrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underleftrightharpoonarrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underleftarrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underleftbararrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underleftharpoonowdown{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underleftharpoonowup{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underlefthookarrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underleftrightharpoonarrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underlefttailarrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underparent{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underrightarrow{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT
$\underrightarrowbar{[\dots\frac{1}{2}\dots]}{\dots}$ 1 inherits: \setupmathstacks ^{OPT} 2 TEXT

$\underrightarrow [\dots \overset{1}{=} \dots] \{ \dots \}$ 1 inherits: $\text{\setupmathstackers}$ ^{OPT} 2 TEXT
$\underrightbararrow [\dots \overset{1}{=} \dots] \{ \dots \}$ 1 inherits: $\text{\setupmathstackers}$ ^{OPT} 2 TEXT
$\underrightharpoonowdown [\dots \overset{1}{=} \dots] \{ \dots \}$ 1 inherits: $\text{\setupmathstackers}$ ^{OPT} 2 TEXT
$\underrightharpoonoup [\dots \overset{1}{=} \dots] \{ \dots \}$ 1 inherits: $\text{\setupmathstackers}$ ^{OPT} 2 TEXT
$\underrighthookarrow [\dots \overset{1}{=} \dots] \{ \dots \}$ 1 inherits: $\text{\setupmathstackers}$ ^{OPT} 2 TEXT
$\underrighttailarrow [\dots \overset{1}{=} \dots] \{ \dots \}$ 1 inherits: $\text{\setupmathstackers}$ ^{OPT} 2 TEXT
$\undertwoheadleftarrow [\dots \overset{1}{=} \dots] \{ \dots \}$ 1 inherits: $\text{\setupmathstackers}$ ^{OPT} 2 TEXT
$\undertwoheadrightarrow [\dots \overset{1}{=} \dots] \{ \dots \}$ 1 inherits: $\text{\setupmathstackers}$ ^{OPT} 2 TEXT
$\mathundertext [\dots] \{ \dots \} \{ \dots \}$ 1 spodek ^{OPT} 2 TEXT 3 TEXT
$\text{\MATHUNDERTEXTTEXTENSIBLE} \{ \dots \} \{ \dots \}$ 1 TEXT 2 TEXT instances: <code>underbartext</code> <code>underbracetext</code> <code>underparenttext</code> <code>underbrackettext</code>
$\underbartext \{ \dots \} \{ \dots \}$ 1 TEXT 2 TEXT
$\underbracetext \{ \dots \} \{ \dots \}$ 1 TEXT 2 TEXT
$\underbrackettext \{ \dots \} \{ \dots \}$ 1 TEXT 2 TEXT
$\underparenttext \{ \dots \} \{ \dots \}$ 1 TEXT 2 TEXT
$\text{\MATHUNDER} \{ \dots \}$ * TEXT

\backslash MATHUNSTACKED instances: impliedby implies iff impliesby And
\backslash And
\backslash iff
\backslash impliedby
\backslash implies
\backslash impliesby
\backslash mathupright
\backslash mathword ¹ ... { ² ...} 1 TEXT OPT 2 TEXT
\backslash mathwordbf ¹ ... { ² ...} 1 TEXT OPT 2 TEXT
\backslash mathwordbi ¹ ... { ² ...} 1 TEXT OPT 2 TEXT
\backslash mathwordbs ¹ ... { ² ...} 1 TEXT OPT 2 TEXT
\backslash mathwordit ¹ ... { ² ...} 1 TEXT OPT 2 TEXT
\backslash mathwordsl ¹ ... { ² ...} 1 TEXT OPT 2 TEXT
\backslash mathwordtf ¹ ... { ² ...} 1 TEXT OPT 2 TEXT
\backslash math [... ¹ ... ² ...] { ² ...} 1 inherits: \backslash setupmathematics 2 CONTENT
\backslash maxaligned {...} * CONTENT
\backslash mbox {...} * CONTENT
\backslash measure {...} * NAME
\backslash measured {...} * NAME

<code>\medskip</code>
<code>\medspace</code>
$\backslash\mathrm{meritko} \left[\overset{1}{\dots} \right] \left[\dots, \dots, \overset{2}{\dots}, \dots \right] \left\{ \overset{3}{\dots} \right\}$ <ol style="list-style-type: none"> 1 NAME <small>OPT</small> 2 inherits: \setupscale 3 CONTENT
<code>\mesic {...}</code> * NUMMER
<code>\message {...}</code> * TEXT
<code>\mezera</code>
<code>\mfence ...</code> * <code>\vert \singleverticalbar \doubleverticalbar \tripleverticalbar \mvert \mVert</code>
$\backslash\mathrm{mfunction} \left[\dots, \dots, \overset{1}{\dots}, \dots \right] \left[\overset{2}{\dots} \right]$ <ol style="list-style-type: none"> 1 inherits: \setupmathfunctions 2 NAME
<code>\mfunctionlabeltext {...}</code> * NAME
$\backslash\mathrm{mfunction} \left[\dots, \dots, \overset{1}{\dots}, \dots \right] \left\{ \overset{2}{\dots} \right\}$ <ol style="list-style-type: none"> 1 inherits: \setupmathfunctions 2 NAME
<code>\mhbox {...}</code> * CONTENT
<code>\middlealigned {...}</code> * CONTENT
<code>\middlebox {...}</code> * CONTENT
$\backslash\mathrm{middleparbox} \left[\overset{1}{\dots} \right] \left\{ \overset{2}{\dots} \right\}$ <ol style="list-style-type: none"> 1 globalne <small>OPT</small> 2 CONTENT
<code>\midhbox {...}</code> * CONTENT
<code>\midsubsentence</code>
$\backslash\mathrm{minimalhbox} \overset{1}{\dots} \left\{ \overset{2}{\dots} \right\}$ <ol style="list-style-type: none"> 1 TEXT <small>OPT</small> 2 CONTENT
<code>\mixedcaps {...}</code> * TEXT
$\backslash\mathrm{mkvibuffer} \left[\overset{1}{\dots} \right]$ * BUFFER <small>OPT</small>

<code>\moduleparameter {¹..} {²..}</code> 1 FILE 2 KEY
<code>\molecule {[*]..}</code> * CONTENT
<code>\mono</code>
<code>\mononormal</code>
<code>\monotucne</code>
<code>\monthlong {[*]..}</code> * NUMMER
<code>\monthshort {[*]..}</code> * NUMMER
<code>\mplocation {[*]..}</code> * vlevo vpravo uvnitr vnejsi
<code>\mprandomnumber</code>
<code>\mrizka [...[*]...]</code> * inherits: \base ^{OPT} grid
<code>\mtext {[*]..}</code> * CONTENT
<code>\mtp {[*]..}</code> * CONTENT
<code>\m [...¹...²...]</code> 1 inherits ^{DPF} \setupmathematics 2 CONTENT
<code>\NormalizeFontHeight \¹.. {²..} {³..} {⁴..}</code> 1 CSNAME 2 TEXT 3 DIMENSION 4 FONT
<code>\NormalizeFontWidth \¹.. {²..} {³..} {⁴..}</code> 1 CSNAME 2 TEXT 3 DIMENSION 4 FONT
<code>\NormalizeTextHeight {¹..} {²..} {³..}</code> 1 FONT 2 DIMENSION 3 TEXT
<code>\NormalizeTextWidth {¹..} {²..} {³..}</code> 1 FONT 2 DIMENSION 3 TEXT

\namedheadnumber {...} * ABSCHNITT
\namedstructureheadlocation {...} * ABSCHNITT
\namedstructureuservariable {...} {...} 1 ABSCHNITT 2 KEY
\namedstructurevariable {...} {...} 1 ABSCHNITT 2 KEY
\namedtaggedlabeltexts {...} {...} {...} {...} {...} 1 NAME 2 NAME 3 NAME 4 NAME 5 CONTENT
\nastavbarvu [...] * FILE
\nastavbarvy [...,... [*] ...,...] * status = start stop spot = ano ne expanzen = ano ne faktor = ano ne rgb = ano ne cmyk = ano ne konverze = ano ne vzdy pagecolormodel = auto zadny NAME barvatextu = COLOR intent = overprint knockout zadny
\nastavbilamista [... [*] ,...] * fixuj fixne prizpusobive ^{OPT} radek pulradku quarterline zadny male stredni velke implicitni DIMENSION
\nastavblok [... ¹ ,...] [... ² ...,...] 1 NAME OPT 2 pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL alternativa = odstavec text vnitrni = BEFEHL setups = NAME zarovnani = inherits: \nastavzarovnani pismo = STYLE BEFEHL barva = COLOR
\nastavbloksekce [... ¹ ,...] [... ² ...,...] 1 NAME OPT 2 stranka = inherits: \strana pred = BEFEHL po = BEFEHL cislo = ano ne
\nastavbuffer [... ¹ ,...] [... ² ...,...] 1 BUFFER OPT 2 pred = BEFEHL po = BEFEHL strip = ano ne

`\nastavcernelinky [...,.*,...]`

```
* sirka      = max DIMENSION
vyska       = max DIMENSION
hloubka     = max DIMENSION
vzdalenost  = DIMENSION
n           = NUMMER
alternativa = a b
pismeno     = STYLE BEFEHL
barva       = COLOR
typ         = mp ano ne
mp          = NAME
shrink      = DIMENSION
natahnout   = DIMENSION
zap         = DIMENSION
vyp         = DIMENSION
```

`\nastavcislonadpisu [...]1 [...]2`

```
1 ABSCHNITT
2 [-+]NUMMER
```

`\nastavcislostrany [...,.*,...]`

```
* viewerprefix = TEXT
status         = start stop zadny drzet prazdne
inherits: \setupcounter
```

`\nastavcislovaniodstavcu [...,.*,...]`

```
* status      = start stop radek reset
vzdalenost    = DIMENSION
pismeno       = STYLE BEFEHL
barva         = COLOR
```

`\nastavcislovaniradku [...,1...] [...,.*2,...]`

```
1 NAME
2 start      = NUMMER
krok         = NUMMER
metoda       = stranka prvni dalsi
konverze     = NAME
pokracovat   = ano ne
misto        = text begin end implicitni vlevo vpravo uvnitr vnejsi ivlevo ivpravo marginalie naokraji
vzdalenost   = DIMENSION
zarovnani    = uvnitr vnejsi flushleft flushright vlevo vpravo nastred auto
prikaz       = \...#1
vlevo        = BEFEHL
vpravo       = BEFEHL
marginalie   = DIMENSION
sirka        = marginalie DIMENSION
pismeno      = STYLE BEFEHL
barva        = COLOR
```

`\nastavcislovanistran [...,.*,...]`

```
* alternativa = jednostranne dvoustranny
stranka       = inherits: \strana
strut         = ano ne
prikaz        = \...#1
vlevo         = BEFEHL
vpravo        = BEFEHL
status        = start stop
sirka         = DIMENSION
misto         = zahlavi upati vlevo nastred vpravo ivlevo ivpravo marginalie naokraji naokraji textovahrana zadny
pismeno       = STYLE BEFEHL
barva         = COLOR
```

`\nastavcitaci [...,.*,...]`

```
* inherits: \setupdelimitedtext
```

`\nastavdeleniplvoucichobjektu [...,.*,...]`

```
* pred       = BEFEHL
po           = BEFEHL
mezi         = BEFEHL
radky        = auto NUMMER
konverze     = NAME
```


\nastavdelitko [...,..^{*}...,...]

* znak = normalni siroce

\nastavdolnitexty [...¹] [...²] [...³] [...⁴] [...⁵]

1 text marginalie hrana OPT OPT OPT OPT OPT
2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

\nastaveni [...^{*}]

* NAME

\nastaveni {...^{*}}

* NAME

\nastavexterniobrazy [...,¹...] [...,²...,...]

1 NAME OPT
2 inherits: \setupexternalfigure

\nastavhorejsek [...¹] [...,²...,...]

1 text marginalie hran^{OPT}
2 status = start stop prazdne vysoko zadny normalni zadneznaceni NAME
pismeno = STYLE BEFEHL
barva = COLOR
strut = ano ne
n = NUMMER
pred = BEFEHL
po = BEFEHL
textvlevo = TEXT
strednitext = TEXT
textvpravo = TEXT
stylvlevo = STYLE BEFEHL
middlestyle = STYLE BEFEHL
stylvpravo = STYLE BEFEHL
barvavlevo = COLOR
middlecolor = COLOR
barvavpravo = COLOR
sirka = DIMENSION
sirkavlevo = DIMENSION
middlewidth = DIMENSION
sirkavpravo = DIMENSION

\nastavhornitexty [...¹] [...²] [...³] [...⁴] [...⁵]

1 text marginalie hrana OPT OPT OPT OPT OPT
2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

\nastavinterakci [...¹,...] [...²,...]

```
1 NAME OPT
2 status = start stop
  pismeno = STYLE BEFEHL
  barva = COLOR
  kontrastnibarva = COLOR
  titul = TEXT
  podtitulek = COLOR
  autor = TEXT
  datum = TEXT
  keyword = TEXT
  zaostreni = standardni ramecek sirka minsirka vyska minvyska prizpusobive tight
  menu = zap vyp
  fieldlayer = auto NAME
  pocitat = REFERENCE
  klik = ano ne
  obrazovka = normalni novy
  stranka = ano ne stranka jmeno auto
  oteвриakci = REFERENCE
  zavriakci = REFERENCE
  akceotevrenistranky = REFERENCE
  akcezavrenistranky = REFERENCE
  sadasymbolu = NAME
  vyska = DIMENSION
  hloubka = DIMENSION
  focusoffset = DIMENSION
  prefix = TEXT
```

\nastavinterakci [...]

```
* NAME OPT
```

\nastavinterakcnilistu [...¹,...] [...²,...]

```
1 NAME OPT
2 alternativa = a b c d e f g
  status = start stop
  prikaz = CSNAME
  sirka = DIMENSION
  vyska = DIMENSION max široky
  hloubka = DIMENSION max
  vzdalenost = DIMENSION
  krok = male stredni velke
  barvapozadi = COLOR
  pismeno = STYLE BEFEHL
  barva = COLOR
  kontrastnibarva = COLOR
  symbol = ano ne
  inherits: \nastavoramovani
```

\nastavinterakcnimenu [...¹,...] [...²,...]

```
1 NAME OPT
2 alternativa = vertikalne horizontalne skryte
  category = NAME
  levyoffset = prekryv ramecek zadny implicitni DIMENSION
  pravyoffset = prekryv ramecek zadny implicitni DIMENSION
  offsetvrsku = prekryv ramecek zadny implicitni DIMENSION
  offsetspodku = prekryv ramecek zadny implicitni DIMENSION
  maxsirka = DIMENSION
  maxvyska = DIMENSION
  itemalign = vlevo nastred vpravo flushleft flushright nizko vysoko nivy
  status = start prazdne lokalne
  vlevo = BEFEHL
  vpravo = BEFEHL
  vzdalenost = prekryv DIMENSION
  pred = BEFEHL
  po = BEFEHL
  mezi = BEFEHL
  position = ano ne
  stredni = BEFEHL
  pismeno = STYLE BEFEHL
  barva = COLOR
  stejnastranka = ano ne prazdne zadny normalni implicitni
  kontrastnibarva = COLOR
  inherits: \nastavoramovani
```

\nastavinterakcniobrazovku [...¹...²...]

* sirka = prizpusobive max tight DIMENSION
vyska = prizpusobive max tight DIMENSION
zpetnamezera = DIMENSION
horoffset = DIMENSION
offsethlavicky = DIMENSION
svrchnimezera = DIMENSION
volba = prizpusobive max jednostranne dvoustranny zalozka auto zadny implicitni fixne nasirku portrait
stranka papir attachment layer titul lefttoright righttoleft nomenubar
copies = NUMMER
print = LISTE
prodleva = zadny NUMMER

\nastavjazyk [...¹...] [...²...]

1 SPRACHE implicitni¹
2 implicitni = SPRACHE
status = start stop
datum = inherits: \aktualnidatum
time = inherits: \currenttime
patterns = FILE
lefthyphenmin = NUMMER
righthyphenmin = NUMMER
lefthyphenchar = NUMMER
righthyphenchar = NUMMER
setups = NAME
mezerovani = siroky zhustene
font = auto NAME
bidi = vlevo vpravo l2r r2l
text = TEXT
limittext = TEXT
hyphen = TEXT
compoundhyphen = TEXT
leftcompoundhyphen = TEXT
rightcompoundhyphen = TEXT
citovatvlevo = BEFEHL
citovatvpravo = BEFEHL
citacevlevo = BEFEHL
citacevpravo = BEFEHL
leftspeech = BEFEHL
rightspeech = BEFEHL
vetavlevo = BEFEHL
middlespeech = BEFEHL
vetavpravo = BEFEHL
midsentence = BEFEHL
podvetavlevo = BEFEHL
podvetavpravo = BEFEHL
faktor = ano ne

\nastavkapitalky [...¹...] [...²...]

1 NAME^{OPT}
2 titul = ano ne
sc = ano ne
pismo = STYLE BEFEHL

\nastavkombinovanyseznam [...¹...] [...²...]

1 LISTE
2 kriterium = lokalne uvod odkaz SECTIONBLOCK:odkaz vse SECTIONBLOCK:vse text SECTIONBLOCK:text aktualni SECTIONBLOCK:aktualni
zde predchozi SECTIONBLOCK:predchozi komponenta ABSCHNITT SECTIONBLOCK:ABSCHNITT
odkaz = NUMMER
extras = NAME
order = prikaz vse titul
alternativa = a b c d e f g vlevo vpravo vrsek spodek prikaz zadny interactive odstavec horizontalne vertikalne
NAME

\nastaveniCOMBINEDLIST [...¹...²...]

* inherits: \nastavkombinovanyseznam
instances: content

\nastavenicontent [...¹...²...]

* inherits: \nastavkombinovanyseznam

`\nastavkomentar` [\dots^1, \dots] [\dots^2, \dots]

```
1 NAME OPT
2 status = start stop zadny
  metoda = normalni skryte
  symbol = Comment Napoveda Insert Klavesa Newparagraph Note Odstavec Default
  sirka = prizpusobive DIMENSION
  vyska = prizpusobive DIMENSION
  hloubka = prizpusobive DIMENSION
  titul = TEXT
  podtitulek = TEXT
  autor = TEXT
  nx = NUMMER
  ny = NUMMER
  barva = COLOR
  volba = xml max
  textlayer = NAME
  misto = levahrana pravahrana naokraji levyokraj pravyokraj text vysoko zadny
  vzdalenost = DIMENSION
  mezera = ano
  buffer = BUFFER
```

`\nastavkomentarstrany` [\dots^*, \dots]

```
* misto = vlevo vpravo vrsek spodek zadny
  status = start stop zadny
  offset = DIMENSION
  vzdalenost = DIMENSION
  sirka = DIMENSION
  vyska = DIMENSION
```

`\nastavmarginalnilinky` [\dots^1] [\dots^2, \dots]

```
1 NUMMER OPT
2 inherits: \setupmarginrule
```

`\nastavmeziradkovoumezeru` [\dots^1, \dots] [\dots^2, \dots]

```
1 NAME OPT
2 radek = DIMENSION
  vyska = NUMMER
  hloubka = NUMMER
  minvyska = NUMMER
  mindepth = NUMMER
  vzdalenost = DIMENSION
  vrsek = NUMMER vyska
  spodek = NUMMER
  nvrsek = NUMMER
  natahnout = NUMMER
  shrink = NUMMER
```

`\nastavmeziradkovoumezeru` [\dots^*, \dots]

```
* zap vyp reset auto male stredni velke NUMMER DIMENSION
```

`\nastavmeziradkovoumezeru` [\dots^*]

```
* NAME
```

\nastavnadpis [...¹,...] [...²,...]

```

1  ABSCHNITT                                OPT
2  frontpartlabel      = NAME
   bodypartlabel       = NAME
   appendixlabel       = NAME
   backpartlabel       = NAME
   expanzen            = ano ne xml
   catcodes            = NAME
   sectionresetset     = NAME
   sectionseparatorset = NAME
   sectionconversionset = NAME
   konverze           = NAME
   sectionstarter      = BEFEHL PROCESSOR->BEFEHL
   sectionstopper      = BEFEHL PROCESSOR->BEFEHL
   sectionset          = NAME
   sectionsegments     = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                        ABSCHNITT:vse aktualni
   referenceprefix     = + - TEXT
   pismeno             = STYLE BEFEHL
   barva              = COLOR
   styltextu          = STYLE BEFEHL
   barvatextu         = COLOR
   stylciska         = STYLE BEFEHL
   barvaciska        = COLOR
   propojeni          = ABSCHNITT
   vlastniciska       = ano ne
   beforesection      = BEFEHL
   aftersection       = BEFEHL
   insidection       = BEFEHL
   zvyujiciska       = ano ne seznam prazdne
   umistihlavicku     = ano ne skryte prazdne sekce
   cislo              = ano ne
   stranka            = inherits: \strana
   znaceni            = stranka reset
   zahlati            = start stop vysoko zadny normalni prazdne zadneznamenani NAME
   text              = start stop vysoko zadny normalni prazdne zadneznamenani NAME
   upati             = start stop vysoko zadny normalni prazdne zadneznamenani NAME
   pred             = BEFEHL
   po               = BEFEHL
   mezi             = BEFEHL
   pokracovat        = ano ne
   zarovnejtitul      = ano ne plvouciobjekt
   meziradkovamezera = NAME
   interakce         = seznam odkaz
   internalgrid       = NAME
   mrizka            = normalni standardni ano striktni tolerantni vrsek spodek obe široky prizpusobive prvni
                        posledni vysoko jedna nizko zadny radek strut box min max nastred math math:radek math:pulradku
                        math:-line math:-halflin NAME
   zarovnani         = inherits: \nastavzarovnani
   tolerance         = inherits: \nastavtoleranci
   strut            = ano ne
   zaveseni         = radek široky prizpusobive zadny NUMMER
   marginalie        = DIMENSION
   odsadpristi       = ano ne auto
   alternativa       = text odstavec normalni marginalie naokraj vrsek nastred spodek reverse marginalnitext
                        NAME
   sirka            = DIMENSION
   numberwidth       = DIMENSION
   sirkatextu        = DIMENSION
   vzdalenost        = DIMENSION
   textdistance       = DIMENSION
   predchoziprikaz   = BEFEHL
   prikazpo          = BEFEHL
   prikaz            = \...#1#2
   textovyprikaz     = \...#1
   deeptextcommand   = \...#1
   ciselnyprikaz     = \...#1
   deepnumbercommand = \...#1
   misto            = NAME
   kriterium         = striktni pozitiv vse
   hidenummer        = ano ne
   extradata         = BEFEHL

```

\nastavnadpisy [...¹,...] [...²,...]

```

1  ABSCHNITT                                OPT
2  inherits: \nastavnadpis

```

\nastavodkazovani [...¹...]

```
* status = start stop
  expanzen = ano ne xml
  autofile = ano ne
  export = ano ne
  vlevo = BEFEHL
  vpravo = BEFEHL
  sirka = DIMENSION
  oboustranne = ano ne
  interakce = popis text symbol vse
  oddelovac = BEFEHL
  prefix = + - TEXT
  labelalternative = nalevyokraj napravvyokraj inoutermargin ininnermargin nalevo napravo inouteredge ininneredge
                    atleftmargin atrightmargin ivlevo ivpravo inouter ininner naokraji inother marginalnitext NAME
  labelstyle = STYLE BEFEHL
  labelcolor = COLOR
```

\nastavodsazovani [...¹...]

```
* [-+]male [-+]stredni [-+]velke zadny ne ne prvni dalsi ano vzdy nikdy liche sude normalni reset toggle DIMENSION
  NAME
```

\nastavodstavce [...¹] [...²...] [...³...]

```
1 NAME OPT OPT
2 kazdy NUMMER
3 n = NUMMER
  pred = BEFEHL
  po = BEFEHL
  sirka = DIMENSION
  vzdalenost = DIMENSION
  vyska = DIMENSION prizpusobive
  vrsek = BEFEHL
  spodek = BEFEHL
  zarovnnani = inherits: \nastavzarovnnani
  vnitrni = BEFEHL
  prikaz = BEFEHL
  linka = zap vyp
  tloustkalinky = DIMENSION
  barvalinky = COLOR
  pismeno = STYLE BEFEHL
  barva = COLOR
```

\nastavodstavce [...¹] [...²...]

```
1 NAME NAME:NUMMER OPT
2 n = NUMMER
  pred = BEFEHL
  po = BEFEHL
  sirka = DIMENSION
  vzdalenost = DIMENSION
  vyska = DIMENSION prizpusobive
  vrsek = BEFEHL
  spodek = BEFEHL
  zarovnnani = inherits: \nastavzarovnnani
  vnitrni = BEFEHL
  prikaz = BEFEHL
  linka = zap vyp
  tloustkalinky = DIMENSION
  barvalinky = COLOR
  pismeno = STYLE BEFEHL
  barva = COLOR
```

`\nastavopis` [\dots^1, \dots] [\dots^2, \dots]

```

1  NAME                      OPT
2  lichyokraj                = DIMENSION
   sudamarginalie            = DIMENSION
   marginalie                 = ano ne standardni DIMENSION
   volba                      = mp lua xml parsed-xml nested tex context zadny NAME
   pismeno                    = STYLE BEFEHL
   barva                      = COLOR
   zarovnani                  = inherits: \nastavzarovnani
   radky                      = ano ne normalni hyphenated
   mezera                     = zap vyp normalni fixne natahnout
   keepetogether              = ano ne odstavec
   pred                      = BEFEHL
   po                         = BEFEHL
   strip                      = ano ne NUMMER
   range                      = NUMMER NAME
   tab                        = ano ne NUMMER
   odstavec                   = ano ne
   escape                     = ano ne TEXT PROCESSOR->TEXT
   odsadpristi                = ano ne auto
   pokracovat                 = ano ne
   start                      = NUMMER
   stop                       = NUMMER
   krok                       = NUMMER
   cislovani                  = soubor radek ne
   prazdny                    = inherits: \preskoc
   zakladnifont                = inherits: \nastavzakladnifont

```

`\nastavoramovanetexty` [\dots^1, \dots] [\dots^2, \dots]

```

1  NAME                      OPT
2  inherits: \setupframedtext

```

\nastavoramovani [...¹,...] [...²,...]

```

1  NAME                                OPT
2  roh                                = pravouhly zaobleny NUMMER 1 r b t lr rl tb bt rt tr rb br bl lb tl lt trb rtl tlb blt ltr rtl
    rohramecku                        = pravouhly zaobleny NUMMER 1 r b t lr rl tb bt rt tr rb br bl lb tl lt trb rtl tlb blt ltr rtl
    rohpozadi                         = pravouhly zaobleny NUMMER 1 r b t lr rl tb bt rt tr rb br bl lb tl lt trb rtl tlb blt ltr rtl
    polomer                           = DIMENSION
    polomerramecku                    = DIMENSION
    polomerpozadi                     = DIMENSION
    hloubka                           = DIMENSION
    hloubkaramecku                    = DIMENSION
    hloubkapozadi                     = DIMENSION
    barvaramecku                      = COLOR
    rameceknahore                     = zap vyp male pomlcka NAME
    ramecekdole                       = zap vyp male pomlcka NAME
    ramecekvlevo                      = zap vyp male pomlcka NAME
    ramecekvpravo                     = zap vyp male pomlcka NAME
    region                            = ano ne
    tloustkalinky                     = DIMENSION
    offsetramecku                     = DIMENSION
    ramecek                           = zap vyp prekryv male pomlcka closed zadny
    pozadi                            = popredi barevne NAME
    offsetpozadi                      = ramecek DIMENSION
    barvapozadi                       = COLOR
    component                         = NAME
    extras                            = BEFEHL
    foregroundstyle                   = STYLE BEFEHL
    foregroundcolor                   = COLOR
    setups                            = NAME
    offset                            = implicitni prekryv zadny DIMENSION
    sirka                             = lokalne prizpusobive max široky fixne DIMENSION
    vyska                             = prizpusobive max široky DIMENSION
    minvyska                          = DIMENSION
    zarovnani                         = inherits: \nastavzarovnani
    strut                             = ano ne zadny lokalne globalne
    autostrut                         = ano ne
    misto                             = vyska podlehloubky vysoko nizko vrsek nastred spodek radek nivy visici drzet rovnice matematika
    autosirka                         = ano ne sila
    radky                             = NUMMER
    vrsek                             = BEFEHL
    spodek                            = BEFEHL
    prazdny                           = ano ne
    profile                           = NAME
    prazdne                           = ano ne
    loffset                           = DIMENSION
    roffset                           = DIMENSION
    toffset                           = DIMENSION
    boffset                           = DIMENSION
    orientation                       = NUMMER
    anchoring                         = normalni up down vlevo vpravo vrsek spodek NAME
    xanchor                           = DIMENSION
    yanchor                           = DIMENSION
    linedirection                     = normalni reverse
    dashstep                           = DIMENSION
    synchronize                       = ano ne text pozadi
    adaptive                          = ano delay NUMMER
    freezespacing                     = NUMMER

```

\nastavorez [...^{*},...]

```

*  status                            = start stop
    sirka                             = DIMENSION
    vyska                             = DIMENSION
    hoffset                           = DIMENSION
    voffset                           = DIMENSION
    x                                 = NUMMER
    y                                 = NUMMER
    nx                                = NUMMER
    ny                                = NUMMER
    sx                                = NUMMER
    sy                                = NUMMER
    levyoffset                         = DIMENSION
    pravyoffset                       = DIMENSION
    offsetvrsku                       = DIMENSION
    offsetspodku                      = DIMENSION
    mp                                 = NAME
    n                                  = NUMMER
    offset                            = DIMENSION

```


\nastavotoceni [...,..^{*}...,...]

* misto = prizpusobive široky podlehloubky vysoko nastred implicitni normalni
rotace = vlevo vpravo uvnitr vnejsi NUMMER
inherits: \nastavoramovani

\nastavpaletu [...]

* NAME

\nastavplvouciobjekt [...,¹...] [...,..²...,...]

1 SINGULAR OPT
2 odsadpristi = ano ne auto
implicitni = inherits: \placefloat
fallback = inherits: \placefloat
vnitrni = BEFEHL
kriterium = DIMENSION
metoda = NUMBER
sidemethod = NUMBER
textmethod = NUMBER
sidealign = vyska podlehloubky radek pulradku mrizka normalni
mrizka = inherits: \snaptogrid
lokalne = ano ne
prikaz = \...#1
availablewidth = DIMENSION
availableheight = DIMENSION
minsirka = DIMENSION
maxsirka = DIMENSION
misto = vlevo vpravo nastred flushleft flushright center max uvnitr vnejsi innermargin outermargin
inneredge outeredge zpetnamezera cutspace lev yokraj prav yokraj levahrana pravahrana
vzdalenostlevehookraje = DIMENSION
vzdalenostpravehookraje = DIMENSION
lev yokraj = DIMENSION
prav yokraj = DIMENSION
innermargin = DIMENSION
outermargin = DIMENSION
bottombefore = BEFEHL
bottomafter = BEFEHL
expanzen = ano ne xml
referenceprefix = + - TEXT
xmlsetup = NAME
catcodes = NAME
freeregion = ano ne
mezerapred = zadny inherits: \preskoc
mezeraza = zadny inherits: \preskoc
sirka = DIMENSION
vyska = DIMENSION
offset = DIMENSION zadny prekryv
bocnimezerapred = zadny inherits: \preskoc
bocnimezeraza = zadny inherits: \preskoc
spacebefore side = zadny inherits: \preskoc
spaceafterside = zadny inherits: \preskoc
sidethreshold = old dimension
marginalie = DIMENSION
nvrsek = NUMBER
nspodek = NUMBER
krok = male stredni velke radek podlehloubky
nrady = NUMBER
cache = ano ne
compress = ano ne
compressdistance = DIMENSION
inherits: \nastavoramovani

\nastavplvouciobjekty [...,¹...] [...,..²...,...]

1 SINGULAR OPT
2 inherits: \nastavplvouciobjekt

\nastavpodcislostrany [...,..^{*}...,...]

* inherits: \setupcounter

\nastavpole [...¹] [...,²...] [...,..³...,...]⁴ [...,..⁴...,...]⁵ [...,..⁵...,...]

1 NAME OPT OPT OPT OPT
2 reset popisek ramecek horizontalne vertikalne
3 inherits: \setupfieldtotalframed
4 inherits: \setupfieldlabelframed
5 inherits: \setupfieldcontentframed

\nastavpolozky [...¹,...] [...²,...]

```
1 NAME OPT
2 alternativa = vlevo vpravo vrsek spodek naokraji
  sirkatextu = DIMENSION
  sirka = DIMENSION
  vzdalenost = DIMENSION
  symbol = zadny NAME
  zarovnani = vlevo nastred vpravo flushleft flushright uvnitr vnejsi marginalie
  textalign = vlevo nastred vpravo flushleft flushright uvnitr vnejsi
  n = NUMMER
  pred = BEFEHL
  po = BEFEHL
  mezi = BEFEHL
```

\nastavpopisek [...¹,...] [...²,...]

```
1 NAME OPT
2 suffix = BEFEHL
  suffixseparator = BEFEHL
  suffixstopper = BEFEHL
  misto = vlevo vpravo nastred nizko vysoko mrizka radky prekryv uvnitr vnejsi innermargin outermargin
    levyokraj prav yokraj lefthanging righthanging zaveseni vrsek spodek natahnout tolerantni
    velmitolerantni zadny implicitni

  prikaz = \...#1
  ciselnyprikaz = \...#1
  textovyprikaz = \...#1
  mezerapred = inherits: \preskoc
  spaceinbetween = inherits: \preskoc
  mezeraza = inherits: \preskoc
  vzdalenost = DIMENSION
  stylhlavicky = STYLE BEFEHL
  barvahlavicky = COLOR
  headseparator = TEXT
  mezi = BEFEHL
  pismo = STYLE BEFEHL
  barva = COLOR
  offsetvrsku = DIMENSION
  offsetspodku = DIMENSION
  cislo = ano ne zadny
  group = TEXT
  levyokraj = DIMENSION
  prav yokraj = DIMENSION
  innermargin = DIMENSION
  outermargin = DIMENSION
  zarovnani = inherits: \nastavzarovnani
  sirka = prizpusobive max DIMENSION
  minsirka = prizpusobive DIMENSION
  maxsirka = DIMENSION
  zaveseni = ano ne
  mode = NAME
  inherits: \setupcounterinherits: \nastavoramovani
```

\nastavpopisky [...¹,...] [...²,...]

```
1 NAME OPT
2 inherits: \nastavpopisek
```

\nastavpopisy [...¹,...] [...²,...]

```
1 NAME OPT
2 inherits: \setupdescription
```

\nastavpozadi [...¹,...] [...²,...]

```
1 NAME OPT
2 status = start stop
  levyoffset = DIMENSION
  prav yoffset = DIMENSION
  offsetvrsku = DIMENSION
  offsetspodku = DIMENSION
  pred = BEFEHL
  po = BEFEHL
  inherits: \nastavoramovani
```

```

\nastavpozadi [...] [...]
1  papir stranka levestrOPTanka pravastranka text skryte
2  status = start stop opakovat
   offset = DIMENSION
   hloubka = DIMENSION
   inherits: \nastavoramovani

```

```

\nastavpoznampakypodcarou [...]
*  inherits: \setupnote

```

```

\nastavprechodstrany [...]
*  reset auto start nahodny NUMMER

```

```

\nastavpreskok [...]
*  inherits: \preskocOPT

```

```

\nastavprogramy [...]
*  pismeno = STYLE BEFEHL
   barva   = COLOR

```

```

\nastavprostredizakladnihofontu [...] [...] [...]
1  NAMEOPT
2  implicitni DIMENSION
3  inherits: \definujprostredizakladnihofontu

```

```

\nastavradkovani [...]
*  fixne zhustene sirokyOPT

```

```

\nastavradky [...] [...]
1  NAMEOPT
2  volba = zhustene
   pred  = BEFEHL
   po     = BEFEHL
   mezi   = BEFEHL
   odsazovani = inherits: \nastavodsazovani
   zarovnnani = inherits: \nastavzarovnnani
   mezera   = ano zap vyp fixne implicitni
   prikaz   = BEFEHL
   pismeno  = STYLE BEFEHL
   barva    = COLOR
   vlevo    = BEFEHL
   vpravo   = BEFEHL
   indentlist = DIMENSION *
   keptogether = odstavec

```

```

\nastavrejstrik [...] [...]
1 NAME NAME:NUMMER OPT
2 referencemethod = vpred
  expanzen = ano ne xml
  vlastnicislo = ano ne
  xmlsetup = NAME
  alternativa = a b A B
  metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
  compress = ano ne vse zhustene text
  check = ano ne
  kriterium = lokalne text aktualni predchozi vse ABSCHNITT
  pageprefixseparatorset = BEFEHL
  pageprefixconversionset = NAME
  pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
  pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
  pageprefixset = NAME
  pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                        ABSCHNITT:vse aktualni
  pageprefixconnector = BEFEHL
  pageprefix = ano ne
  pageseparatorset = NAME
  pageconversionset = NAME
  pagestarter = BEFEHL PROCESSOR->BEFEHL
  pagestopper = BEFEHL PROCESSOR->BEFEHL
  pagesegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse
  maxsirka = DIMENSION
  indikator = ano ne
  pred = BEFEHL
  po = BEFEHL
  prikaz = \...#1
  textovyprikaz = \...#1
  deeptextcommand = \...#1
  strankovyprikaz = \...#1
  vzdalenost = DIMENSION
  interakce = text cislostranky
  cislostranky = ano ne
  symbol = a n zadny 1 2 BEFEHL
  language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
  pismo = STYLE BEFEHL
  barva = COLOR
  styltextu = STYLE BEFEHL
  barvatextu = COLOR
  stylstranky = STYLE BEFEHL
  barvastranky = COLOR
  pageleft = BEFEHL
  pageright = BEFEHL
  n = NUMMER
  rovnovaha = ano ne
  zarovnani = inherits: \nastavzarovnani
  numberorder = cisla
  pagemethod = stranka sekce

```

```

\nastavrejstrik [...] [...] [...]
1 NAME OPT OPT
2 NUMMER
3 referencemethod = vpred
  expanzen = ano ne xml
  vlastnicislo = ano ne
  xmlsetup = NAME
  alternativa = a b A B
  metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
  compress = ano ne vse zhustene text
  check = ano ne
  kriterium = lokalne text aktualni predchozi vse ABSCHNITT
  pageprefixseparatorset = BEFEHL
  pageprefixconversionset = NAME
  pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
  pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
  pageprefixset = NAME
  pageprefixsegments = NUMBER NUMBER:NUMMER NUMBER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                        ABSCHNITT:vse aktualni
  pageprefixconnector = BEFEHL
  pageprefix = ano ne
  pageseparatorset = NAME
  pageconversionset = NAME
  pagestarter = BEFEHL PROCESSOR->BEFEHL
  pagestopper = BEFEHL PROCESSOR->BEFEHL
  pagesegments = NUMBER NUMBER:NUMMER NUMBER:* NUMMER:vse
  maxsirka = DIMENSION
  indikator = ano ne
  pred = BEFEHL
  po = BEFEHL
  prikaz = \...#1
  textovyprikaz = \...#1
  deeptextcommand = \...#1
  strankovyprikaz = \...#1
  vzdalenost = DIMENSION
  interakce = text cislostranky
  cislostranky = ano ne
  symbol = a n zadny 1 2 BEFEHL
  language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scن SPRACHE
  pismeno = STYLE BEFEHL
  barva = COLOR
  styltextu = STYLE BEFEHL
  barvatextu = COLOR
  stylstranky = STYLE BEFEHL
  barvastranky = COLOR
  pageleft = BEFEHL
  pageright = BEFEHL
  n = NUMBER
  rovnovaha = ano ne
  zarovnani = inherits: \nastavzarovnani
  numberorder = cisla
  pagemethod = stranka sekce

```

```

\nastaveniREGISTER [...,1...] [...,2...,...]
1  NUMMER                                OPT
2  referencemethod                      = vpred
   expanzen                             = ano ne xml
   vlastnicislo                         = ano ne
   xmlsetup                             = NAME
   alternativa                         = a b A B
   metoda                               = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
   compress                             = ano ne vse zhustene text
   check                                = ano ne
   kriterium                            = lokalne text aktualni predchozi vse ABSCHNITT
   pageprefixseparatorset               = BEFEHL
   pageprefixconversionset              = NAME
   pageprefixstarter                    = BEFEHL PROCESSOR->BEFEHL
   pageprefixstopper                    = BEFEHL PROCESSOR->BEFEHL
   pageprefixset                        = NAME
   pageprefixsegments                  = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                                       ABSCHNITT:vse aktualni
   pageprefixconnector                  = BEFEHL
   pageprefix                           = ano ne
   pageseparatorset                     = NAME
   pageconversionset                    = NAME
   pagestarter                          = BEFEHL PROCESSOR->BEFEHL
   pagestopper                          = BEFEHL PROCESSOR->BEFEHL
   pagesegments                         = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse
   maxsirka                             = DIMENSION
   indikator                            = ano ne
   pred                                 = BEFEHL
   po                                    = BEFEHL
   prikaz                               = \...#1
   textovyprikaz                        = \...#1
   deeptextcommand                      = \...#1
   strankovyprikaz                      = \...#1
   vzdalenost                           = DIMENSION
   interakce                            = text cislostranky
   cislostranky                         = ano ne
   symbol                                = a n zadny 1 2 BEFEHL
   language                             = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
   pismo                                = STYLE BEFEHL
   barva                                = COLOR
   styltextu                            = STYLE BEFEHL
   barvatextu                           = COLOR
   stylstranky                          = STYLE BEFEHL
   barvastranky                         = COLOR
   pageleft                             = BEFEHL
   pageright                            = BEFEHL
   n                                     = NUMMER
   rovnovaha                            = ano ne
   zarovnani                            = inherits: \nastavzarovnani
   numberorder                          = cisla
   pagemethod                           = stranka sekce

instances: index

```

```

\nastaveniindex [...] 1 [...] 2 [...]
1  NUMMER OPT
2  referencemethod = vpred
   expanzen        = ano ne xml
   vlastnicislo     = ano ne
   xmlsetup         = NAME
   alternativa      = a b A B
   metoda           = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
   compress         = ano ne vse zhustene text
   check            = ano ne
   kriterium        = lokalne text aktualni predchozi vse ABSCHNITT
   pageprefixseparatorset = BEFEHL
   pageprefixconversionset = NAME
   pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
   pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
   pageprefixset     = NAME
   pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                        ABSCHNITT:vse aktualni
   pageprefixconnector = BEFEHL
   pageprefix        = ano ne
   pageseparatorset  = NAME
   pageconversionset  = NAME
   pagestarter        = BEFEHL PROCESSOR->BEFEHL
   pagestopper        = BEFEHL PROCESSOR->BEFEHL
   pagesegments       = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse
   maxsirka           = DIMENSION
   indikator          = ano ne
   pred               = BEFEHL
   po                  = BEFEHL
   prikaz              = \...#1
   textovyprikaz       = \...#1
   deeptextcommand     = \...#1
   strankovyprikaz     = \...#1
   vzdalenost          = DIMENSION
   interakce           = text cislostranky
   cislostranky        = ano ne
   symbol              = a n zadny 1 2 BEFEHL
   language            = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
   pismo               = STYLE BEFEHL
   barva               = COLOR
   styltextu           = STYLE BEFEHL
   barvatextu          = COLOR
   stylstranky         = STYLE BEFEHL
   barvastranky        = COLOR
   pageleft            = BEFEHL
   pageright           = BEFEHL
   n                   = NUMMER
   rovnovaha           = ano ne
   zarovnani           = inherits: \nastavzarovnani
   numberorder         = cisla
   pagemethod          = stranka sekce

```

\nastavrovnice [...¹,...] [...²,...]

```

1  NAME
2  misto                = vlevo vpravo atleftmargin atrightmargin
    zarovnani           = vlevo nastred vpravo flushleft flushright sklonene
    split               = ano ne radek NAME
    strut               = ano ne
    numberstrut          = ano ne vzdy
    vlevo               = BEFEHL
    vpravo               = BEFEHL
    mezerapred           = zadny inherits: \preskoc
    mezeraza            = zadny inherits: \preskoc
    spaceinbetween      = inherits: \nastavbilamista
    ciselnyprkaz        = \...#1
    stylciska           = STYLE BEFEHL
    barvaciska          = COLOR
    volba               = zhustene tight nastred podlehloubky radek pulradku -radek -pulradku ramecek male
                        DIMENSION
    marginalie          = ano ne standardni DIMENSION
    levyokraj           = ano ne standardni DIMENSION
    pravyokraj          = ano ne standardni DIMENSION
    vzdalenostokraje    = cislo DIMENSION
    vzdalenostlevehookraje = cislo DIMENSION
    rightmargidistance  = cislo DIMENSION
    alternativa        = implicitni single multi NAME
    odsadpristi         = ano ne auto
    mrizka              = inherits: \suptogrid
    referenceprefix     = + - TEXT
    numberthreshold     = DIMENSION
    order               = reverse
    numberlocation      = prekryv
    numbermethod        = down
    textmargin          = DIMENSION
    penalties           = NAME
    meziradkovamezera   = DIMENSION
    textdistance        = DIMENSION
    splitmethod         = prvni posledni obe
    setups              = NAME
    snap                = ano ne
    snapstep            = reset male stredni velke radek
    zakladnifont        = inherits: \nastavzakladnifont
    pismo               = STYLE BEFEHL
    barva               = COLOR
    functionstyle        = STYLE BEFEHL
    functioncolor        = COLOR
    sirka               = DIMENSION
    numberdistance      = DIMENSION
    inherits: \setupcounter

```

\nastavsadusymbolu [...]

* NAME

\nastavseznam [...¹,...] [...²,...]

```

1 LISTE
2 status = start stop
misto = zadny zde
typ = simple prikaz userdata
kriterium = lokalne uvod odkaz SECTIONBLOCK:odkaz vse SECTIONBLOCK:vse text SECTIONBLOCK:text
aktualni SECTIONBLOCK:aktualni zde predchozi SECTIONBLOCK:predchozi komponenta ABSCHNITT
SECTIONBLOCK:ABSCHNITT

seznam = NAME
sirka = prizpusobive siroky DIMENSION
vyska = prizpusobive siroky DIMENSION
hloubka = prizpusobive siroky DIMENSION
symbol = jedna dve tri zadny implicitni
popisek = ano ne zadny NAME
starter = BEFEHL
predel = BEFEHL
prikaz = \...#1#2#3
ciselnyprikaz = \...#1
textovyprikaz = \...#1
strankovyprikaz = \...#1
cislostranky = ano ne vzdy realpage
cislonadpisu = ano ne vzdy
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
marginalie = zadny DIMENSION
vzdalenost = zadny DIMENSION
zarovnejtitul = ano ne
numberalign = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
zarovnnani = inherits: \nastavzarovnnani
zaveseni = ano ne
vlevo = BEFEHL
vpravo = BEFEHL
interakce = ano ne vse cislo text titul stranka cislooddilu cislostranky
limittext = ano ne TEXT
pismeno = STYLE BEFEHL
barva = COLOR
stylcisla = STYLE BEFEHL
barvacisla = COLOR
styltextu = STYLE BEFEHL
barvatextu = COLOR
stylstranky = STYLE BEFEHL
barvastranky = COLOR
odkaz = NUMMER
extras = NAME
order = prikaz vse titul
urovne = NUMMER
alternativa = a b c d e f g vlevo vpravo vrsek spodek prikaz zadny interactive odstavec horizontalne
vertikalne NAME

maxsirka = DIMENSION
pageprefix = ano ne
pageprefixseparatorset = NAME
pageprefixconversionset = NAME
pageprefixset = NAME
pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:vse aktualni
pageprefixconnector = BEFEHL PROCESSOR->BEFEHL
pageconversionset = NAME
pagestarter = BEFEHL PROCESSOR->BEFEHL
pagestopper = BEFEHL PROCESSOR->BEFEHL
inherits: \setupcounterinherits: \nastavoramovani

```

\nastavsirkucary [...]

* male stredni velke DIMENSION

\nastavsloupce [...^{*},...]

* inherits: \setupmixedcolumns

\nastavspodek [$\overset{1}{\dots}$] [$\dots,\dots\overset{2}{=}\dots,\dots$]

```

1 text marginalie hr̂ňaOPT
2 status      = start stop prazdne vysoko zadny normalni zadneznamení NAME
pismo        = STYLE BEFEHL
barva        = COLOR
strut        = ano ne
n            = NUMMER
pred         = BEFEHL
po           = BEFEHL
textvlevo    = TEXT
strednitext  = TEXT
textvpravo   = TEXT
stylvlevo    = STYLE BEFEHL
middlestyle  = STYLE BEFEHL
stylvpravo   = STYLE BEFEHL
barvavlevo   = COLOR
middlecolor  = COLOR
barvavpravo  = COLOR
sirka        = DIMENSION
sirkavlevo   = DIMENSION
middlewidth  = DIMENSION
sirkavpravo  = DIMENSION

```

\nastavsynonyma [$\dots,\overset{1}{\dots}$] [$\dots,\dots\overset{2}{=}\dots,\dots$]

```

1 SINGULAROPT
2 expanzen    = ano ne xml
alternativa  = první poslední normalní NAME
dalsi        = BEFEHL
prikaz       = \...#1#2#3
textovyprikaz = \...#1
synonymcommand = \...#1
language     = implicitní DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scñ SPRACHE
metoda       = implicitní pred po první poslední ch mm zm pm mc zc pc uc
kriterium    = aktuální předchozí lokálně text vše ABSCHNITT
pismo        = STYLE BEFEHL
barva        = COLOR
styltextu    = STYLE BEFEHL
barvatextu   = COLOR
stylsynonyma = STYLE BEFEHL
barvasynonyma = COLOR
vlevo        = BEFEHL
vpravo       = BEFEHL
pred         = BEFEHL
po           = BEFEHL
mezi         = BEFEHL
hyphens      = ano ne

```

\nastavsystem [$\dots,\dots\overset{*}{=}\dots,\dots$]

* n = NUMMER

\nastavtabelaci [¹...] [²...] [³...,...]

```

1 NAME OPT OPT
2 NAME
3 formatovat = TEMPLATE zadny
  pred = BEFEHL
  po = BEFEHL
  vzdalenost = male stredni velke zadny prazdny podlehloubky mrizka DIMENSION
  prazdny = nastaveni stejnastranka max sila enable zablockovat zadnabila zhustene zpet prekryv vzdy weak
    strong implicitni pred mezi po fixne prizpusobive zadny male stredni velke radek pulradku
    quarterline rovnice bily vyska podlehloubky standardni NUMMER*male NUMMER*stredni NUMMER*velke
    NUMMER*radek NUMMER*pulradku NUMMER*quarterline NUMMER*rovnice NUMMER*bily NUMMER*vyska
    NUMMER*podlehloubky category:NUMMER order:NUMMER penalty:NUMMER DIMENSION NAME
  stylhlavicky = STYLE BEFEHL
  barvahlavicky = COLOR
  pozadi = NAME
  barvapoziadi = COLOR
  foregroundstyle = STYLE BEFEHL
  foregroundcolor = COLOR
  zarovnani = vlevo nastred vpravo dimension
  linka = radek normalni
  barvalinky = COLOR
  tloustkalinky = DIMENSION
  zakladnifont = inherits: \nastavzakladnifont
  odsazovani = ano ne
  split = ano ne opakovat auto
  jednotka = DIMENSION
  marginalie = DIMENSION
  vnitřni = BEFEHL
  EQ = BEFEHL
  zahlavi = ano opakovat text
  ramecek = zap vyp
  titul = TEXT
  keptogether = ano ne

```

\nastavtabulky [...,*=...,...]

```

* sirkatextu = DIMENSION max
  split = ano ne opakovat auto
  ramecek = zap vyp
  NL = inherits: \preskoc
  VL = male stredni velke zadny NUMMER
  HL = male stredni velke zadny NUMMER
  vzdalenost = male stredni velke zadny
  zarovnani = vlevo nastred vpravo
  prikazy = BEFEHL
  zakladnifont = inherits: \nastavzakladnifont
  tloustkalinky = DIMENSION
  vyska = strut NUMMER
  hloubka = strut NUMMER
  openup = DIMENSION

```

\nastavtenkelinky [...,*=...,...]

```

* vyska = max DIMENSION
  hloubka = max DIMENSION
  pozadi = barevne
  ramecek = zap vyp
  tloustkalinky = DIMENSION
  alternativa = a b c zadny
  barvapoziadi = COLOR
  barva = COLOR
  meziradkovamezera = male stredni velke NUMMER
  pred = BEFEHL
  po = BEFEHL
  mezi = BEFEHL
  n = NUMMER
  zap = DIMENSION
  vyp = DIMENSION

```

`\nastavtext` [¹...] [²...,...]

```
1 text marginalieOPTtrana
2 status      = start stop prazdne vysoko zadny normalni zadneznaceni NAME
  pismeno     = STYLE BEFEHL
  barva       = COLOR
  strut       = ano ne
  n           = NUMMER
  pred        = BEFEHL
  po          = BEFEHL
  textvlevo   = TEXT
  strednitext = TEXT
  textvpravo  = TEXT
  stylvlevo   = STYLE BEFEHL
  middlestyle = STYLE BEFEHL
  stylvpravo  = STYLE BEFEHL
  barvavlevo  = COLOR
  middlecolor = COLOR
  barvavpravo = COLOR
  sirka       = DIMENSION
  sirkavlevo  = DIMENSION
  middlewidth = DIMENSION
  sirkavpravo = DIMENSION
```

`\nastavtextovelinky` [¹...,...]

```
* pred        = BEFEHL
  po          = BEFEHL
  mezi        = BEFEHL
  tloustkalinky = DIMENSION
  misto        = vlevo naokraji
  pismeno     = STYLE BEFEHL
  barva       = COLOR
  barvalinky  = COLOR
  sirka       = DIMENSION
  vyska       = DIMENSION
  vzdalenost  = DIMENSION
  korekcehloubky = zap vyp
  zakladnifont = inherits: \nastavzakladnifont
  zap         = DIMENSION
  vyp         = DIMENSION
```

`\nastaveniLABELtext` [¹...] [²...,...]

```
1 SPRACHEOPT
2 KEY = VALUE
instances: head label mathlabel taglabel unit operator prefix suffix btxlabel
```

`\nastavenibtxlabeltext` [¹...] [²...,...]

```
1 SPRACHEOPT
2 KEY = VALUE
```

`\nastaveniheadtext` [¹...] [²...,...]

```
1 SPRACHEOPT
2 KEY = VALUE
```

`\nastavenilabeltext` [¹...] [²...,...]

```
1 SPRACHEOPT
2 KEY = VALUE
```

`\nastavenimathlabeltext` [¹...] [²...,...]

```
1 SPRACHEOPT
2 KEY = VALUE
```

`\nastavenioperatortext` [¹...] [²...,...]

```
1 SPRACHEOPT
2 KEY = VALUE
```

`\nastaveniprefixtext` [¹...] [²...,...]

```
1 SPRACHEOPT
2 KEY = VALUE
```

\nastavenisuffixtext [...] [...] ²

- 1 SPRACHE
- 2 KEY = VALUE

\nastavenitaglabeltext [...] [...] ²

- 1 SPRACHE
- 2 KEY = VALUE

\nastaveniunittext [...] [...] ²

- 1 SPRACHE
- 2 KEY = VALUE

\nastavtexttxty [...] ¹ [...] ² [...] ³ [...] ⁴ [...] ⁵

- 1 text marginalie hrana ^{OPT} ^{OPT} ^{OPT} ^{OPT} ^{OPT}
- 2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

\nastavtextyupati [...] ¹ [...] ² [...] ³ [...] ⁴ [...] ⁵

- 1 text marginalie hrana ^{OPT} ^{OPT} ^{OPT} ^{OPT} ^{OPT}
- 2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

\nastavtextyzahlavi [...] ¹ [...] ² [...] ³ [...] ⁴ [...] ⁵

- 1 text marginalie hrana ^{OPT} ^{OPT} ^{OPT} ^{OPT} ^{OPT}
- 2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

\nastavtoleranci [...] ^{*} [...]

* horizontalne vertikalne velmistriktni striktni tolerantni velmitolerantni mezera natahnout

\nastavtrideni [...] ¹ [...] [...] ²

- 1 SINGULAR ^{OPT}
- 2 expanzen = ano ne xml
- alternativa = prvni posledni normalni NAME
- dalsi = BEFEHL
- prikaz = \...#1#2#3
- textovyprikaz = \...#1
- synonymcommand = \...#1
- language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
- metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
- kriterium = aktualni predchozi lokalne text vse ABSCHNITT
- pismeno = STYLE BEFEHL
- barva = COLOR
- styltextu = STYLE BEFEHL
- barvatextu = COLOR
- stilsynonyma = STYLE BEFEHL
- barvasynonyma = COLOR
- pred = BEFEHL
- po = BEFEHL

\nastavtype [...] ¹ [...] [...] ²

- 1 NAME ^{OPT}
- 2 volba = mp lua xml parsed-xml nested tex context zadny NAME
- prikaz = CSNAME
- vlevo = BEFEHL
- vpravo = BEFEHL
- tab = ano ne NUMMER
- compact = absolutni posledni vse
- escape = ano ne TEXT PROCESSOR->TEXT
- pismeno = STYLE BEFEHL
- barva = COLOR
- radky = ano ne normalni hyphenated
- mezera = zap vyp normalni fixne natahnout
- setups = NAME

\nastavumisteniprotejsku [...,*...,...]

* status = start stop
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL

\nastavumistovani [...,¹...] [...,*²...,...]

1 NAME OPT
2 offset = ano ne
jednotka = ex em pt in cm mm sp bp pc dd cc nc
status = start prekryv
xoffset = DIMENSION
yoffset = DIMENSION
xkrok = absolutni relativni
ykrok = absolutni relativni
xmeritko = NUMMER
ymeritko = NUMMER
xfaktor = NUMMER
yfaktor = NUMMER
faktor = NUMMER
meritko = NUMMER

\nastavupati [...,¹] [...,*²...,...]

1 text marginalie OPTana
2 status = start stop prazdne vysoko zadny normalni zadneznamenani NAME
pismo = STYLE BEFEHL
barva = COLOR
strut = ano ne
n = NUMMER
pred = BEFEHL
po = BEFEHL
textvlevo = TEXT
strednitext = TEXT
textvpravo = TEXT
stylvlevo = STYLE BEFEHL
middlestyle = STYLE BEFEHL
stylvpravo = STYLE BEFEHL
barvavlevo = COLOR
middlecolor = COLOR
barvavpravo = COLOR
sirka = DIMENSION
sirkavlevo = DIMENSION
middlewidth = DIMENSION
sirkavpravo = DIMENSION

\nastavupravu [...,¹...] [...,*²...,...]

1 NAME OPT
2 stranka = inherits: \strana
prikaz = BEFEHL
sirka = DIMENSION
vyska = DIMENSION
zarovnnani = inherits: \nastavzarovnnani
setups = NAME
vrsek = BEFEHL
spodek = BEFEHL
pred = BEFEHL
po = BEFEHL
misto = vrsek
odkaz = REFERENCE
pagestate = start stop
statuszahlavi = start stop vysoko prazdne zadny normalni
statusupati = start stop vysoko prazdne zadny normalni
statusvrsku = start stop vysoko prazdne zadny normalni
statusspodku = start stop vysoko prazdne zadny normalni
statustextu = start stop vysoko prazdne zadny normalni
oboustranne = ano ne prazdne
pismo = STYLE BEFEHL
barva = COLOR

\nastavurl [...,*...,...]

* pismo = STYLE BEFEHL
barva = COLOR

\nastavusporadani [...,*,...]

* zablokovat zrcadleno dvoustranny negativ 90 180 270 reset pozadi normalni 2*16 2*8 2*4 2*2 2**2 2SIDE 2TOP 2UP
2DOWN 2*4*2 2*2*4 2TOPSIDE 2*8*Z 2*6*Z 1*8 1*4 3SIDE TRYPTICHON ZFLYER-8 ZFLYER-10 ZFLYER-12 MAPFLYER-12 DOUBLEWINDOW
1*2-Conference 1*4-Conference 2*2*2 2*2*3 XY NAME

\nastavvelikostpapiru [...¹] [...,...²,...]

1 NAME OPT
2 vrsek = BEFEHL
spodek = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
metoda = normalni zadny NAME
meritko = NUMMER
nx = NUMMER
ny = NUMMER
dx = DIMENSION
dy = DIMENSION
sirka = DIMENSION
vyska = DIMENSION
svrchnimezera = DIMENSION
zpetnamezera = DIMENSION
offset = DIMENSION
stranka = reset nasirku zrcadleno negativ otoceno 90 180 270 NAME
papir = reset nasirku zrcadleno negativ otoceno 90 180 270 NAME
volba = prizpusobive max
vzdalenost = DIMENSION

\nastavvelikostpapiru [...¹,...] [...,...²,...]

1 reset nasirku zrcadleno negativ otoceno 90 180 270 NAME
2 reset nasirku zrcadleno negativ otoceno 90 180 270 NAME

\nastavvsechnapole [...¹,...] [...,...²,...] [...,...³,...] [...,...⁴,...]

1 reset popiscek ramecek horizontalne vertikálne OPT
2 inherits: \setupfieldtotalframed
3 inherits: \setupfieldlabelframed
4 inherits: \setupfieldcontentframed

\nastavvycty [...¹,...] [...,...²,...]

1 NAME OPT
2 inherits: \setupenumeration

\nastavvyplnovelinky [...,...^{*},...]

* pred = BEFEHL
po = BEFEHL
n = NUMMER
meziradkovamezera = male stredni velke NUMMER
vzdalenost = DIMENSION
sirka = prizpusobive siroky DIMENSION
oddelovac = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR

\nastavvyplnoveradky [...,...^{*},...]

* pred = BEFEHL
po = BEFEHL
marginalie = DIMENSION
sirka = DIMENSION
vzdalenost = DIMENSION
tloustkalinky = DIMENSION
barva = COLOR

\nastavvystup [...]

* implicitni pdf lua json js mps zadny prazdne

\nastavvzhled [¹...] [²...,...]

1	NAME	OPT	
2	status		= start stop normalni opakovat
	marginalie		= DIMENSION
	hrana		= DIMENSION
	vzdalenostokraje		= DIMENSION
	vzdalenosthrany		= DIMENSION
	vzdalenostlevehrany		= DIMENSION
	vzdalenostpravehrany		= DIMENSION
	vzdalenostlevehookraje		= DIMENSION
	vzdalenostpravehookraje		= DIMENSION
	vzdalenostvrsku		= DIMENSION
	vzdalenostzahlavi		= DIMENSION
	vzdalenostupati		= DIMENSION
	vzdalenostspodku		= DIMENSION
	prednastaveni		= NAME
	levyokraj		= DIMENSION
	pravyokraj		= DIMENSION
	levahrana		= DIMENSION
	pravahrana		= DIMENSION
	zahlavi		= DIMENSION
	upati		= DIMENSION
	vrsek		= DIMENSION
	spodek		= DIMENSION
	zpetnamezera		= DIMENSION
	svrchnimezera		= DIMENSION
	setups		= NAME
	cutspace		= DIMENSION
	sirka		= DIMENSION nastred prizpusobive
	bottomspace		= DIMENSION
	radky		= NUMMER
	vyska		= DIMENSION nastred prizpusobive
	horoffset		= DIMENSION
	offsethlavicky		= DIMENSION
	sloupce		= NUMMER
	vzdalenostsloupce		= DIMENSION
	metoda		= implicitni normalni NAME
	misto		= vlevo nastred vpravo vrsek spodek jednostranne dvoustranne
	sirkatextu		= DIMENSION
	vyskatextu		= DIMENSION
	nx		= NUMMER
	ny		= NUMMER
	dx		= DIMENSION
	dy		= DIMENSION
	meritko		= NUMMER
	sx		= NUMMER
	sy		= NUMMER
	znaceni		= zap vyp stranka prazdne barevne jedna dve ctyri
	mrizka		= ano ne vyp
	textdistance		= DIMENSION
	alternativa		= implicitni normalni zlom NAME
	clipoffset		= DIMENSION
	cropoffset		= DIMENSION auto
	trimoffset		= DIMENSION
	bleedoffset		= DIMENSION
	artoffset		= DIMENSION
	smer		= normalni reverse
	limitstretch		= ano auto DIMENSION
	vz		= ano NUMMER
	adaptive		= DIMENSION

\nastavvzhled [...]

* reset NAME

\nastavzhlavi [¹...] [²...,...]

1 text marginalie hr^{PT}ä
2 status = start stop prazdne vysoko zadny normalni zadneznamení NAME
pismo = STYLE BEFEHL
barva = COLOR
strut = ano ne
n = NUMMER
pred = BEFEHL
po = BEFEHL
textvlevo = TEXT
strednitext = TEXT
textvpravo = TEXT
stylvlevo = STYLE BEFEHL
middlestyle = STYLE BEFEHL
stylvpravo = STYLE BEFEHL
barvavlevo = COLOR
middlecolor = COLOR
barvavpravo = COLOR
sirka = DIMENSION
sirkavlevo = DIMENSION
middlewidth = DIMENSION
sirkavpravo = DIMENSION

\nastavzakladnifont [...*,...]

* DIMENSION NAME globalne reset^{PT} x xx male velke script scriptscript rm ss tt hw cg antikva serif pravidelne sans bezserifu podpora opis strojopis mono rukopisne kaligraficke

\nastavzarovnani [...*,...]

* široky siroce spodek vyska podlehloubky radek vysoko nizko nivy flushright flushleft nastred ano ne sirka normalni reset uvnitr vnejsi flushinner flushouter vlevo vpravo center zablockovat posledni end odstavec lefttoright righttoleft l2r r2l tabulka lesshyphenation morehyphenation visici hangingboth nothanging hz fullhz nohz hyphenated nothyphenated collapsed notcollapsed explicit tolerantni velmitolerantni natahnout extremestretch finalni 1*final 2*final 3*final 4*final more 1*more 2*more hangleft hangright flushforward flushbackward vzdy profile prizpusobive granular

\nastavznaceni [...¹,...] [...²,...]

1 BESCHRIFTUNG ^{OPT}
2 status = start stop
expanden = ano ne
oddelovac = BEFEHL
filtercommand = \...#1

\nastavzuzeni [...¹,...] [...²,...]

1 NAME ^{OPT}
2 vlevo = DIMENSION
stredni = DIMENSION
vpravo = DIMENSION
implicitni = [-+]vlevo [-+]nastred [-+]vpravo NUMMER*vlevo NUMMER*nastred NUMMER*vpravo reset
pred = BEFEHL
po = BEFEHL

\nastrane [...*]

* REFERENCE

\nastred [...*]

* CHARACTER

\naturalhbox ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

\naturalhpack ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

\naturaltpack ¹... {²...}

1 TEXT ^{OPT}
2 CONTENT

$\backslash\text{naturalvbox}$ $\overset{1}{\dots}$ $\{.\overset{2}{\dots}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{naturalvcenter}$ $\overset{1}{\dots}$ $\{.\overset{2}{\dots}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{naturalvpack}$ $\overset{1}{\dots}$ $\{.\overset{2}{\dots}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{naturalvtop}$ $\overset{1}{\dots}$ $\{.\overset{2}{\dots}\}$ 1 TEXT OPT 2 CONTENT
$\backslash\text{naturalwd}$ $\overset{*}{\dots}$ * CSNAME NUMBER
$\backslash\text{negatecolorbox}$ $\overset{*}{\dots}$ * CSNAME NUMBER
$\backslash\text{negated}$ $\{.\overset{*}{\dots}\}$ * TEXT
$\backslash\text{negemspace}$
$\backslash\text{negenspace}$
$\backslash\text{negthinspace}$
$\backslash\text{nejakyradek}$ $[\overset{*}{\dots}]$ * REFERENCE
$\backslash\text{nekde}$ $\{.\overset{1}{\dots}\}$ $\{.\overset{2}{\dots}\}$ $[\overset{3}{\dots}]$ 1 TEXT 2 TEXT 3 REFERENCE
$\backslash\text{newattribute}$ $\backslash.\overset{*}{\dots}$ * CSNAME
$\backslash\text{newcatcodetable}$ $\backslash.\overset{*}{\dots}$ * CSNAME
$\backslash\text{newcounter}$ $\backslash.\overset{*}{\dots}$ * CSNAME
$\backslash\text{newevery}$ $\backslash.\overset{1}{\dots}$ $\backslash.\overset{2}{\dots}$ 1 CSNAME 2 CSNAME
$\backslash\text{newfrenchspacing}$
$\backslash\text{newluatable}$ $\backslash.\overset{*}{\dots}$ * CSNAME

\newmode {...} * NAME
\newrepeatablerandom \ ¹ ... {\ ² ...} 1 CSNAME 2 NUMMER
\newsignal *... * CSNAME
\newsystemmode {...} * NAME
\nextbox
\nextboxdp
\nextboxht
\nextboxhtdp
\nextboxwd
\nextcounter [...] ¹ [...] ² 1 NAME OPT 2 NUMMER
\nextcountervalue [...] * NAME
\nextdepth
\nextparagraphs
\dalsiPARAGRAPHS
\nextrealpage
\nextrealpagenumber
\nextsubcountervalue [...] ¹ [...] ² 1 NAME 2 NUMMER
\nextsubpagenumber
\nextuserpage
\nextuserpagenumber
\neznamo
\nivy [...] ¹ {\ ² ...} {\ ³ ...} 1 vlevo vpravo 2 CONTENT 3 CONTENT

<code>\nizky {...}</code> * CONTENT
<code>\LOW {...}</code> * CONTENT instances: unitslow
<code>\unitslow {...}</code> * CONTENT
<code>\nobar {...}</code> * CONTENT
<code>\nocasing {...}</code> * CONTENT
<code>\nocitation [...]</code> * REFERENCE
<code>\nocitation {...}</code> * REFERENCE
<code>\nocite [...]</code> * REFERENCE
<code>\nocite {...}</code> * REFERENCE
<code>\nodepthstrut</code>
<code>\nodetostring \¹... {²...}</code> 1 CSNAME 2 CONTENT
<code>\nofigurepages</code>
<code>\noflines</code>
<code>\noflinesinbox ...</code> * CSNAME NUMBER
<code>\noflocalfloats</code>
<code>\noheightstrut</code>
<code>\nohyphens</code>
<code>\nocharacteralign</code>
<code>\noindentation</code>
<code>\noitem</code>
<code>\nokap {...}</code> * TEXT

<code>\nonfrenchspacing</code>
<code>\nonmathematics {...}</code> <code>* CONTENT</code>
<code>\nonvalidassignment {...}</code> <code>* TEXT</code>
<code>\normalboldface</code>
<code>\normalframedwithsettings [...¹...] {...²}</code> <code>1 inherits: \nastavoramovani</code> <code>2 CONTENT</code>
<code>\normalitalicface</code>
<code>\normalizebodyfontsize \...¹ {...²}</code> <code>1 CSNAME</code> <code>2 DIMENSION</code>
<code>\normalizedfontsize</code>
<code>\normalizefontdepth \...¹ {...²} {...³} {...⁴}</code> <code>1 CSNAME</code> <code>2 TEXT</code> <code>3 DIMENSION</code> <code>4 FONT</code>
<code>\normalizefontheight \...¹ {...²} {...³} {...⁴}</code> <code>1 CSNAME</code> <code>2 TEXT</code> <code>3 DIMENSION</code> <code>4 FONT</code>
<code>\normalizefontline \...¹ {...²} {...³} {...⁴}</code> <code>1 CSNAME</code> <code>2 TEXT</code> <code>3 DIMENSION</code> <code>4 FONT</code>
<code>\normalizefontwidth \...¹ {...²} {...³} {...⁴}</code> <code>1 CSNAME</code> <code>2 TEXT</code> <code>3 DIMENSION</code> <code>4 FONT</code>
<code>\normalizetextdepth {...¹} {...²} {...³}</code> <code>1 FONT</code> <code>2 DIMENSION</code> <code>3 TEXT</code>
<code>\normalizetextheight {...¹} {...²} {...³}</code> <code>1 FONT</code> <code>2 DIMENSION</code> <code>3 TEXT</code>
<code>\normalizetextline {...¹} {...²} {...³}</code> <code>1 FONT</code> <code>2 DIMENSION</code> <code>3 TEXT</code>

<code>\normalizetextwidth {¹.} {².} {³.}</code> 1 FONT 2 DIMENSION 3 TEXT
<code>\normalni</code>
<code>\normalslantedface</code>
<code>\normaltypeface</code>
<code>\notesymbol [¹.] [².]</code> 1 NAME OPT 2 REFERENCE
<code>\notragged</code>
<code>\ntimes {¹.} {².}</code> 1 TEXT 2 NUMMER
<code>\numberhere [...,*,...]</code> * titul = TEXT OPT odkaz = + - REFERENCE zalozka = TEXT seznam = TEXT suffix = TEXT
<code>\numberhere [...,*,...]</code> * + - REFERENCE OPT
<code>\numberofpoints {...}</code> * DIMENSION
<code>\obeydepth</code>
<code>\objectdepth</code>
<code>\objectheight</code>
<code>\objectmargin</code>
<code>\objectwidth</code>
<code>\obox {...}</code> * CONTENT
<code>\obrazovka [...,*,...]</code> * inherits: \strand ^{PT}
<code>\octnumber {...}</code> * NUMMER
<code>\octstringtonumber {...}</code> * NUMMER

<code>\odkaz [...¹,...] {...²}</code> 1 REFERENCE 2 TEXT
<code>\odkaznastranu [...[*],...]</code> * REFERENCE
<code>\odkaznatext [...¹,...] {...²}</code> 1 REFERENCE 2 TEXT
<code>\odkazujici (...¹,...) (...²,...) [...³]</code> 1 POSITION 2 POSITION 3 REFERENCE
<code>\offset [...¹,...¹,...] {...²}</code> 1 inherits: \setup ^{OPT} offset 2 CONTENT
<code>\offsetbox [...¹,...¹,...] \...² {...³}</code> 1 inherits: \setupoff ^{OPT} setbox 2 CSNAME 3 CONTENT
<code>\onedigitrounding {...[*]}</code> * NUMMER
<code>\opis [...¹,...¹,...] {...²}</code> 1 inherits: \nast ^{OPT} avtype 2 CONTENT
<code>\opissoubor [...¹] [...²,...²,...] {...³}</code> 1 NAME 2 inherits: \nastav ^{OPT} opis 3 FILE
<code>\opis [...¹,...¹,...] <<...²>></code> 1 inherits: \nast ^{OPT} avtype 2 ANGLES
<code>\OPIS [...¹,...¹,...] {...²}</code> 1 inherits: \nast ^{OPT} avtype 2 CONTENT
<code>\OPIS [...¹,...¹,...] <<...²>></code> 1 inherits: \nast ^{OPT} avtype 2 ANGLES
<code>\optimize [...[*]]</code> * +line -line flushleft flushright normalni NAME
<code>\optimize [...[*],...[*],...]</code> * inherits: \setupt ^{OPT} optimize
<code>\optionalword</code>
<code>\oramovani [...¹,...¹,...] {...²}</code> 1 inherits: \nastavor ^{OPT} amovani 2 CONTENT

\backslash FRAMED [... ¹ ... ² ...] {...} 1 inherits: \nastavoramovani ^{OPT} 2 CONTENT instances: unframed fitfieldframed
\backslash fitfieldframed [... ¹ ... ² ...] {...} 1 inherits: \nastavoramovani ^{BPT} 2 CONTENT
\backslash unframed [... ¹ ... ² ...] {...} 1 inherits: \nastavoramovani ^{OPT} 2 CONTENT
\backslash FRAMEDTEXT [... ¹ ... ² ...] {...} 1 inherits: \setupframedtext ^{OPT} 2 CONTENT instances: framedtext
\backslash framedtext [... ¹ ... ² ...] {...} 1 inherits: \setupframedtext ^{OPT} 2 CONTENT
\backslash ordinaldaynumber {...} * NUMMER
\backslash ordinalstr {...} * TEXT
\backslash oref [...] * REFERENCE
\backslash orez [... ¹ ... ² ...] {...} 1 inherits: \nastavorez ^{OPT} 2 CONTENT
\backslash ornamenttext [... ¹ ... ² ...] [... ² ... ³ ...] {...} {...} 1 alternativa = a b ^{OPT} inherits: \setupcollector 2 pismo = STYLE BEFEHL barva = COLOR inherits: \nastavoramovani 3 TEXT 4 CONTENT
\backslash ornamenttext [...] {...} {...} 1 NAME 2 TEXT 3 CONTENT
\backslash ornamenttext [... ¹ ... ² ...] [... ² ... ³ ...] {...} {...} 1 alternativa = a b ^{OPT} inherits: \setuplayer 2 inherits: \setuplayeredtext 3 TEXT 4 CONTENT
\backslash ORNAMENT {...} {...} 1 TEXT 2 CONTENT
\backslash otocit [... ¹ ... ² ...] {...} 1 inherits: \nastavotoceni ^{OPT} 2 CONTENT

<code>\outputfilename</code>
<code>\outputstreambox [...]</code> * NAME
<code>\outputstreamcopy [...]</code> * NAME
<code>\outputstreamunvbox [...]</code> * NAME
<code>\outputstreamunvcopy [...]</code> * NAME
<code>\over [...]</code> * REFERENCE
<code>\overlaybutton [...]</code> * REFERENCE
<code>\overlaybutton {...}</code> * REFERENCE
<code>\overlaycolor</code>
<code>\overlaydepth</code>
<code>\overlayfigure {...}</code> * FILE
<code>\overlayheight</code>
<code>\overlayimage {...}</code> * FILE
<code>\overlaylinecolor</code>
<code>\overlaylinewidth</code>
<code>\overlayoffset</code>
<code>\overlayrollbutton [...]¹ [...]²</code> 1 REFERENCE 2 REFERENCE
<code>\overlaywidth</code>
<code>\overloaderror</code>
<code>\overset {...¹} {...²}</code> 1 TEXT 2 TEXT

<code>\oznaceni (...¹,...) (...²,...) [...³,...³,...] {...⁴}</code> 1 POSITION 2 POSITION 3 inherits: \nastavoramovani 4 TEXT
<code>\PDFcolor {...}</code> * NAME
<code>\PDFETEX</code>
<code>\PDFTEX</code>
<code>\Periodic {...}</code> * TEXT
<code>\PICTEX</code>
<code>\PiCTeX</code>
<code>\PointsToBigPoints {...} \²...</code> 1 DIMENSION 2 CSNAME
<code>\PointsToReal {...} \²...</code> 1 DIMENSION 2 CSNAME
<code>\PointsToWholeBigPoints {...} \²...</code> 1 DIMENSION 2 CSNAME
<code>\PPCHTEX</code>
<code>\PPCHTeX</code>
<code>\PRAGMA</code>
<code>\PtToCm {...}</code> * DIMENSION
<code>\pagearea [...¹] [...²] [...³]</code> 1 vrsek zahlavi text up ^{OPT} ti spode ^{OPT} k 2 text marginalie hrana 3 vlevo vpravo textvlevo middletext textvpravo
<code>\pageblockrealpage {...}</code> * NAME
<code>\pagebreak [...[*],...]</code> * prazdne zahlavi up ^{OPT} ti dummy ramecek NUMMER +NUMMER implicitni reset zablokovat ano ne zlom prazdny nastaveni vysokapriorita vlevo vpravo sude liche ctyrnasobny posledni poslednistrana start stop xy NAME
<code>\pagefigure [...¹] [...²,...²,...]</code> 1 FILE 2 offset = implicitni prekryv zadny DIMENSION

```
\pageinjection [...] [...]
1 NAME OPT OPT
2 KEY = VALUE
```

```
\pageinjection [...] [...]
1 inherits: \setuppageinjection OPT OPT
2 KEY = VALUE
```

```
\pagestaterealpage {...} {...}
1 NAME
2 NAME NUMBER
```

```
\pagestaterealpageorder {...} {...}
1 NAME
2 NAME NUMBER
```

```
\paletsize
```

```
\PARAGRAPHS
```

```
\pdfactualtext {...} {...}
1 CONTENT
2 TEXT
```

```
\pdfbackendactualtext {...} {...}
1 CONTENT
2 TEXT
```

```
\pdfbackendcurrentresources
```

```
\pdfbackendsetcatalog {...} {...}
1 NAME
2 TEXT
```

```
\pdfbackendsetcolorspace {...} {...}
1 NAME
2 TEXT
```

```
\pdfbackendsettextgstate {...} {...}
1 NAME
2 TEXT
```

```
\pdfbackendsetinfo {...} {...}
1 NAME
2 TEXT
```

```
\pdfbackendsetname {...} {...}
1 NAME
2 TEXT
```

```
\pdfbackendsetpageattribute {...} {...}
1 NAME
2 TEXT
```

```
\pdfbackendsetpageresource {...} {...}
1 NAME
2 TEXT
```

```
\pdfbackendsetpagesattribute {...} {...}
1 NAME
2 TEXT
```

<code>\pdfbackendsetpattern {¹...} {²...}</code> 1 NAME 2 TEXT
<code>\pdfbackendsetshade {¹...} {²...}</code> 1 NAME 2 TEXT
<code>\pdfcolor {[*]...}</code> * NAME
<code>\pdfeTeX</code>
<code>\pdfTeX</code>
<code>\percent</code>
<code>\percentdimen {¹...} {²...}</code> 1 DIMENSION CSNAME 2 DIMENSION NUMBER%
<code>\periodic {[*]...}</code> * TEXT
<code>\permitcaretescape</code>
<code>\permitcircumflexescape</code>
<code>\permitspacesbetweengroups</code>
<code>\persiandecimals {[*]...}</code> * NUMMER
<code>\persiannumerals {[*]...}</code> * NUMMER
<code>\phantom {[*]...}</code> * CONTENT
<code>\phantombox [...,[*]...,...]</code> * sirka = DIMENSION vyska = DIMENSION hloubka = DIMENSION
<code>\pickupgroupedcommand {¹...} {²...} {³...}</code> 1 BEFEHL 2 BEFEHL 3 BEFEHL
<code>\pickupgroupedcommandcs \¹... \²... \³...</code> 1 CSNAME 2 CSNAME 3 CSNAME
<code>\pis [...,¹...,...] {²...}</code> 1 inherits: \HREFastavtype 2 CONTENT

<p><code>\pis [...¹...<...>]</code></p> <p>1 inherits: \HPTastavtype</p> <p>2 ANGLES</p>
<p><code>\placeattachments</code></p>
<p><code>\placebtxrendering [...¹] [...²...]</code></p> <p>1 NAME OPT OPT</p> <p>2 inherits: \setupbtxrendering</p>
<p><code>\placecitation [...]</code></p> <p>* REFERENCE</p>
<p><code>\placecomments</code></p>
<p><code>\placecurrentformulanumber</code></p>
<p><code>\placedbox {...}</code></p> <p>* CONTENT</p>
<p><code>\placefloat [...¹] [...²...] [...³...] {...⁴} {...⁵}</code></p> <p>1 SINGULAR OPT OPT</p> <p>2 split keeptogether vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rltb fxbt fixd</p> <p>3 REFERENCE</p> <p>4 TEXT</p> <p>5 CONTENT</p>
<p><code>\placefloatcaption [...¹] [...²...] [...³...]</code></p> <p>1 NAME OPT OPT</p> <p>2 titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT</p> <p>3 KEY = VALUE</p>
<p><code>\placefloatplaceholder</code></p>
<p><code>\placefloatwithsetups [...¹] [...²...] [...³...] {...⁴} {...⁵}</code></p> <p>1 NAME OPT OPT</p> <p>2 split keeptogether vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rltb fxbt fixd</p> <p>3 REFERENCE</p> <p>4 TEXT</p> <p>5 CONTENT</p>
<p><code>\umistiFLOAT [...¹...] [...²...] {...³} {...⁴}</code></p> <p>1 split keeptogether vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rltb fxbt fixd</p> <p>2 REFERENCE</p> <p>3 TEXT</p> <p>4 CONTENT</p> <p>instances: chemical figure table intermezzo graphic</p>

`\umistifigure [...1,...] [...2,...] {...} {...}`

1 split keepetogether vzd^{OPT}y vlevo vprav^{OPT}o uvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokraj^{OPT}i levýokraj pravýokraj
levahra^{OPT}na pravahra^{OPT}na innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde
sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
odstavce nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd

2 REFERENCE

3 TEXT

4 CONTENT

`\umistigraphic [...1,...] [...2,...] {...} {...}`

1 split keepetogether vzd^{OPT}y vlevo vprav^{OPT}o uvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokraj^{OPT}i levýokraj pravýokraj
levahra^{OPT}na pravahra^{OPT}na innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde
sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
odstavce nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd

2 REFERENCE

3 TEXT

4 CONTENT

`\umistichemical [...1,...] [...2,...] {...} {...}`

1 split keepetogether vzd^{OPT}y vlevo vprav^{OPT}o uvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokraj^{OPT}i levýokraj pravýokraj
levahra^{OPT}na pravahra^{OPT}na innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde
sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
odstavce nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd

2 REFERENCE

3 TEXT

4 CONTENT

`\umistiintermezzo [...1,...] [...2,...] {...} {...}`

1 split keepetogether vzd^{OPT}y vlevo vprav^{OPT}o uvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokraj^{OPT}i levýokraj pravýokraj
levahra^{OPT}na pravahra^{OPT}na innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde
sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
odstavce nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd

2 REFERENCE

3 TEXT

4 CONTENT

`\umistitable [...1,...] [...2,...] {...} {...}`

1 split keepetogether vzd^{OPT}y vlevo vprav^{OPT}o uvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokraj^{OPT}i levýokraj pravýokraj
levahra^{OPT}na pravahra^{OPT}na innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde
sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
odstavce nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd

2 REFERENCE

3 TEXT

4 CONTENT

`\placeframed [...1] [...2,...2,...] {...3}`

1 NAME

2 inherits: \nastavoramovani

3 CONTENT

`\placeheadnumber [...*]`

* ABSCHNITT

`\placeheadtext [...*]`

* ABSCHNITT

`\placehelp`

`\placeholder [...*]`

* NAME

`\placeinitial [...*]`

* NAME

<p>\placelayer [¹...] <small>NAME</small></p>
<p>\placelayeredtext [¹...] [²...] [³...] {...} {...}</p> <p>1 NAME</p> <p>2 inherits: \setuplayer</p> <p>3 inherits: \setuplayeredtext</p> <p>4 TEXT</p> <p>5 CONTENT</p>
<p>\placelistofFLOATS [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavseznam</p> <p>instances: chemicals figures tables intermezzi graphics</p>
<p>\placelistoffigures [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavseznam</p>
<p>\placelistofgraphics [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavseznam</p>
<p>\placelistofchemicals [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavseznam</p>
<p>\placelistofintermezzi [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavseznam</p>
<p>\placelistoftables [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavseznam</p>
<p>\placelistofpublications [¹...] [²...] <small>OPT OPT</small></p> <p>1 NAME</p> <p>2 inherits: \setupbtxrendering</p>
<p>\placelistofsorts [¹...] [²...] <small>OPT</small></p> <p>1 SINGULAR</p> <p>2 inherits: \nastavtrideni</p>
<p>\placelistofSORTS [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavtrideni</p> <p>instances: logos</p>
<p>\placelistoflogos [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavtrideni</p>
<p>\placelistofsynonyms [¹...] [²...] <small>OPT</small></p> <p>1 SINGULAR</p> <p>2 inherits: \nastavsynonyma</p>
<p>\placelistofSYNONYMS [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavsynonyma</p> <p>instances: abbreviations</p>
<p>\placelistofabbreviations [...[*]...] <small>OPT</small></p> <p>* inherits: \nastavsynonyma</p>
<p>\placelocalnotes [¹...] [²...] <small>OPT</small></p> <p>1 NAME</p> <p>2 inherits: \setupnote</p>

$\backslash\text{placement}$ [¹ ...] [² ... _{OPT}] {... ³ } 1 NAME 2 inherits: \setupplacement 3 CONTENT
$\backslash\text{PLACEMENT}$ [¹ ... _{OPT}] {... ² } 1 inherits: \setupplacement 2 CONTENT
$\backslash\text{placenamefloat}$ [¹ ...] [... ²]
$\backslash\text{placenameformula}$ [¹ ... _{OPT}] {... ² } {... ³ } 1 + - REFERENCE 2 TEXT 3 TEXT
$\backslash\text{placenotes}$ [... ¹ ,...] [... ² ... _{OPT} ,...]
$\backslash\text{placepagenumber}$
$\backslash\text{placepairedbox}$ [¹ ...] [² ... _{OPT}] {... ³ } {... ⁴ } 1 NAME 2 inherits: \setuppairedbox 3 CONTENT 4 TEXT
$\backslash\text{umistIPAIREDBOX}$ [... ¹ ... _{OPT}] {... ² } {... ³ } 1 inherits: \setuppairedbox 2 CONTENT 3 TEXT instances: legend
$\backslash\text{umistilegend}$ [... ¹ ... _{OPT}] {... ² } {... ³ } 1 inherits: \setuppairedbox 2 CONTENT 3 TEXT
$\backslash\text{placeparallel}$ [¹ ...] [... ² ,...] [... ³ ... _{OPT} ,...]
$\backslash\text{placerawheaddata}$ [... [*]]
$\backslash\text{placerawheadnumber}$ [... [*]]
$\backslash\text{placerawheadtext}$ [... [*]]
$\backslash\text{placerawlist}$ [¹ ...] [... ² ... _{OPT} ,...]
$\backslash\text{placereadingwindow}$ [¹ ...] [... ² ... _{OPT}]

<p>\placesavedfloat [¹...] [²] [...,³...]</p> <p>1 NAME OPT</p> <p>2 REFERENCE</p> <p>3 titul = TEXT</p> <p>zalozka = TEXT</p> <p>znaceni = TEXT</p> <p>seznam = TEXT</p> <p>misto = split keep together vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraji levyyokraj pravyyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec nekde effective zahlavi upati tblr lrtb tblr lrtb fxtb btlr lrbt btrl rlbt fxbt fixd</p> <p>odkaz = REFERENCE</p> <p>referencetext = TEXT</p>
<p>\placesynchronize [¹] [...,²...]</p> <p>1 NAME OPT</p> <p>2 inherits: \setsynchronize</p>
<p>\plnezneni {...}</p> <p>* NAME</p>
<p>\pole [¹] [²]</p> <p>1 NAME OPT</p> <p>2 TEXT</p>
<p>\polozka [...,[*]...]</p> <p>* REFERENCE OPT</p>
<p>\polozky [...,¹...]² {...}</p> <p>1 inherits: \nastavpolozky OPT</p> <p>2 TEXT</p>
<p>\popattribute \...</p> <p>* CSNAME</p>
<p>\POPIS [...,¹...]² {...} ³ \par</p> <p>1 REFERENCE OPT OPT</p> <p>2 TEXT</p> <p>3 CONTENT</p>
<p>\popmacro \...</p> <p>* CSNAME</p>
<p>\popmode [...]</p> <p>* NAME</p>
<p>\POPISEK [...,¹...]² {...}</p> <p>1 REFERENCE OPT OPT</p> <p>2 TEXT</p>
<p>\popsystemmode {...}</p> <p>* NAME</p>
<p>\porovnejpaletu [...]</p> <p>* NAME</p>
<p>\porovnejskupinubarev [...]</p> <p>* NAME</p>
<p>\positionoverlay {...}</p> <p>* NAME</p>

<p>\positionregionoverlay {...¹} {...²}</p> <p>1 NAME</p> <p>2 NAME</p>
<p>\poslaednipodstranka</p>
<p>\postponenotes</p>
<p>\pozadi {...}</p> <p>* CONTENT</p>
<p>\POZADI {...}</p> <p>* CONTENT</p> <p>instances: pozadi</p>
<p>\pozice [...¹...²...] (...³) {...}</p> <p>1 inherits: \nastavumistovani^{OPT}</p> <p>2 POSITION</p> <p>3 CONTENT</p>
<p>\poznamka [...¹] [...²]</p> <p>1 NAME^{OPT}</p> <p>2 REFERENCE</p>
<p>\NOTE [...¹...] {...²}</p> <p>1 REFERENCE^{OPT}</p> <p>2 TEXT</p> <p>instances: footnote endnote</p>
<p>\NOTE [...[*]...]</p> <p>* titul = TEXT</p> <p>zaloзка = TEXT</p> <p>seznam = TEXT</p> <p>odkaz = REFERENCE</p> <p>referencetext = TEXT</p> <p>instances: footnote endnote</p>
<p>\endnote [...[*]...]</p> <p>* titul = TEXT</p> <p>zaloзка = TEXT</p> <p>seznam = TEXT</p> <p>odkaz = REFERENCE</p> <p>referencetext = TEXT</p>
<p>\footnote [...[*]...]</p> <p>* titul = TEXT</p> <p>zaloзка = TEXT</p> <p>seznam = TEXT</p> <p>odkaz = REFERENCE</p> <p>referencetext = TEXT</p>
<p>\endnote [...¹...] {...²}</p> <p>1 REFERENCE^{OPT}</p> <p>2 TEXT</p>
<p>\footnote [...¹...] {...²}</p> <p>1 REFERENCE^{OPT}</p> <p>2 TEXT</p>
<p>\pravidelne</p>

<pre>\predefinedfont [...] * FONT</pre>
<pre>\predefinefont [...] [...] 1 NAME 2 FONT</pre>
<pre>\predefinesymbol [...] * NAME</pre>
<pre>\pref {...} {...} [...] 1 TEXT OPT OPT 2 TEXT 3 REFERENCE</pre>
<pre>\prefixedpagenumber</pre>
<pre>\prelozit [...,*,...] * SPRACHE = TEXT OPT</pre>
<pre>\prependetoks ... \to ... 1 BEFEHL 2 CSNAME</pre>
<pre>\prependgvalue {...} {...} 1 NAME 2 BEFEHL</pre>
<pre>\prependhiddenbackground {...,*,...} * NAME</pre>
<pre>\prependtocommalist {...} \to ... 1 TEXT 2 CSNAME</pre>
<pre>\prependtoks ... \to ... 1 BEFEHL 2 CSNAME</pre>
<pre>\prependtoksonce ... \to ... 1 BEFEHL 2 CSNAME</pre>
<pre>\prependvalue {...} {...} 1 NAME 2 BEFEHL</pre>
<pre>\prepninazakladnifont [...,*,...] * inherits: \nastavzakladnifont</pre>
<pre>\prerollblank [...,*,...] * inherits: \preskoc</pre>
<pre>\prerolledpages [...,*,...] * NAME</pre>
<pre>\presetdocument [...] [...] 1 NAME OPT 2 inherits: \setupdocument</pre>

<pre> \presetfieldsymbols [...] * NAME </pre>
<pre> \presetLABELtext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE instances: head label mathlabel taglabel unit operator prefix suffix btxlabel </pre>
<pre> \presetbtxlabeltext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetheadtext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetlabeltext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetmathlabeltext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetoperatortext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetprefixtext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetsuffixtext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presettaglabeltext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \presetunittext [...] [...] 1 SPRACHE OPT 2 KEY = VALUE </pre>
<pre> \preskoc [...] * nastaveni stejnaztranka max sila enable zablockovat zadnabila zhustene zpet prekryv vzdy weak strong implicitni pred mezi po fixne prizpusobive zadny male stredni velke radek pulradku quarterline rovnice bily vyska podlehloubky standardni NUMMER*male NUMMER*stredni NUMMER*velke NUMMER*radek NUMMER*pulradku NUMMER*quarterline NUMMER*rovnice NUMMER*bily NUMMER*vyska NUMMER*podlehloubky category:NUMMER order:NUMMER penalty:NUMMER DIMENSION NAME </pre>
<pre> \pretocommalist {...} \... 1 TEXT 2 CSNAME </pre>
<pre> \prettyprintbuffer {...} {...} 1 BUFFER 2 mp lua xml parsed-xml nested tex context zadny NAME </pre>
<pre> \prevcounter [...] [...] 1 NAME OPT 2 NUMMER </pre>

<pre>\prevcountervalue [...] * NAME</pre>
<pre>\preventmode [...*,...] * NAME</pre>
<pre>\prevrealpage</pre>
<pre>\prevrealpagenumber</pre>
<pre>\prevsubcountervalue [¹...] [²...] 1 NAME 2 NUMMER</pre>
<pre>\prevsubpage</pre>
<pre>\prevsubpagenumber</pre>
<pre>\prevuserpage</pre>
<pre>\prevuserpagenumber</pre>
<pre>\prizpusobivepole [¹...] [²..._{OPT}...] 1 NAME 2 inherits: \setupfieldbody</pre>
<pre>\prizpusobvzhled [¹...,..._{OPT}] [²...,..._{OPT}...] 1 NUMBER 2 vyska = max DIMENSION radky = NUMMER vrsek = DIMENSION</pre>
<pre>\procent</pre>
<pre>\processaction [¹...] [²...=>...,...] 1 BEFEHL 2 APPLY</pre>
<pre>\processallactionsinset [¹...] [²...=>...,...] 1 BEFEHL 2 APPLY</pre>
<pre>\processassignlist [...¹,...] \²... 1 TEXT 2 CSNAME</pre>
<pre>\processassignmentcommand [...¹...,...]₁ \²... 1 KEY = VALUE 2 CSNAME</pre>
<pre>\processassignmentlist [...¹...,...]₁ \²... 1 KEY = VALUE 2 CSNAME</pre>
<pre>\processbetween {...¹} \²... 1 NAME 2 CSNAME</pre>

\processbodyfontenvironmentlist *.. * CSNAME
\processcolorcomponents {...} * COLOR
\processcommacommand [... ¹ ,...] *.. 1 BEFEHL 2 CSNAME
\processcommalist [... ¹ ,...] *.. 1 BEFEHL 2 CSNAME
\processcommalistwithparameters [... ¹ ,...] *.. 1 BEFEHL 2 CSNAME
\processcontent {... ¹ } *.. 1 NAME 2 CSNAME
\processfile {...} * FILE
\processfilemany {...}
\processfilenone {...}
\processfileonce {...}
\processfirstactioninset [... ¹] [... ² =>...,...] 1 BEFEHL 2 APPLY
\processisolatedchars {... ¹ } *.. 1 TEXT 2 CSNAME
\processisolatedwords {... ¹ } *.. 1 TEXT 2 CSNAME
\processlinetablebuffer [... [*]] * BUFFER OPT
\processlinetablefile {...}
\processlist {... ¹ } {... ² } {... ³ } *.. 1 CHARACTER 2 CHARACTER 3 TEXT 4 CSNAME
\processMPbuffer [... [*] ,...] * NAME OPT

<pre> \processMPfigurefile {...} * FILE </pre>
<pre> \processmonth {...} {...} {...} 1 NUMMER 2 NUMMER 3 BEFEHL </pre>
<pre> \processranges [...¹,...] \².. 1 NUMMER NUMMER:NUMMER 2 CSNAME </pre>
<pre> \processseparatedlist [...¹] [...²] {...³} 1 TEXT 2 TEXT 3 CSNAME BEFEHL </pre>
<pre> \processTEXbuffer [...[*]] * BUFFER </pre>
<pre> \processtokens {...¹} {...²} {...³} {...⁴} {...⁵} 1 BEFEHL 2 BEFEHL 3 BEFEHL 4 BEFEHL 5 TEXT </pre>
<pre> \processuntil \[*].. * CSNAME </pre>
<pre> \processxmlbuffer {...[*]} * NAME </pre>
<pre> \processxmlfile {...[*]} * FILE </pre>
<pre> \processxtablebuffer [...[*]] * NAME </pre>
<pre> \processyear {...¹} {...²} {...³} {...⁴} 1 NUMMER 2 BEFEHL 3 BEFEHL 4 BEFEHL </pre>
<pre> \produkt [...[*]] * FILE </pre>
<pre> \produkt ...[*] * FILE </pre>
<pre> \profiledbox [...¹] [...²,...²,...] {...³} 1 zadny fixne striktni halfixed^{OPT} quarterfixed eightsfixed NAME 2 inherits: \setupprofile 3 CONTENT </pre>
<pre> \profilegivenbox {...¹} ...² 1 zadny fixne striktni halfixed^{OPT} quarterfixed eightsfixed NAME 2 CSNAME NUMMER </pre>

\program [...] * NAME
\projekt [...] * FILE
\projekt ... * FILE
\prostredi [...] * FILE
\prostredi ... * FILE
\prvnipodstranka
\pseudoMixedCapped {...} * TEXT
\pseudoSmallCapped {...} * TEXT
\pseudoSmallcapped {...} * TEXT
\pseudosmallcapped {...} * TEXT
\purenumber {...} * NUMMER
\pusharrangedpages ... \poparrangedpages
\pushattribute \... * CSNAME
\pushbar [...] ... \popbar * NAME
\pushbarva [...] ... \popbarva * COLOR
\pushbutton [¹] [²] 1 NAME 2 REFERENCE
\pushcatcodetable ... \popcatcodetable
\pushendofline ... \popendofline
\pushindentation ... \popindentation
\pushMPdrawing ... \popMPdrawing

<p><code>\pushmacro \...</code> <code>* CSNAME</code></p>
<p><code>\pushmathstyle ... \popmathstyle</code></p>
<p><code>\pushmode [...]</code> <code>* NAME</code></p>
<p><code>\pushoutputstream [...]</code> <code>* NAME</code> <code>OPT</code></p>
<p><code>\pushpath [...] ... \poppath</code> <code>* PATH</code></p>
<p><code>\pushpozadi [...] ... \poppozadi</code> <code>* NAME</code></p>
<p><code>\pushpunctuation ... \poppunctuation</code></p>
<p><code>\pushrandomseed ... \poprandomseed</code></p>
<p><code>\pushreferenceprefix {...} ... \popreferenceprefix</code> <code>* + - TEXT</code></p>
<p><code>\pushsystemmode {...}</code> <code>* NAME</code></p>
<p><code>\putboxincache {...} {...} ...</code> <code>1 NAME</code> <code>2 NUMMER TEXT</code> <code>3 CSNAME NUMMER</code></p>
<p><code>\putnextboxincache {...} {...} \^3 {...}</code> <code>1 NAME</code> <code>2 NUMMER TEXT</code> <code>3 CSNAME</code> <code>4 CONTENT</code></p>
<p><code>\qqquad</code></p>
<p><code>\quad</code></p>
<p><code>\quads [...]</code> <code>* NUMMER</code> <code>OPT</code></p>
<p><code>\quarterstrut</code></p>
<p><code>\quitcommalist</code></p>
<p><code>\quitprevcommalist</code></p>
<p><code>\quittypescriptscanning</code></p>
<p><code>\ReadFile {...}</code> <code>* FILE</code></p>

\Rimskecislice {...} * NUMMER
\radek {...} * CONTENT
\raggedbottom
\raggedcenter
\raggedleft
\raggedright
\raggedwidecenter
\raisebox {. ¹ .} \. ² . {...} 1 DIMENSION 2 CSNAME 3 CONTENT
\randomizetext {...} * TEXT
\randomnumber {. ¹ .} {. ² .} 1 NUMMER 2 NUMMER
\rawcounter [.. ¹ .] [.. ² .] 1 NAME 2 NUMMER
\rawcountervalue [.. ¹ .] * NAME
\rawdate [...,*,...] * inherits: \aktualnidatum
\rawdoifelseinset {. ¹ .} {..., ² ...} {... ³ .} {... ⁴ .} 1 TEXT 2 TEXT 3 TRUE 4 FALSE
\rawdoifinset {. ¹ .} {..., ² ...} {... ³ .} 1 TEXT 2 TEXT 3 TRUE
\rawdoifinsetelse {. ¹ .} {..., ² ...} {... ³ .} {... ⁴ .} 1 TEXT 2 TEXT 3 TRUE 4 FALSE
\rawgetparameters [.. ¹ .] [..., ² ...,...] 1 TEXT 2 KEY = VALUE

<code>\rawmathematics {...}</code> * CONTENT
<code>\rawparagraphshape {...}</code> * NAME
<code>\rawprocessaction [...] [...,²...,...]</code> 1 BEFEHL 2 APPLY
<code>\rawprocesscommacommand [...,¹,...] \²...</code> 1 BEFEHL 2 CSNAME
<code>\rawprocesscommalist [...,¹,...] \²...</code> 1 BEFEHL 2 CSNAME
<code>\rawstructurelistuservariable {...}</code> * KEY
<code>\rawsubcountervalue [¹,...] [²,...]</code> 1 NAME 2 NUMMER
<code>\rbox ¹... {²...}</code> 1 TEXT ^{OPT} 2 CONTENT
<code>\readfile {¹...} {²...} {³...}</code> 1 FILE 2 TRUE 3 FALSE
<code>\readfixfile {¹...} {²...} {³...} {⁴...}</code> 1 PATH 2 FILE 3 TRUE 4 FALSE
<code>\readjobfile {¹...} {²...} {³...}</code> 1 FILE 2 TRUE 3 FALSE
<code>\readlocfile {¹...} {²...} {³...}</code> 1 FILE 2 TRUE 3 FALSE
<code>\readsetfile {¹...} {²...} {³...} {⁴...}</code> 1 PATH 2 FILE 3 TRUE 4 FALSE
<code>\readsysfile {¹...} {²...} {³...}</code> 1 FILE 2 TRUE 3 FALSE

<code>\readtexfile {¹...} {²...} {³...}</code> 1 FILE 2 TRUE 3 FALSE
<code>\readxmlfile {¹...} {²...} {³...}</code> 1 FILE 2 TRUE 3 FALSE
<code>\realpagenumber</code>
<code>\realSmallCapped {[*]...}</code> * TEXT
<code>\realSmallcapped {[*]...}</code> * TEXT
<code>\realsmallcapped {[*]...}</code> * TEXT
<code>\recursedepth</code>
<code>\recurselevel</code>
<code>\recursestring</code>
<code>\redoconvertfont</code>
<code>\ref [¹...] [²...]</code> 1 implicitni text titul cislo stranka realpage 2 REFERENCE
<code>\referencecolumnnumber</code>
<code>\REFERENCEFORMAT {¹...} {²...} [³...]</code> 1 TEXT OPT OPT 2 TEXT 3 REFERENCE
<code>\referencepagedetail</code>
<code>\referencepagestate</code>
<code>\referenceprefix</code>
<code>\referencerealpage</code>
<code>\referencesymbol</code>
<code>\registerattachment [¹...] [...,²...,...]</code> 1 NAME 2 inherits: \setupattachment
<code>\registerctxluafile {¹...} {²...}</code> 1 FILE 2 NUMMER

<pre> \registerexternalfigure [...] [...] [...] 1 FILE 2 NAME 3 inherits: \setupexternalfigure </pre>
<pre> \registerfontclass {...} * NAME </pre>
<pre> \registerhyphenationexception [...] [...] 1 SPRACHE 2 TEXT </pre>
<pre> \registerhyphenationpattern [...] [...] 1 SPRACHE 2 TEXT </pre>
<pre> \registermenubuttons [...] [...] 1 NAME 2 TEXT </pre>
<pre> \registeroverloads [...] * NAME </pre>
<pre> \registerparwrapper {...} {...} {...} 1 NAME 2 CONTENT 3 CONTENT </pre>
<pre> \registerparwrapperreverse {...} {...} {...} 1 NAME 2 CONTENT 3 CONTENT </pre>
<pre> \registersort [...] [...] 1 SINGULAR 2 NAME </pre>
<pre> \registersortpage [...] [...] 1 SINGULAR 2 NAME </pre>
<pre> \registersynonym [...] [...] 1 SINGULAR 2 NAME </pre>
<pre> \registertopcontent [...] \... {...} 1 NUMMER 2 CSNAME 3 CONTENT </pre>
<pre> \registerunit [...] [...] 1 prefix jednotka operator suffix symbol packaged 2 KEY = VALUE </pre>
<pre> \registerunitshortcut [...] [...] 1 prefix jednotka operator suffix symbol packaged 2 KEY = VALUE </pre>
<pre> \REGISTER [...] {...+...+...} 1 TEXT PROCESSOR->TEXT 2 INDEX instances: index </pre>

<pre> \index [...] {...¹...²...} 1 TEXT PROCESSOR->TEXT 2 INDEX </pre>
<pre> \REGISTER [...] {...²} {...³...} 1 TEXT PROCESSOR->TEXT 2 TEXT 3 INDEX instances: index </pre>
<pre> \index [...] {...²} {...³...} 1 TEXT PROCESSOR->TEXT 2 TEXT 3 INDEX </pre>
<pre> \relatemarking [...] [...²] 1 BESCHRIFTUNG 2 BESCHRIFTUNG </pre>
<pre> \relateparameterhandlers {...¹} {...²} {...³} {...⁴} 1 NAME 2 NAME 3 NAME 4 NAME </pre>
<pre> \relaxvalueifundefined {...[*]} * NAME </pre>
<pre> \remainingcharacters </pre>
<pre> \removebottomthings </pre>
<pre> \removedepth </pre>
<pre> \removefromcommalist {...¹} \...² 1 TEXT 2 CSNAME </pre>
<pre> \removelastskip </pre>
<pre> \removelastspace </pre>
<pre> \removemarkedcontent [...[*]] * NAME </pre>
<pre> \removepunctuation </pre>
<pre> \removesubstring ...¹ \from ...² \to ...³ 1 TEXT 2 TEXT 3 CSNAME </pre>
<pre> \removetoks ...¹ \from \...² 1 BEFEHL 2 CSNAME </pre>
<pre> \removeunwantedspaces </pre>
<pre> \repeathead [...[*]] * ABSCHNITT </pre>

<pre>\replacefeature [...] * NAME</pre>
<pre>\replacefeature {...} * NAME</pre>
<pre>\replaceincommalist \... {...} 1 CSNAME 2 NUMMER</pre>
<pre>\replaceword [...] [...] [...] 1 NAME 2 TEXT 3 TEXT</pre>
<pre>\rescan {...} * CONTENT</pre>
<pre>\rescanwithsetup {...} {...} 1 NAME 2 CONTENT</pre>
<pre>\resetalignmentcharacter</pre>
<pre>\resetallattributes</pre>
<pre>\resetalternate</pre>
<pre>\resetandaddfeature [...] * NAME</pre>
<pre>\resetandaddfeature {...} * NAME</pre>
<pre>\resetbar</pre>
<pre>\resetboxesincache {...} * NAME</pre>
<pre>\resetbreakpoints</pre>
<pre>\resetbuffer [...] * BUFFER</pre>
<pre>\resetcollector [...] * NAME</pre>
<pre>\resetcounter [...] [...] 1 NAME 2 NUMMER</pre>
<pre>\resetctxscanner \... * CSNAME</pre>
<pre>\resetdigitsmanipulation</pre>
<pre>\resetdirection</pre>

\resetmacros [...;...] * NAME CSNAME
\resetmarker [...] * NAME
\resetmode {...} * NAME
\resetoverloads
\resetpagenumber
\resetparallel [¹ ...] [² ...,...] 1 NAME OPT 2 NAME vse
\resetpath
\resetpenalties *... * CSNAME
\resetperiodkerning
\resetprofile
\resetrecurselevel
\resetreference [...] * NAME
\resetreplacements
\resetscript
\resetsetups [...] * NAME
\resetshownsynonyms [...] * SINGULAR
\resetsubpagenumber
\resetsymbolset
\resetsynchronizemarking [...] * BESCHRIFTUNG
\resetsynonyms [...] * SINGULAR
\resetsynonymsprogress [...] * SINGULAR

\resetsystemmode {...} * NAME
\resettimer
\resettokenlist [...] * NAME
\resettrackers
\resettrialtypesetting
\resetusedsortings [...] * SINGULAR
\resetusedsynonyms [...] * SINGULAR
\resetuserpagenumber
\resetvalue {...} * NAME
\resetvisualizers
\resetznaceni [...] * BESCHRIFTUNG
\reshapebox {...} * BEFEHL
\resolvedglyphdirect {...} {...} 1 FONT 2 e:NAME x:NUMMER d:NUMMER s:NUMMER i:NUMMER n:NAME c:NAME u:NAME a:NAME
\resolvedglyphstyled {...} {...} 1 FONT 2 e:NAME x:NUMMER d:NUMMER s:NUMMER i:NUMMER n:NAME c:NAME u:NAME a:NAME
\restartcounter [...] [... ²] [...] 1 NAME 2 NUMMER 3 NUMMER
\restorebox {...} {...} 1 NAME 2 NAME
\restorecatcodes
\restorecounter [...] * NAME
\restorecurrentattributes {...} * NAME
\restoreendofline

<code>\restoreglobalbodyfont</code>
<code>\retestfeature</code>
<code>\reusableMPgraphic {¹...} {²...,..._{OPT}...,...}</code> 1 NAME 2 KEY = VALUE
<code>\reuseMPgraphic {¹...} {²...,..._{OPT}...,...}</code> 1 NAME 2 KEY = VALUE
<code>\reuserandomseed</code>
<code>\reversehbox ¹... {²...}</code> 1 TEXT _{OPT} 2 CONTENT
<code>\reversehpack ¹... {²...}</code> 1 TEXT _{OPT} 2 CONTENT
<code>\reversetpack ¹... {²...}</code> 1 TEXT _{OPT} 2 CONTENT
<code>\reversevbox ¹... {²...}</code> 1 TEXT _{OPT} 2 CONTENT
<code>\reversevboxcontent ¹...</code> * CSNAME NUMBER
<code>\reversevpack ¹... {²...}</code> 1 TEXT _{OPT} 2 CONTENT
<code>\reversevtop ¹... {²...}</code> 1 TEXT _{OPT} 2 CONTENT
<code>\revivefeature</code>
<code>\rfence ¹...</code> * \} \] \) \l \egroup \rparent \rparenthesis " \rparen " \rbracket \rbrack " \rbrace \rceil \rceiling \rfloor \urcorner \lrcorner \rmoustache \rrbracket \rangle \rrangle \rgroup \vert \singleverticalbar \doubleverticalbar \tripleverticalbar \rvert \rVert \rointerval \rlointerval CHARACTER
<code>\rhbox {¹...}</code> * CONTENT
<code>\rightbottombox {¹...}</code> * CONTENT
<code>\rightbox {¹...}</code> * CONTENT
<code>\righthbox {¹...}</code> * CONTENT

$\backslash rightLABELtext \{...\}$ * KEY instances: head label mathlabel
$\backslash righththeadtext \{...\}$ * KEY
$\backslash rightlabeltext \{...\}$ * KEY
$\backslash rightmathlabeltext \{...\}$ * KEY
$\backslash rightline \{...\}$ * CONTENT
$\backslash rightorleftpageaction \{.^1.\} \{.^2.\}$ 1 BEFEHL 2 BEFEHL
$\backslash rightpageorder$
$\backslash rightparbox [.^1.] \{.^2.\}$ 1 globalne OPT 2 CONTENT
$\backslash rightskipadaption$
$\backslash rightsubguillemot$
$\backslash righttopleft$
$\backslash righttopleftthbox \{.^1.\} \{.^2.\}$ 1 TEXT OPT 2 CONTENT
$\backslash righttopleftvbox \{.^1.\} \{.^2.\}$ 1 TEXT OPT 2 CONTENT
$\backslash righttopleftvtop \{.^1.\} \{.^2.\}$ 1 TEXT OPT 2 CONTENT
$\backslash righttopbox \{...\}$ * CONTENT
$\backslash rimskecislice \{...\}$ * NUMMER
$\backslash rlap \{...\}$ * CONTENT
$\backslash robustaddtocommalist \{.^1.\} \backslash.^2..$ 1 TEXT 2 CSNAME

<p>\robustdoifelseinset {...} {...,²...} {...³} {...⁴}</p> <p>1 TEXT</p> <p>2 TEXT</p> <p>3 TRUE</p> <p>4 FALSE</p>
<p>\robustdoifinsetelse {...} {...,²...} {...³} {...⁴}</p> <p>1 TEXT</p> <p>2 TEXT</p> <p>3 TRUE</p> <p>4 FALSE</p>
<p>\robustpretocommalist {...} \²...</p> <p>1 TEXT</p> <p>2 CSNAME</p>
<p>\rollbutton [...,¹...²...³] ...⁴ [...]</p> <p>1 inherits: \setupbutton</p> <p>2 TEXT</p> <p>3 REFERENCE</p>
<p>\rollbutton [...¹] [...,²...³...⁴] ...⁵ [...]</p> <p>1 NAME OPT OPT</p> <p>2 inherits: \nastavinterakcnimenu</p> <p>3 TEXT</p> <p>4 REFERENCE</p>
<p>\rovnice [...,¹...²...] {...}</p> <p>1 zhustene tight^{OPT} hastred podlehloubky radek pulradku -radek -pulradku ramecek male DIMENSION</p> <p>2 CONTENT</p>
<p>\rozdelplvouciobjekt [...,¹...²...³] {...⁴} {...⁵}</p> <p>1 inherits: \nastavdeleniplvoucich^{OPT} objektu</p> <p>2 BEFEHL</p> <p>3 CONTENT</p>
<p>\roztazene [...,¹...²...³] {...}</p> <p>1 inherits: \setupstretch^{OPT}</p> <p>2 TEXT</p>
<p>\rtlhbox ...¹ {...²}</p> <p>1 TEXT OPT</p> <p>2 CONTENT</p>
<p>\rtltext {...}</p> <p>* CONTENT</p>
<p>\rtlvbox ...¹ {...²}</p> <p>1 TEXT OPT</p> <p>2 CONTENT</p>
<p>\rtlvtop ...¹ {...²}</p> <p>1 TEXT OPT</p> <p>2 CONTENT</p>
<p>\rtop ...¹ {...²}</p> <p>1 TEXT OPT</p> <p>2 CONTENT</p>
<p>\ruby [...¹] {...²} {...³}</p> <p>1 NAME OPT</p> <p>2 TEXT</p> <p>3 TEXT</p>

\rukopisne	
\ruledddbbox	¹ ... ² {...}
1	TEXT
2	CONTENT
\ruledddpack	¹ ... ² {...}
1	TEXT
2	CONTENT
\ruledhbox	¹ ... ² {...}
1	TEXT
2	CONTENT
\ruledhpack	¹ ... ² {...}
1	TEXT
2	CONTENT
\ruledmbox	{...}
*	CONTENT
\ruledtpack	¹ ... ² {...}
1	TEXT
2	CONTENT
\ruledvbox	¹ ... ² {...}
1	TEXT
2	CONTENT
\ruledvpack	¹ ... ² {...}
1	TEXT
2	CONTENT
\ruledvtop	¹ ... ² {...}
1	TEXT
2	CONTENT
\runMPbuffer	[... [*] ...]
*	NAME
\runninghbox	{...}
*	CONTENT
\russianNumerals	{...}
*	NUMMER
\russiannumerals	{...}
*	NUMMER
\ScaledPointsToBigPoints	{ ¹ ...} \ ² ...
1	DIMENSION
2	CSNAME
\ScaledPointsToWholeBigPoints	{ ¹ ...} \ ² ...
1	DIMENSION
2	CSNAME
\SLOVA	{...}
*	TEXT

\SLOVO {...} * TEXT
\Slova {...} * TEXT
\Slovo {...} * TEXT
\Smallcapped {...} * TEXT
\safechar {...} * NUMMER
\samplefile {...} * FILE
\sans
\sansnormal
\sanstucne
\savebarva ... \restorebarva
\savebox {...} {...} {...} 1 NAME 2 NAME 3 CONTENT
\savebtxdataset [...] ¹ [...] ² [...] ³ ... 1 NAME OPT OPT OPT 2 FILE 3 dataset = NAME typ = bib lua xml soubor = FILE kriterium = vse text uvod odkaz aktualni zde predchozi lokalne komponenta SECTIONBLOCK:vse SECTIONBLOCK:odkaz SECTIONBLOCK:aktualni SECTIONBLOCK:predchozi volba = TEXT
\savebuffer [...] [*] ... * seznam = NAME soubor = FILE prefix = ano ne
\savebuffer [...] ¹ ... [...] ² 1 BUFFER 2 FILE
\savecounter [...] * NAME
\savecurrentattributes {...} * NAME
\savemathexport [...] [*] ... * inherits: \setupmathexport ^{OPT}

\saveormalmeaning *.. * CSNAME
\saveaggedtwopassdata {.1..} {.2..} {.3..} {.4..} 1 NAME 2 NUMMER 3 NAME 4 CONTENT
\saveetwopassdata {.1..} {.2..} {.3..} 1 NAME 2 NUMMER 3 CONTENT
\sbox {.*..} * CONTENT
\SCRIPT instances: hangul hanzi nihongo ethiopic thai latin test
\ethiopic
\hangul
\hanzi
\latin
\nihongo
\test
\thai
\secondoffivearguments {.1..} {.2..} {.3..} {.4..} {.5..} 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT
\secondoffourarguments {.1..} {.2..} {.3..} {.4..} 1 TEXT 2 TEXT 3 TEXT 4 TEXT
\secondofsixarguments {.1..} {.2..} {.3..} {.4..} {.5..} {.6..} 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT
\secondofthreearguments {.1..} {.2..} {.3..} 1 TEXT 2 TEXT 3 TEXT

<pre> \secondofthreeunexpanded {...} {...} {...} 1 TEXT 2 TEXT 3 TEXT </pre>
<pre> \secondoftwoarguments {...} {...} 1 TEXT 2 TEXT </pre>
<pre> \secondoftwounexpanded {...} {...} 1 TEXT 2 TEXT </pre>
<pre> \sedabarva [...] {...} 1 COLOR 2 CONTENT </pre>
<pre> \vizREGISTER [...] {...+...+...} {...} 1 TEXT PROCESSOR->TEXT 2 INDEX 3 TEXT PROCESSOR->TEXT instances: index </pre>
<pre> \vizindex [...] {...+...+...} {...} 1 TEXT PROCESSOR->TEXT 2 INDEX 3 TEXT PROCESSOR->TEXT </pre>
<pre> \SECTION [...¹...] {...²} 1 REFERENCE <small>OPT</small> 2 TEXT instances: part chapter section subsection subsubsection subsubsubsection subsubsubsubsection title subject subsubject subsubsubject subsubsubsubject subsubsubsubsubject </pre>
<pre> \SECTION [...[*]...] * titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT vlastnicislo = TEXT placeholder = TEXT instances: part chapter section subsection subsubsection subsubsubsection subsubsubsubsubsection title subject subsubject subsubsubject subsubsubsubject subsubsubsubsubject </pre>
<pre> \chapter [...[*]...] * titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT vlastnicislo = TEXT placeholder = TEXT </pre>
<pre> \part [...[*]...] * titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT vlastnicislo = TEXT placeholder = TEXT </pre>

`\section [.,..*.,..]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subject [.,..*.,..]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subsection [.,..*.,..]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subsubject [.,..*.,..]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subsubsection [.,..*.,..]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subsubsubject [.,..*.,..]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subsubsubsection [.,..*.,..]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subsubsubsubject [...,.*,...]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subsubsubsubsection [...,.*,...]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\subsubsubsubsubject [...,.*,...]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\title [...,.*,...]`

* titul = TEXT
 zalozka = TEXT
 znaceni = TEXT
 seznam = TEXT
 odkaz = REFERENCE
 referencetext = TEXT
 vlastnicislo = TEXT
 placeholder = TEXT

`\chapter [...,1...] {...2}`

1 REFERENCE ^{OPT}
2 TEXT

`\SECTION [...,1...] {...2} {...3}`

1 REFERENCE ^{OPT}
2 NUMMER
3 TEXT

instances: part chapter section subsection subsubsection subsubsubsection
subsubsubsubsection title subject subsubject subsubsubject subsubsubsubject
subsubsubsubsubject

`\chapter [...,1...] {...2} {...3}`

1 REFERENCE ^{OPT}
2 NUMMER
3 TEXT

`\part [...,1...] {...2} {...3}`

1 REFERENCE ^{OPT}
2 NUMMER
3 TEXT

`\section [...,1...] {...2} {...3}`

1 REFERENCE ^{OPT}
2 NUMMER
3 TEXT

<pre>\subject [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsection [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubject [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubsection [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubsubject [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubsubsection [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubsubsubject [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubsubsubsection [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubsubsubsubject [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubsubsubsection [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\subsubsubsubsubsubject [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\title [...,¹...] {...} {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 NUMMER</pre> <pre>3 TEXT</pre>
<pre>\part [...,¹...] {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 TEXT</pre>
<pre>\section [...,¹...] {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 TEXT</pre>
<pre>\subject [...,¹...] {...}</pre> <pre>1 REFERENCE OPT</pre> <pre>2 TEXT</pre>

<p><code>\subsection [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubject [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubsection [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubsubject [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubsubsection [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubsubsubject [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubsubsubsection [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubsubsubsubject [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubsubsubsubsection [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\subsubsubsubsubsubject [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\title [...,¹...] {...²}</code></p> <p>1 REFERENCE OPT</p> <p>2 TEXT</p>
<p><code>\select {...¹} {...²} {...³} {...⁴} {...⁵} {...⁶}</code></p> <p>1 NAME OPT OPT OPT OPT OPT</p> <p>2 CONTENT</p> <p>3 CONTENT</p> <p>4 CONTENT</p> <p>5 CONTENT</p> <p>6 CONTENT</p>
<p><code>\serializecommalist [...,*...]</code></p> <p>* BEFEHL</p>
<p><code>\serializedcommalist</code></p>
<p><code>\serif</code></p>
<p><code>\serifbold</code></p>
<p><code>\serifnormal</code></p>
<p><code>\setalignmentcharacter</code></p>
<p><code>\setalignmentswitch {...}</code></p> <p>* vlevo nastred vpravo</p>

\setalternate {...} * TEXT
\setautopagestaterealpageno {...} * NAME
\setbar [...] * NAME
\setbigbodyfont
\setboxllx ¹ ... { ² ...} 1 CSNAME NUMBER 2 DIMENSION
\setboxlly ¹ ... { ² ...} 1 CSNAME NUMBER 2 DIMENSION
\setbreakpoints [...] * reset NAME
\setbuffer [...] ... \endbuffer * NAME
\setcapstrut
\setcatcodetable *... * CSNAME
\setcollector [¹ ...] [..., ² ... _{OPT} ,...] { ³ ...} 1 NAME 2 inherits: \setupcollector 3 CONTENT
\setcolormodel [...] * black bw seda rgb cmyk vse zadny
\setcounter [¹] [² ...] [³] 1 NAME 2 NUMMER 3 NUMMER
\setcounterown [¹] [² ...] [³] 1 NAME 2 NUMMER 3 TEXT
\setcxtluafunction { ¹ ...} { ² ...} 1 NAME 2 NUMMER
\setcurrentfontclass {...} * NAME
\setdataset [¹] [² ...] [..., ³ ... _{OPT} ,...] 1 NAME 2 NAME 3 KEY = VALUE

\setdatavalue {...} {...} 1 NAME 2 NUMMER
\setdefaultpenalties
\setdigitsmanipulation [...] * reset NUMMER
\setdirection [...] * NUMMER
\setdocumentargument {...} {...} 1 NAME 2 TEXT
\setdocumentargumentdefault {...} {...} 1 NAME 2 TEXT
\setdocumentfilename {...} {...} 1 NUMMER 2 TEXT
\setdummyparameter {...} {...} 1 KEY 2 BEFEHL
\setelementbackendtag [...] [...] 1 NAME 2 BlockQuote Caption Code Div Formula H L Lbl LBody LI Link P Quote Reference Sect Span Table TBODY TD TFOOT TH THEAD TOC TOCI TR
\setelementexporttag [...] [...] [...] 1 NAME 2 export nature pdf 3 inline obrazovka mixed
\setelementexporttag [...] [...] [...] 1 NAME 2 nature 3 inline obrazovka mixed
\setelementexporttag [...] [...] [...] 1 NAME 2 pdf 3 BlockQuote Caption Code Div Formula H L Lbl LBody LI Link P Quote Reference Sect Span Table TBODY TD TFOOT TH THEAD TOC TOCI TR
\setelementnature [...] [...] 1 NAME 2 inline obrazovka mixed
\setemeasure {...} {...} 1 NAME 2 DIMENSION
\setevalue {...} {...} 1 NAME 2 CONTENT

<pre> \setevariable {...} {...} {...} 1 NAME 2 KEY 3 VALUE </pre>
<pre> \setevariables [...]¹ [...]²...,...] 1 NAME 2 set = BEFEHL reset = BEFEHL KEY = VALUE </pre>
<pre> \setexpansion [...] * NAME </pre>
<pre> \setextrafontkerns [...]^{OPT} * zadny min max mixed reset </pre>
<pre> \setfirstline [...]^{OPT} * NAME </pre>
<pre> \setfirstpasscharacteralign </pre>
<pre> \setflag {...} * NAME </pre>
<pre> \setfont ... * FONT </pre>
<pre> \setfontcolorscheme [...] * NAME </pre>
<pre> \setfontfeature {...} * NAME </pre>
<pre> \setfontsolution [...][*] * NAME </pre>
<pre> \setfontstrut </pre>
<pre> \setfractions </pre>
<pre> \setglobalscript [...][*] * hangul hanzi nihongo ethiopic thai test NAME </pre>
<pre> \setgmeasure {...}¹ {...}² 1 NAME 2 DIMENSION </pre>
<pre> \setgvalue {...}¹ {...}² 1 NAME 2 CONTENT </pre>
<pre> \setgvariable {...}¹ {...}² {...}³ 1 NAME 2 KEY 3 VALUE </pre>


```
\setgvariables [...] [...2...]
1 NAME
2 set = BEFEHL
  reset = BEFEHL
  KEY = VALUE
```

```
\sethboxregister 1... {2...}
1 CSNAME NUMMER
2 CONTENT
```

```
\sethyphenatedurlafter {...}
* TEXT
```

```
\sethyphenatedurlbefore {...}
* TEXT
```

```
\sethyphenatedurlnormal {...}
* TEXT
```

```
\sethyphenationfeatures [...*...]
* NAME reset OPT
```

```
\setcharacteralign {...} {...}
1 NUMMER
2 TEXT number->TEXT text->TEXT
```

```
\setcharacteraligndetail {...} {...} {...} {...}
1 NUMMER
2 TEXT number->TEXT text->TEXT
3 DIMENSION
4 DIMENSION
```

```
\setcharactercasing [...]
* reset SLOVO slovo Slovo Slova kapitalky Kapitalky nahodny mixed camel Camel kap Kap
```

```
\setcharactercleaning [...]
* reset 1
```

```
\setcharacterkerning [...]
* reset NAME
```

```
\setcharacterspacing [...]
* reset NAME
```

```
\setcharacterstripping [...]
* reset 1
```

```
\setcharstrut {...}
* TEXT
```

```
\setinitial [...1] [...2...]
1 NAME OPT OPT
2 inherits: \setupinitial
```

```
\setinjector [...1] [...2,...] [...3]
1 NAME
2 NUMMER
3 BEFEHL
```

\setinteraction [...] * skryte NAME
\setinterfacecommand {...} {...} 1 NAME 2 NAME
\setinterfaceconstant {...} {...} 1 NAME 2 NAME
\setinterfaceelement {...} {...} 1 NAME 2 NAME
\setinterfacemessage {...} {...} {...} 1 NAME 2 titul NAME NUMBER 3 TEXT
\setinterfacevariable {...} {...} 1 NAME 2 NAME
\setinternalrendering [...] [...] {...} 1 NAME 2 auto embed 3 CONTENT
\setitaliccorrection [...] * reset 1 2
\setJSpreamble {...} {...} 1 NAME 2 CONTENT
\setlayer [...] [...] [...] [...] {...} 1 NAME 2 vlevo vpravo sude liche 3 inherits: \setuplayer 4 CONTENT
\setlayerframed [...] [...] [...] [...] [...] {...} 1 NAME 2 inherits: \setuplayer 3 inherits: \nastavoramovani 4 CONTENT
\setlayerframed [...] [...] [...] [...] [...] {...} 1 NAME 2 inherits: \setuplayerinherits: \nastavoramovani 3 CONTENT
\setlayertext [...] [...] [...] [...] [...] {...} 1 NAME 2 inherits: \setuplayer 3 zarovnani = inherits: \nastavzarovnani sirka = DIMENSION pismo = STYLE BEFEHL barva = COLOR 4 TEXT
\setlinefiller [...] * filler NAME

<code>\setlineprofile [...]</code> <code>* NAME</code>
<code>\setlocalhsize [...]</code> <code>* [-+]DIMENSION OPT</code>
<code>\setlocalscript [...]</code> <code>* hangul hanzi nihongo ethiopic thai test NAME</code>
<code>\setlocalshowmakeup</code>
<code>\setluatable \.¹ {.²}</code> <code>1 CSNAME</code> <code>2 CONTENT</code>
<code>\setMPplayer [...]¹ [...]² [...,...³...,...]⁴ {.⁴}</code> <code>1 NAME</code> <code>2 NAME</code> <code>3 inherits: \setupplayer</code> <code>4 CONTENT</code>
<code>\setMPpositiongraphic {.¹} {.²} {.,,...³...,...}</code> <code>1 NAME</code> <code>2 NAME</code> <code>3 KEY = VALUE</code>
<code>\setMPpositiongraphicrange {.¹} {.²} {.³} {.,,...⁴...,...}</code> <code>1 NAME</code> <code>2 NAME</code> <code>3 NAME</code> <code>4 KEY = VALUE</code>
<code>\setMPtext {.¹} {.²}</code> <code>1 NAME</code> <code>2 TEXT</code>
<code>\setMPvariable [...]¹ [...²...]</code> <code>1 NAME</code> <code>2 KEY = VALUE</code>
<code>\setMPvariables [...]¹ [...,...²...,...]</code> <code>1 NAME</code> <code>2 KEY = VALUE</code>
<code>\setmainbodyfont</code>
<code>\setmainlineprofile</code>
<code>\setmainparbuilder [...]</code> <code>* implicitni oneline basic NAME</code>
<code>\setmarker [...]¹ [...]²</code> <code>1 NAME</code> <code>2 NUMMER</code>
<code>\setmarking [...]¹ {.²}</code> <code>1 BESCHRIFTUNG</code> <code>2 TEXT</code>
<code>\setmathmatrixanchoring [...][*]</code> <code>* ano obe</code>

$\backslash\text{setmathstyle}$ {...,*,...} * obrazovka text script scriptscript cramped uncramped normalni zhustene male velke NAME
$\backslash\text{setmeasure}$ {...} {...} 1 NAME 2 DIMENSION
$\backslash\text{setmessagetext}$ {...} {...} 1 NAME 2 NAME NUMBER
$\backslash\text{setmode}$ {...} * NAME
$\backslash\text{setnostrut}$
$\backslash\text{setnote}$ [...] ¹ [..., ² ...] {...} ³ 1 NAME 2 REFERENCE 3 TEXT
$\backslash\text{setnotetext}$ [...] ¹ [..., ² ...] {...} ³ 1 NAME 2 REFERENCE 3 TEXT
$\backslash\text{setnotetext}$ [...] ¹ [..., ² ...] [...] 1 NAME 2 titul = TEXT zalozka = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT
$\backslash\text{setnote}$ [...] ¹ [..., ² ...] [...] 1 NAME 2 titul = TEXT zalozka = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT
$\backslash\text{setobject}$ {...} ¹ {...} ² \... ³ {...} ⁴ 1 NAME 2 NAME 3 CSNAME 4 CONTENT
$\backslash\text{setoldstyle}$
$\backslash\text{setoverloads}$ [...] * NAME
$\backslash\text{setpagelooseness}$ [...] * NUMMER
$\backslash\text{setpagelooseness}$ [..., [*] ...] [...] * radky = DIMENSION vyska = DIMENSION natahnout = DIMENSION shrink = DIMENSION

<code>\setpagereference {¹...} {²...,...}</code> 1 NAME 2 REFERENCE
<code>\setpagestate [¹...] [²...]</code> 1 NAME 2 NAME NUMBER <small>OPT</small>
<code>\setpagestaterealpageno {¹...} {²...}</code> 1 NAME 2 NAME NUMBER
<code>\setparagraphfreezing</code>
<code>\setparagraphshape [...]</code> * NAME
<code>\setpenalties \¹... {²...} {³...}</code> 1 CSNAME 2 NUMBER 3 NUMBER
<code>\setpercentdimen {¹...} {²...}</code> 1 DIMENSION CSNAME 2 DIMENSION NUMBER%
<code>\setperiodkerning [...]</code> * reset NAME
<code>\setposition {[*]...}</code> * NAME
<code>\setpositionbox {¹...} \²... {³...}</code> 1 NAME 2 CSNAME 3 CONTENT
<code>\setpositiondata {¹...} {²...} {³...} {⁴...}</code> 1 NAME 2 DIMENSION 3 DIMENSION 4 DIMENSION
<code>\setpositiondataplus {¹...} {²...} {³...} {⁴...} {⁵...,...}</code> 1 NAME 2 DIMENSION 3 DIMENSION 4 DIMENSION 5 TEXT
<code>\setpositiononly {[*]...}</code> * NAME
<code>\setpositionplus {¹...} {²...,...} \³... {⁴...}</code> 1 NAME 2 TEXT 3 CSNAME 4 CONTENT
<code>\setpositionstrut {[*]...}</code> * NAME

```
\setprofile [...]
* zadny fixne striktni halffixed quarterfixed eightsfixed NAME
```

```
\setrandomseed {...}
* NUMMER
```

```
\setreference [...1,...] [...2,...]
1 REFERENCE
2 KEY = VALUE
```

```
\setreferencedobject {...1} {...2} \...3 {...4}
1 NAME
2 NAME
3 CSNAME
4 CONTENT
```

```
\setregisterentry [...1] [...2,...3,...] [...3,...3,...]
1 NAME
2 popisek = NAME
keys = TEXT PROCESSOR->TEXT
entries = TEXT PROCESSOR->TEXT
processors = PROCESSOR
keys:1 = TEXT
keys:2 = TEXT
keys:3 = TEXT
entries:1 = TEXT
entries:2 = TEXT
entries:3 = TEXT
alternativa = TEXT
processors:1 = PROCESSOR
processors:2 = PROCESSOR
processors:3 = PROCESSOR
3 KEY = VALUE
```

```
\setreplacements [...1] [...2,...]
1 reset NAME
2 NAME
```

```
\setrigidcolumnbalance ...
* CSNAME NUMMER
```

```
\setrigidcolumnhsize {...1} {...2} {...3}
1 DIMENSION
2 DIMENSION
3 NUMMER
```

```
\setscript [...]
* hangul hanzi nihongo ethiopic thai test NAME
```

```
\setsecondpasscharacteralign
```

```
\setsectionblock [...1] [...2,...3,...]
1 NAME
2 zalozka = TEXT
```

```
\setsimplecolumnshsize [...*,...*,...]
* n = NUMMER
sirka = DIMENSION
vzdalenost = DIMENSION
radky = NUMMER
```

```
\setsmallbodyfont
```

```
\setsmallcaps
```

\setstackbox {...} {...} {...}

1 NAME
2 NAME
3 CONTENT

\setstructurepageregister [...] [...²...] [...³...] ^{OPT}

1 NAME
2 popisek = NAME
keys = TEXT PROCESSOR->TEXT
entries = TEXT PROCESSOR->TEXT
processors = PROCESSOR
keys:1 = TEXT
keys:2 = TEXT
keys:3 = TEXT
entries:1 = TEXT
entries:2 = TEXT
entries:3 = TEXT
alternativa = TEXT
processors:1 = PROCESSOR
processors:2 = PROCESSOR
processors:3 = PROCESSOR
3 KEY = VALUE

\setstrut

\setsuperiors

\setsystemmode {...}

* NAME

\settabular

\settaggedmetadata [...^{*}...]

* KEY = VALUE

\settestcrlf

\settextcontent [...] [...] [...] [...] [...] ^{OPT} ^{OPT}

1 vrsek zahlavi text upati spodek
2 text marginalie hrana
3 vlevo nastred vpravo
4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

\settightobject {...} {...} \... {...}

1 NAME
2 NAME
3 CSNAME
4 CONTENT

\settightreferencedobject {...} {...} \... {...}

1 NAME
2 NAME
3 CSNAME
4 CONTENT

\settightstrut

\settightunreferencedobject {...} {...} \... {...}

1 NAME
2 NAME
3 CSNAME
4 CONTENT

\settokenlist [...] {...}

- 1 NAME
- 2 TEXT

\settrialtypesetting

\setuevalue {...} {...}

- 1 NAME
- 2 CONTENT

\setugvalue {...} {...}

- 1 NAME
- 2 CONTENT

\setunreferencedobject {...} {...} \... {...}

- 1 NAME
- 2 NAME
- 3 CSNAME
- 4 CONTENT

\setupadaptive [...¹,...] [...²,...]

- 1 NAME OPT
- 2 setups = NAME
- foregroundstyle =
- foregroundcolor = COLOR
- strut = ano ne
- metoda = NUMMER
- barva = COLOR
- alternativa = NAME
- tloustkalinky = DIMENSION
- marginalie = DIMENSION
- natahnout = DIMENSION
- shrink = DIMENSION

\setupalignpass [...]

- * zadny granular decent quality NAME

\setupalternativestyles [...^{*},...]

- * metoda = normalni auto

\setupattachment [...¹,...] [...²,...]

- 1 NAME OPT
- 2 titul = TEXT
- podtitulek = TEXT
- autor = TEXT
- soubor = FILE
- jmeno = NAME
- buffer = BUFFER
- typ = NAME
- status = start stop
- metoda = normalni skryte
- symbol = Graph Paperclip Pushpin Default
- sirka = prizpusobive DIMENSION
- vyska = prizpusobive DIMENSION
- hloubka = prizpusobive DIMENSION
- barva = COLOR
- textlayer = NAME
- misto = levahrana pravahrana naokraji lev yokraj prav yokraj text vysoko zadny
- vzdalenost = DIMENSION

\setupattachments [...¹,...] [...²,...]

- 1 NAME OPT
- 2 inherits: \setupattachment

\setupbackend [...,*...]

```
* export      = ano FILE
xhtml        = FILE
soubor       = FILE
intent       = Coated_FOGRA39_(ISO_12647-2:2004) GRACoL2006_Coated1v2.icc ISO_Coated_v2_300%(ECI) ISO_Coated_v2_(ECI)
              ISOnewspaper26v4 ISOnewspaper26v4_gr ISO_Uncoated ISO_Uncoated_Yellowish ISO_Web_Coated Japan_Color_2001_Coated
              Japan_Color_2002_Newspaper Japan_Web_Coated_(Ad) SNAP_2007 SWOP2006_Coated3v2.icc SWOP2006_Coated5v2.icc
              Uncoated_FOGRA29_(ISO_12647-2:2004) Web_Coated_FOGRA28_(ISO_12647-2:2004) PSR_LWC_PLUS_V2_PT
              PSR_LWC_STD_V2_PT PSR_SC_PLUS_V2_PT PSR_SC_STD_V2_PT PSRgravureMF
mezera       = ano ne
hyphen       = ano ne
xmpfile      = FILE
formatovat   = version implicitni PDF/X-1a:2001 PDF/X-1a:2003 PDF/X-3:2002 PDF/X-3:2003 PDF/X-4 PDF/X-4p PDF/X-5g
              PDF/X-5pg PDF/X-5n PDF/A-1a:2005 PDF/A-1b:2005 PDF/A-2a PDF/A-3a PDF/UA-1
uroven       = NUMMER
volba        = vzdy nikdy
profile      = FILE
```

\setupbar [...,¹...] [...,*²...]

```
1 NAME      OPT
2 barva     = COLOR
pokracovat  = ano ne vse vzdy
prazdne     = ano ne
jednotka    = ex em pt in cm mm sp bp pc dd cc nc
order       = popredi pozadi
tloustkalinky = DIMENSION
metoda      = NUMMER
offset      = NUMMER DIMENSION
vyska       = DIMENSION
hloubka     = DIMENSION
dy          = NUMMER
max         = NUMMER
foregroundstyle = STYLE BEFEHL
foregroundcolor = COLOR
mp          = NAME
vlevo       = TEXT
vpravo      = TEXT
opakovat    = ano ne
text        = TEXT
```

\setupbars [...,¹...] [...,*²...]

```
1 NAME      OPT
2 inherits: \setupbar
```

\setupbleeding [...,*...]

```
* sirka     = DIMENSION
vyska       = DIMENSION
offset      = DIMENSION
hoffset     = DIMENSION
voffset     = DIMENSION
misto       = t b l r bl lb br rb tl lt tr rt
natahnout   = ano ne
stranka     = ano ne
```

\setupbookmark [...,*...]

```
* sila      = ano ne
cislo       = ano ne
numberseparatorset = NAME
numberconversionset = NAME
numberstarter = BEFEHL
numberstopper = BEFEHL
numbersegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:* ABSCHNITT:vse
              aktualni
sectionblock = ano ne
```

\setupboxexport [...,*...]

```
* buffer    = NAME
soubor      = FILE
```

\setupbtx [...]¹ [...,...²...,...]

```
1 NAME OPT
2 specification = implicitni apa aps NAME
  dataset       = implicitni NAME
  prikaz        = \...#1
  vlevo         = BEFEHL
  vpravo        = BEFEHL
  authorconversion = normalni normalshort normalinverted invertedshort short
  etallimit     = NUMMER
  etaldisplay   = NUMMER
  etaloption    = posledni
  predel       = initials
  interakce     = start stop cislo text stranka vse
  alternativa   = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
                  authornum authoryear
  sorttype      = normalni reverse
  compress      = ano ne
  implicitni    = implicitni NAME
  pismeno       = STYLE BEFEHL
  barva         = COLOR
```

\setupbtxdataset [...]¹,... [...,...²...,...]

```
1 NAME OPT
2 language = SPRACHE
```

\setupbtxlist [...]¹ [...,...²...,...]

```
1 NAME OPT
2 inherits: \nastavseznam
```

\setupbtxregister [...]¹,... [...,...²...,...]

```
1 NAME OPT
2 status      = start stop
  dataset     = NAME
  field       = keyword range cislostranky autor
  register    = NAME
  metoda      = once
  alternativa = normalshort invertedshort
  pismeno     = STYLE BEFEHL
  barva       = COLOR
```

\setupbtxrendering [...]¹,... [...,...²...,...]

```
1 NAME OPT
2 statustextu = start stop
  pagestate   = start stop
  oddelovac   = BEFEHL
  kriterium   = predchozi cite zde vse zadny
  filter      = TEXT
  specification = NAME
  titul       = TEXT
  pred        = BEFEHL
  po          = BEFEHL
  dataset     = NAME
  metoda      = dataset sila lokalne globalne zadny
  sorttype    = short dataset seznam odkaz uzito implicitni cite rejstrik
  opakovat    = ano ne
  group       = NAME
  cislovani   = ano ne num rejstrik tag short stranka
  soubor      = FILE
```

\setupbtx [...]^{*}

```
* NAME
```

\setupbutton [...]¹,... [...,...²...,...]

```
1 NAME OPT
2 status      = start stop
  stejnastranka = ano ne prazdne zadny normalni implicitni
  pismeno       = STYLE BEFEHL
  barva         = COLOR
  kontrastnibarva = COLOR
  alternativa   = skryte
  inherits: \nastavoramovani
```

`\setupcollector [...1,...] [...2,...]`

```
1 NAME OPT
2 rotace = vlevo vpravo uvnitr vnejsi NUMMER
  roh = vlevo nastred vpravo vrsek spodek
  x = DIMENSION
  y = DIMENSION
  hoffset = DIMENSION
  voffset = DIMENSION
  misto = vlevo nastred vpravo vrsek spodek radek l c r m t b g
  status = start stop
```

`\setupcolumnset [...1,...] [...2,...]`

```
1 NAME NAME:NUMMER OPT
2 n = NUMBER
  nvlevo = NUMBER
  nvpravo = NUMBER
  sirka = DIMENSION auto
  vzdalenost = DIMENSION
  radky = NUMBER
  maxsirka = DIMENSION
  maxvyska = DIMENSION
  smer = normalni reverse
  stranka = inherits: \strana
  inherits: \nastavoramovani
```

`\setupcolumnsetarea [...1,...] [...2,...]`

```
1 NAME OPT
2 status = start stop opakovat
  x = NUMBER
  y = NUMBER
  nx = NUMBER
  ny = NUMBER
  pismeno = STYLE BEFEHL
  barva = COLOR
  clipoffset = DIMENSION
  pravyyoffset = DIMENSION
  inherits: \nastavoramovani
```

`\setupcolumnsetareatext [...1] [...2]`

```
1 NAME
2 TEXT
```

`\setupcolumnsetlines [...1] [...2] [...3] [...4]`

```
1 NAME
2 NUMMER
3 NUMMER
4 NUMMER
```

`\setupcolumnsetspan [...1,...] [...2,...]`

```
1 NAME OPT
2 n = NUMBER
  pismeno = STYLE BEFEHL
  barva = COLOR
  pred = BEFEHL
  po = BEFEHL
  inherits: \nastavoramovani
```

`\setupcolumnsetstart [...1] [...2] [...3] [...4]`

```
1 NAME
2 NUMMER
3 NUMMER
4 NUMMER
```

\setupcombination [...¹,...] [...²,...]

1 NAME OPT
2 nx = NUMMER
ny = NUMMER
sirka = prizpusobive DIMENSION
vyska = prizpusobive DIMENSION
misto = vlevo nastred vpravo vrsek spodek
vzdalenost = DIMENSION
alternativa = popisek text
zarovnani = inherits: \nastavzarovnani
pokracovat = ano ne
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR
metoda = rovnice

\setupcounter [...¹,...] [...²,...]

1 NAME OPT
2 start = NUMMER
cislo = NUMMER
counter = NAME
metoda = stranka
status = start stop
zpusob = bystranka byblock bytext byhlavicka byABSCHNITT
prefix = ano ne
prefixseparatorset = NAME
prefixconversion = NAME
prefixconversionset = NAME
prefixstarter = BEFEHL PROCESSOR->BEFEHL
prefixstopper = BEFEHL PROCESSOR->BEFEHL
prefixset = NAME
prefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:* ABSCHNITT:vse
aktualni
numberorder = reverse
numberseparatorset = NAME
numberconversion = NAME
numberconversionset = NAME
numberstarter = BEFEHL PROCESSOR->BEFEHL
numberstopper = BEFEHL PROCESSOR->BEFEHL
numbersegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse
typ = prvni predchozi dalsi posledni cislo
kriterium = striktni pozitiv vse
prefixconnector = BEFEHL PROCESSOR->BEFEHL

\setupdataset [...¹,...] [...²,...]

1 NAME OPT
2 prodleva = ano ne

\setupdelimitedtext [...¹,...] [...²,...]

1 NAME NAME:NUMMER OPT
2 pred = BEFEHL
po = BEFEHL
language = lokalne globalne SPRACHE
metoda = font text odstavec
opakovat = ano ne
misto = text odstavec marginalie
vlevo = BEFEHL
stredni = BEFEHL
vpravo = BEFEHL
nextleft = BEFEHL
nextright = BEFEHL
mezerapred = inherits: \preskoc
mezeraza = inherits: \preskoc
levyokraj = ano ne standardni DIMENSION
pravyokraj = ano ne standardni DIMENSION
odsazovani = inherits: \nastavodsazovani
odsadpristi = ano ne auto
pismo = STYLE BEFEHL
barva = COLOR
stylsymboly = STYLE BEFEHL
barvasymbolu = COLOR
zarovnani =

\setupdescription [...¹,...] [...²,...]

1	NAME	OPT	
2	titul	=	ano ne
	define	=	ano ne
	uroven	=	NUMMER
	text	=	TEXT
	headcommand	=	\...#1
	pred	=	BEFEHL
	po	=	BEFEHL
	mezi	=	BEFEHL
	alternativa	=	vlevo vpravo naokraj i vlevo ivpravo marginalie levyokraj prav yokraj innermargin outermargin semknuto visici vrsek prazdne prikaz NAME
	zarovnani	=	inherits: \nastavzarovnani
	headalign	=	inherits: \nastavzarovnani
	odsazovani	=	inherits: \nastavodsazovani
	obrazovka	=	ano ne
	odsadpristi	=	ano ne auto
	sirka	=	prizpusobive široky radek DIMENSION
	vzdalenost	=	zadny DIMENSION
	natahnout	=	NUMMER
	shrink	=	NUMMER
	zaveseni	=	prizpusobive široky zadny marginalie NUMMER
	closesymbol	=	BEFEHL
	closecommand	=	\...#1
	expanzen	=	ano ne xml
	referenceprefix	=	+ - TEXT
	vzor	=	TEXT
	marginalie	=	ano ne standardni DIMENSION
	pismo	=	STYLE BEFEHL
	barva	=	COLOR
	stylhlavicky	=	STYLE BEFEHL
	barvahlavicky	=	COLOR
	zarovnejtitul	=	ano ne
	headindenting	=	ano ne

\setupdirections [...^{*},...]

*	bidi	=	zap vyp lokalne globalne
	metoda	=	jedna dve implicitni
	fences	=	ano ne
	break	=	obe pred

\setupdocument [...¹,...] [...²,...]

1	NAME	OPT	
2	pred	=	BEFEHL
	po	=	BEFEHL
	metadata:author	=	TEXT
	metadata:title	=	TEXT
	metadata:subject	=	TEXT
	metadata:keywords	=	TEXT
	KEY	=	VALUE

\setupeffect [...¹,...] [...²,...]

1	NAME	OPT	
2	metoda	=	zadny prikaz
	natahnout	=	NUMMER
	tloustkalinky	=	DIMENSION
	alternativa	=	normalni uvnitr vnejsi obe skryte natahnout

\setupenumeration [$\dots^1\dots$] [$\dots^2\dots$]

```

1 NAME OPT
2 titul = ano ne
  cislo = ano ne
  ciselny prikaz = \dots#1
  styl cisla = STYLE BEFEHL
  barva cisla = COLOR
  vzdalenost titulek = DIMENSION
  styl titulek = STYLE BEFEHL
  barva titulek = COLOR
  title command = \dots#1
  title left = BEFEHL
  title right = BEFEHL
  vlevo = BEFEHL
  vpravo = BEFEHL
  symbol = BEFEHL
  starter = BEFEHL
  predel = BEFEHL
  propojeni = NAME
  counter = NAME
  define = ano ne
  uroven = NUMBER
  text = TEXT
  head command = \dots#1
  pred = BEFEHL
  po = BEFEHL
  mezi = BEFEHL
  alternativa = vlevo vpravo naokraj i vlevo i vpravo marginalie levý okraj pravý okraj innermargin outermargin
                 semknuto visici vrsek prázdné příkaz NAME
  zarovnani = inherits: \nastavzarovnani
  head align = inherits: \nastavzarovnani
  odsazovani = inherits: \nastavodsazovani
  obrazovka = ano ne
  odsadpristi = ano ne auto
  sirka = prizpusobive široky radek DIMENSION
  vzdalenost = zadny DIMENSION
  natahnout = NUMBER
  shrink = NUMBER
  zavseseni = prizpusobive široky zadny marginalie NUMBER
  closesymbol = BEFEHL
  close command = \dots#1
  expanzen = ano ne xml
  reference prefix = + - TEXT
  vzor = TEXT
  marginalie = ano ne standardni DIMENSION
  pismeno = STYLE BEFEHL
  barva = COLOR
  styl hlavy = STYLE BEFEHL
  barva hlavy = COLOR
  zarovnej titul = ano ne
  head indenting = ano ne
  inherits: \setupcounter

```

\setupenv [$\dots^*\dots$]

```

* set = BEFEHL
  reset = BEFEHL
  KEY = VALUE

```

\setupexpansion [$\dots^1\dots$] [$\dots^2\dots$]

```

1 NAME OPT
2 krok = NUMBER
  natahnout = NUMBER
  shrink = NUMBER

```

\setupexport [$\dots^*\dots$]

```

* zarovnani = flushleft nastred flushright normalni
  zakladnifont = DIMENSION
  sirka = DIMENSION
  titul = TEXT
  podtitulek = TEXT
  autor = TEXT
  alternativa = html div
  properties = ano ne
  hyphen = ano ne
  cssfile = FILE
  prvnistranka = FILE
  poslednistrana = FILE

```

```

\setupexternalfigure [...1,...] [...2,...]
1 NAME OPT
2 sirka = DIMENSION
vyska = DIMENSION
popisek = NAME
stranka = NUMMER
objekt = ano ne
prefix = TEXT
metoda = pdf mps jpg png jp2 jbig svg eps gif tif mov buffer tex cld auto
controls = ano ne
nahled = ano ne
mask = zadny
rozliseni = NUMMER
barva = COLOR
cmyk = ano ne auto
arguments = TEXT
opakovat = ano ne
faktor = prizpusobive siroky max auto implicitni
hfaktor = prizpusobive siroky max auto implicitni
sfaktor = prizpusobive siroky max auto implicitni
maxsirka = DIMENSION
maxvyska = DIMENSION
equalwidth = DIMENSION
equalheight = DIMENSION
meritko = NUMMER
xmeritko = NUMMER
ymeritko = NUMMER
s = NUMMER
sx = NUMMER
sy = NUMMER
radky = NUMMER
misto = lokalne globalne implicitni
adresar = PATH
volba = test ramecek prazdne
foregroundcolor = COLOR
reset = ano ne
pozadi = barevne popredi NAME
ramecek = zap vyp
barvapozadi = COLOR
xmax = NUMMER
ymax = NUMMER
ramecky = zap vyp
interakce = ano vse zadny odkaz layer zalozka
zakladnifont = DIMENSION
comment = BEFEHL TEXT
velikost = zadny media crop trim art
cache = PATH
resources = PATH
obrazovka = FILE
konverze = TEXT
order = LISTE
crossreference = ano ne NUMMER
transform = auto NUMMER
userpassword = TEXT
ownerpassword = TEXT
orientation = NUMMER
compact = ano ne merge tikz NAME
metadata = ano ne stranka document

```

```

\setupfacingfloat [...1,...] [...2,...]
1 NAME OPT
2 mezi = BEFEHL
stranka = inherits: \strana
spaceinbetween = inherits: \preskoc
pismo = STYLE BEFEHL
barva = COLOR
sirka = prizpusobive ramecek DIMENSION
inherits: \nastavoramovani

```

```

\setupfieldbody [...1,...] [...2,...]
1 NAME OPT
2 category = NAME
inherits: \setupfieldcategory

```

\setupfieldcategory [...¹,...] [...²,...]

```

1 NAME OPT
2 start = NUMMER
  pismo = STYLE BEFEHL
  barva = COLOR
  typ = radio pod text radek push check signature
  values = TEXT
  implicitni = TEXT
  barvarameckupole = COLOR
  barvapozadipole = COLOR
  sirka = DIMENSION
  vyska = DIMENSION
  hloubka = DIMENSION
  zarovnani = vlevo nastred vpravo flushleft center flushright
  n = NUMMER
  symbol = NAME
  fieldlayer = NAME
  volba = pouze procteni pozadovane chranene tridene nedostupne nocheck fixne soubor skryte tisknutelne
        auto
  klikuvnitř = REFERENCE
  klikvne = REFERENCE
  oblastuvnitř = REFERENCE
  oblastvne = REFERENCE
  klavesapo = REFERENCE
  formatovat = REFERENCE
  validovat = REFERENCE
  pocitat = REFERENCE
  focusin = REFERENCE
  focusout = REFERENCE
  openpage = REFERENCE
  closepage = REFERENCE

```

\setupfieldcontentframed [...¹,...] [...²,...]

```

1 NAME OPT
2 inherits: \nastavoramovani inherits: \setupfieldcategory

```

\setupfieldlabelframed [...¹,...] [...²,...]

```

1 NAME OPT
2 inherits: \nastavoramovani

```

\setupfieldtotalframed [...¹,...] [...²,...]

```

1 NAME OPT
2 pred = BEFEHL
  po = BEFEHL
  mezi = BEFEHL
  vzdalenost = DIMENSION
  alternativa = reset popisek ramecek horizontalne vertikalne
  inherits: \nastavoramovani

```

\setupfiller [...¹,...] [...²,...]

```

1 NAME OPT
2 levyokraj = DIMENSION
  pravyokraj = DIMENSION
  vlevo = BEFEHL
  vpravo = BEFEHL
  alternativa = symbol natahnout linka mezera
  metoda = lokalne globalne nastred široky
  sirka = DIMENSION
  vyska = DIMENSION
  hloubka = DIMENSION
  offset = DIMENSION
  vzdalenost = DIMENSION
  zarovnani = vlevo vpravo nastred flushleft flushright uvnitř vnejsi
  symbol = BEFEHL
  pismo = STYLE BEFEHL
  barva = COLOR

```

\setupfirstline [...¹,...] [...²,...]

```

1 NAME OPT
2 n = NUMMER
  alternativa = implicitni radek slovo
  pismo = STYLE BEFEHL
  barva = COLOR

```



```

\setupfittingpage [...1,...] [...2,...]
1  NAME                      OPT
2  pagestate = start stop
    prikaz   = \...#1
    marginalie = stranka
    meritko   = NUMMER
    papir     = auto implicitni NAME
    inherits: \nastavoramovani

```

```

\setupfloatframed [...1,...] [...2,...]
1  NAME                      OPT
2  inherits: \nastavoramovani

```

```

\setupfontexpansion [...1,...] [...2,...]
1  NAME
2  vector      = NAME
    faktor     = NUMMER
    natahnout  = NUMMER
    shrink     = NUMMER
    krok       = NUMMER

```

```

\setupfontprotrusion [...1,...] [...2,...]
1  NAME
2  vector = NAME
    faktor = NUMMER
    vlevo  = NUMMER
    vpravo = NUMMER

```

```

\setupfonts [...*,...]
*  language = ne auto

```

```

\setupfontsolution [...1,...] [...2,...]
1  NAME                      OPT
2  goodies = FILE
    solution = NAME
    less    = NAME
    more    = NAME
    metoda  = preroll split normalni reverse nahodny
    kriterium = NUMMER

```

```

\setupforms [...*,...]
*  metoda = XML HTML PDF
    export = ano ne

```

```

\setupformula [...1,...] [...2,...]
1  NAME                      OPT
2  inherits: \nastavrovnice

```

```

\setupformulaframed [...1,...] [...2,...]
1  NAME                      OPT
2  inherits: \nastavoramovani

```

```

\setupframedcontent [...1,...] [...2,...]
1  NAME                      OPT
2  vlevo      = BEFEHL
    vpravo    = BEFEHL
    levyoffset = DIMENSION
    pravyoffset = DIMENSION
    offsetvrsku = DIMENSION
    offsetspodku = DIMENSION
    korekceradku = ano ne
    inherits: \nastavoramovani

```

`\setupframedtable [...]1 [...,...2...,...]`

1 NAME OPT
2 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
vzdalenost = DIMENSION
inherits: \nastavoramovani

`\setupframedtablecolumn [...]1 [...]2 [...,...3...,...]`

1 NAME OPT
2 NUMMER kazdy
3 inherits: \nastavoramovani

`\setupframedtablerow [...]1 [...]2 [...,...3...,...]`

1 NAME OPT
2 NUMMER kazdy
3 inherits: \nastavoramovani

`\setupframedtext [...]1,... [...]2...,...`

1 NAME OPT
2 vlevo = BEFEHL
vpravo = BEFEHL
vnitrni = BEFEHL
misto = vlevo vpravo nastred zadny
korekcehloubky = zap vyp
zakladnifont = inherits: \nastavzakladnifont
odsazovani = inherits: \nastavodsazovani
pismo = STYLE BEFEHL
barva = COLOR
inherits: \nastavoramovaniinherits: \setupplacement

`\setupglobalreferenceprefix [...]*`

* + - TEXT

`\setupheadalternative [...]1,... [...]2...,...`

1 NAME OPT
2 alternativa = horizontalne vertikalne nekde
renderingsetup = NAME

`\setuphelp [...]1,... [...]2...,...`

1 NAME OPT
2 inherits: \nastavoramovani

`\setuphigh [...]1,... [...]2...,...`

1 NAME OPT
2 vzdalenost = DIMENSION
up = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\setuphighlight [...]1,... [...]2...,...`

1 NAME OPT
2 prikaz = ano ne
pismo = STYLE BEFEHL
barva = COLOR

`\setuphyphenation [...]*...,...`

* metoda = original tex implicitni hyphenate expanded traditional zadny

`\setupcharacteralign [...]*...,...`

* sirkavlevo = DIMENSION
sirkavpravo = DIMENSION
leftsample = TEXT
rightsample = TEXT
character = TEXT number->TEXT text->TEXT

\setupcharacterkerning [...¹,...] [...²,...]

1 NAME OPT
2 faktor = max NUMMER
sirka = DIMENSION
features = NAME
pismo = STYLE BEFEHL
barva = COLOR

\setupcharacterspacing [...¹] [...²] [...³,...]

1 NAME OPT
2 NUMMER
3 vlevo = NUMMER
vpravo = NUMMER
alternativa = 0 1
language = SPRACHE

\setupchemical [...¹,...] [...²,...]

1 NAME OPT
2 strut = ano ne auto kap prizpusobive radek implicitni CHARACTER
sirka = prizpusobive zadny NUMMER
vyska = prizpusobive zadny NUMMER
vlevo = prizpusobive zadny NUMMER
vpravo = prizpusobive zadny NUMMER
vrsek = prizpusobive zadny NUMMER
spodek = prizpusobive zadny NUMMER
meritko = male stredni velke normalni NUMMER
rotace = NUMMER
symzarovnani = auto
osa = zap vyp
barvamecku = COLOR
tloustkalinky = DIMENSION
offset = DIMENSION
jednotka = DIMENSION
faktor = NUMMER
ramecek = zap vyp
barvalinky = COLOR
zakladnifont = inherits: \nastavzakladnifont
velikost = male stredni velke
pismo = STYLE BEFEHL
barva = COLOR

\setupchemicalframed [...¹,...] [...²,...]

1 NAME OPT
2 inherits: \nastavoramovani

\setupindentedtext [...¹,...] [...²,...]

1 NAME OPT
2 pred = BEFEHL
po = BEFEHL
vzdalenost = DIMENSION
vzor = TEXT
text = TEXT
sirka = prizpusobive siroky DIMENSION
oddelovac = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR
stylhlavicky = STYLE BEFEHL
barvahlavicky = COLOR

\setupinitial [...¹,...] [...²,...]

1 NAME OPT
2 n = NUMMER
m = NUMMER
pred = BEFEHL
vzdalenost = DIMENSION
hoffset = DIMENSION
voffset = radek DIMENSION
pismo = STYLE BEFEHL
barva = COLOR
font = FONT
text = TEXT
misto = marginalie text
metoda = prvni posledni auto zadny
pokracovat = ano ne

```
\setupinsertion [...] [...]
1 NAME OPT
2 misto = stranka text sloupce firstcolumn lastcolumn
```

```
\setupitaliccorrection [...]
* text vzdy globalne zadny
```

```
\setupitemgroup [...] [...] [...] [...]
1 NAME OPT OPT OPT
2 kazdy NUMMER
3 uvod nointro autouvod nahodny pokracovat zhustene siroky text pred po zadnabila marginalie naokraj naokraj
dotextu headintext uvolnene prizpusobive nofit odstavec spojeno semknuto predel nostopper rozbalene opakovat
norepeat reverse sloupce prekryv jedna dve tri ctyri pet six seven eight nine standardni NUMMER*siroky NUMMER*semknuto
horizontalne NAME
4 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
predhlavickou = BEFEHL
pohlavice = BEFEHL
textvlevo = BEFEHL
textvpravo = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
faktor = NUMMER
krok = DIMENSION
sirka = DIMENSION
vzdalenost = DIMENSION
marginalie = ano ne standardni DIMENSION
levyokraj = ano ne standardni DIMENSION
pravyokraj = ano ne standardni DIMENSION
vzdalenostlevehookraje = ano ne standardni DIMENSION
vzdalenostpravehookraje = ano ne standardni DIMENSION
zarovnani = inherits: \nastavzarovnani
odsazovani = inherits: \nastavodsazovani
start = NUMMER
symzarovnani = vlevo nastred vpravo flushleft center flushright
symbol = NAME
n = NUMMER
odsadpristi = ano ne auto
vnitrni = BEFEHL
prikaz = CSNAME
polozky = NUMMER
maxsirka = DIMENSION
itemalign = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
alignsymbol = ano ne
textdistance = male stredni velke zadny mezera DIMENSION
oddelovactextu = BEFEHL
lasttextseparator = BEFEHL
predelmista = ano ne obrazovka inline
pismo = STYLE BEFEHL
barva = COLOR
stylhlavicky = STYLE BEFEHL
barvahlavicky = COLOR
stylsnacky = STYLE BEFEHL
barvaznacky = COLOR
stylsymboly = STYLE BEFEHL
barvasymbolu = COLOR
mrizka = inherits: \definegridsnapping
packcriterion = NUMMER
vzdalenostsloupcu = DIMENSION
inherits: \setupcounter
```

\setupitemgroup [...¹...] [...²...]

```

1 NAME NAME:NUMBER OPT
2 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
predhlavickou = BEFEHL
pohlavicce = BEFEHL
textvlevo = BEFEHL
textvpravo = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
faktor = NUMMER
krok = DIMENSION
sirka = DIMENSION
vzdalenost = DIMENSION
volba = uvod nahodny pokracovat zhustene autouvod siroky text pred po zadnabila marginalie
naokraji naokraji dotextu headintext uvolnene prizpusobive nofit odstavec spojeno
semknuto predel rozbalene opakovat norepeat reverse sloupce prekryv jedna dve tri ctyri
pet six seven eight nine standardni NUMMER*siroky NUMMER*semknuto horizontalne NAME
marginalie = ano ne standardni DIMENSION
levyokraj = ano ne standardni DIMENSION
pravyokraj = ano ne standardni DIMENSION
vzdalenostlevehookraje = ano ne standardni DIMENSION
vzdalenostpravehookraje = ano ne standardni DIMENSION
zarovnani = inherits: \nastavzarovnani
odsazovani = inherits: \nastavodsazovani
start = NUMMER
symzarovnani = vlevo nastred vpravo flushleft center flushright
symbol = NAME
n = NUMMER
odsadpristi = ano ne auto
vnitrni = BEFEHL
prikaz = CSNAME
polozky = NUMMER
maxsirka = DIMENSION
itemalign = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
alignsymbol = ano ne
textdistance = male stredni velke zadny mezera DIMENSION
oddelovactextu = BEFEHL
lasttextseparator = BEFEHL
predelmista = ano ne obrazovka inline
pismo = STYLE BEFEHL
barva = COLOR
stylhlavicky = STYLE BEFEHL
barvahlavicky = COLOR
stylsnacky = STYLE BEFEHL
barvaznacky = COLOR
stylsymboly = STYLE BEFEHL
barvasymbolu = COLOR
mrizka = inherits: \definegridsnapping
packcriterium = NUMMER
vzdalenostsloupcu = DIMENSION
inherits: \setupcounter

```

```

\nastaveniITEMGROUP [...] 1 [...] 2 [...] 3 [...]
1  kazdy NUMMER OPT OPT OPT
2  uvod nointro autouvod nahodny pokracovat zhustene široky text pred po zadnabila marginalie naokraj naokraj
   dotextu headintext uvolnene prizpusobive nofit odstavec spojeno semknuto predel nostopper rozbalene opakovat
   norepeat reverse sloupce prekryv jedna dve tri ctyri pet six seven eight nine standardni NUMMER*siroky NUMMER*semknuto
   horizontalne NAME
3  pred = BEFEHL
   po = BEFEHL
   mezi = BEFEHL
   predhlavickou = BEFEHL
   pohlavicce = BEFEHL
   textvlevo = BEFEHL
   textvpravo = BEFEHL
   vlevo = BEFEHL
   vpravo = BEFEHL
   faktor = NUMMER
   krok = DIMENSION
   sirka = DIMENSION
   vzdalenost = DIMENSION
   marginalie = ano ne standardni DIMENSION
   levyokraj = ano ne standardni DIMENSION
   pravyokraj = ano ne standardni DIMENSION
   vzdalenostlevehookraje = ano ne standardni DIMENSION
   vzdalenostpravehookraje = ano ne standardni DIMENSION
   zarovnani = inherits: \nastavzarovnani
   odsazovani = inherits: \nastavodsazovani
   start = NUMMER
   symzarovnani = vlevo nastred vpravo flushleft center flushright
   symbol = NAME
   n = NUMMER
   odsadpristi = ano ne auto
   vnitrni = BEFEHL
   prikaz = CSNAME
   polozky = NUMMER
   maxsirka = DIMENSION
   itemalign = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
   alignsymbol = ano ne
   textdistance = male stredni velke zadny mezera DIMENSION
   oddelovactextu = BEFEHL
   lasttextseparator = BEFEHL
   predelmista = ano ne obrazovka inline
   pismo = STYLE BEFEHL
   barva = COLOR
   stylhlavicky = STYLE BEFEHL
   barvahlavicky = COLOR
   stylsnacky = STYLE BEFEHL
   barvaznacky = COLOR
   stylsymboly = STYLE BEFEHL
   barvasymbolu = COLOR
   mrizka = inherits: \definegridsnapping
   packcriterium = NUMMER
   vzdalenostsloupcu = DIMENSION
   inherits: \setupcounter
instances: itemize

```

```

\nastaveniitemize [...,1...] [...,2...] [...,3...,...]
1 kazdy NUMMER OPT OPT OPT
2 uvod nointro autouvod nahodny pokracovat zhustene široky text pred po zadnabila marginalie naokraj naokraj
dotextu headintext uvolnene prizpusobive nofit odstavec spojeno semknuto predel nostopper rozbalene opakovat
norepeat reverse sloupce prekryv jedna dve tri ctyri pet six seven eight nine standardni NUMMER*siroky NUMMER*semknuto
horizontalne NAME
3 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
predhlavickou = BEFEHL
pohlavicce = BEFEHL
textvlevo = BEFEHL
textvpravo = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
faktor = NUMMER
krok = DIMENSION
sirka = DIMENSION
vzdalenost = DIMENSION
marginalie = ano ne standardni DIMENSION
levyokraj = ano ne standardni DIMENSION
pravyokraj = ano ne standardni DIMENSION
vzdalenostlevehookraje = ano ne standardni DIMENSION
vzdalenostpravehookraje = ano ne standardni DIMENSION
zarovnani = inherits: \nastavzarovnani
odsazovani = inherits: \nastavodsazovani
start = NUMMER
symzarovnani = vlevo nastred vpravo flushleft center flushright
symbol = NAME
n = NUMMER
odsadpristi = ano ne auto
vnitrni = BEFEHL
prikaz = CSNAME
polozky = NUMMER
maxsirka = DIMENSION
itemalign = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
alignsymbol = ano ne
textdistance = male stredni velke zadny mezera DIMENSION
oddelovactextu = BEFEHL
lasttextseparator = BEFEHL
predelmista = ano ne obrazovka inline
pismo = STYLE BEFEHL
barva = COLOR
stylhlavicky = STYLE BEFEHL
barvahlavicky = COLOR
stylsnacky = STYLE BEFEHL
barvaznacky = COLOR
stylsymboly = STYLE BEFEHL
barvasymbolu = COLOR
mrizka = inherits: \definegridsnapping
packcriterium = NUMMER
vzdalenostsloupcu = DIMENSION
inherits: \setupcounter

```

\setuplabel [...¹,...] [...²,...]

1	NAME	OPT
2	titul	= ano ne
	cislo	= ano ne
	ciselny prikaz	= \...#1
	vzdalenost titulek	= DIMENSION
	styl titulek	= STYLE BEFEHL
	barva titulek	= COLOR
	titlecommand	= \...#1
	titleleft	= BEFEHL
	titleright	= BEFEHL
	vlevo	= BEFEHL
	vpravo	= BEFEHL
	symbol	= BEFEHL
	starter	= BEFEHL
	predel	= BEFEHL
	propojeni	= NAME
	counter	= NAME
	uroven	= NUMMER
	text	= TEXT
	headcommand	= \...#1
	pred	= BEFEHL
	po	= BEFEHL
	mezi	= BEFEHL
	alternativa	= vlevo vpravo naokrajz ivlevo ivpravo marginalie lev yokraj prav yokraj innermargin outermargin semknuto visici vrsek prazdne prikaz dotextu NAME
	zarovnanje	= inherits: \nastavzarovnanje
	headalign	= inherits: \nastavzarovnanje
	odsazovani	= inherits: \nastavodsazovani
	obrazovka	= ano ne
	odsadpristi	= ano ne auto
	sirka	= prizpusobive široky radek DIMENSION
	vzdalenost	= zadny DIMENSION
	natahnout	= NUMMER
	shrink	= NUMMER
	zaveseni	= prizpusobive široky zadny marginalie NUMMER
	close symbol	= BEFEHL
	closecommand	= \...#1
	expanzen	= ano ne xml
	referenceprefix	= + - TEXT
	vzor	= TEXT
	marginalie	= ano ne standardni DIMENSION
	pismo	= STYLE BEFEHL
	barva	= COLOR
	styl hlavy	= STYLE BEFEHL
	barva hlavy	= COLOR
	zarovnej titul	= ano ne
	head indenting	= ano ne
	inherits:	\setupcounter

\setuplayer [...¹,...] [...²,...]

1	NAME	OPT
2	status	= start stop pokracovat dalsi opakovat
	volba	= test
	stranka	= NUMMER
	sirka	= DIMENSION
	vyska	= DIMENSION
	region	= NAME
	rotace	= vlevo vpravo uvnitr vnejsi NUMMER
	position	= ano ne prekryv
	hoffset	= max DIMENSION
	voffset	= max DIMENSION
	offset	= DIMENSION
	dx	= DIMENSION
	dy	= DIMENSION
	sx	= NUMMER
	sy	= NUMMER
	x	= DIMENSION
	y	= DIMENSION
	roh	= vlevo nastred vpravo vrsek spodek
	misto	= mizka vlevo nastred vpravo vrsek spodek radek l c r m t b g
	radek	= NUMMER
	sloupec	= NUMMER
	smer	= normalni reverse
	oboustranne	= ano ne
	metoda	= prizpusobive prekryv
	opakovat	= ano
	prednastaveni	= lefttop righttop leftbottom rightbottom nastred middletop middlebottom middleleft middleright lefttopleft lefttopright NAME


```

\setuplayeredtext [...1,...] [...2,...]
1 NAME OPT
2 pismoeno = STYLE BEFEHL
   barva = COLOR
   inherits: \nastavoramovani

```

```

\setuplayouttext [...1] [...2] [...3,...]
1 vrsek zahlavi text upati spodekOPT
2 text marginalie hrana
3 status = start stop prazdne vysoko zadny normalni zadneznaceni NAME
   pismoeno = STYLE BEFEHL
   barva = COLOR
   strut = ano ne
   n = NUMMER
   pred = BEFEHL
   po = BEFEHL
   textvlevo = TEXT
   strednitext = TEXT
   textvpravo = TEXT
   stylvlevo = STYLE BEFEHL
   middlestyle = STYLE BEFEHL
   stylvpravo = STYLE BEFEHL
   barvavlevo = COLOR
   middlecolor = COLOR
   barvavpravo = COLOR
   sirka = DIMENSION
   sirkavlevo = DIMENSION
   middlewidth = DIMENSION
   sirkavpravo = DIMENSION

```

```

\setuplinefiller [...1,...] [...2,...]
1 NAME OPT
2 misto = vlevo vpravo obe
   rozsah = vlevo vpravo lokalne globalne
   mp = NAME
   vyska = DIMENSION
   hloubka = DIMENSION
   vzdalenost = DIMENSION
   threshold = DIMENSION
   tloustkalinky = DIMENSION
   pred = BEFEHL
   po = BEFEHL
   barva = COLOR
   styltextu = STYLE BEFEHL
   barvatextu = COLOR
   zarovnani = inherits: \nastavzarovnani

```

```

\setuplinefillers [...1,...] [...2,...]
1 NAME OPT
2 inherits: \setuplinefiller

```

```

\setuplinenote [...1,...] [...2,...]
1 NAME OPT
2 compress = ano ne
   compressmethod = separator predel mezera
   compressseparator = BEFEHL
   compressdistance = DIMENSION
   compressstopper = BEFEHL
   inherits: \setupnote

```

```

\setuplineprofile [...1,...] [...2,...]
1 NAME OPT
2 krok = DIMENSION
   faktor = NUMMER
   metoda = a
   odstavec = ano ne

```

\setuplinetable [¹...] [²...] [³...,...]

```

1  r c          OPT      OPT
2  liche sude zahlavi NUMMER
3  radky        = prizpusobive NUMMER
   pred         = BEFEHL
   po           = BEFEHL
   mezi         = BEFEHL
   natahnout    = ano ne DIMENSION
   maxsirka     = prizpusobive DIMENSION
   nvlevo       = NUMMER
   n            = NUMMER
   opakovat     = ano ne
   nx           = NUMMER
   sirka        = DIMENSION
   vyska        = prizpusobive radek DIMENSION
   vzdalenost   = DIMENSION
   levyoffset   = DIMENSION
   pravyoffset  = DIMENSION
   zarovnani    = inherits: \nastavzarovnani
   pozadi       = barevne
   barvapozadi  = COLOR
   xheight      = max DIMENSION
   xdepth       = max DIMENSION
   pismo        = STYLE BEFEHL
   barva        = COLOR

```

\setuplistalternative [¹...,...] [²...,...]

```

1  NAME          OPT
2  pred          = BEFEHL
   po            = BEFEHL
   prikaz        = \...#1#2#3
   renderingsetup = NAME
   sirka         = DIMENSION
   vzdalenost    = DIMENSION
   natahnout     = DIMENSION
   filler        = BEFEHL

```

\setuplistextra [¹...,...] [²...,...]

```

1  NAME          OPT
2  pred = BEFEHL
   po   = BEFEHL

```

\setuplocalboxes [¹...,...] [²...,...]

```

1  NAME          OPT      OPT
2  prikaz        = BEFEHL
   opakovat      = ano ne
   misto         = vlevo vpravo nastred textvlevo textvpravo
   sirka         = DIMENSION
   vzdalenost    = DIMENSION
   pismo        =
   barva         = COLOR

```

\setuplocalfloats [^{*}...,...]

```

*  pred = BEFEHL
   po   = BEFEHL
   mezi = BEFEHL

```

\setuplocalinterlinespace [¹...,...] [²...,...]

```

1  NAME          OPT
2  inherits: \nastavmeziradkovoumezeru

```

\setuplocalinterlinespace [^{*}...,...]

```

*  zap vyp reset auto male stredni velke NUMMER DIMENSION

```

\setuplocalinterlinespace [^{*}...]

```

*  NAME

```

\setuplow [...¹,...] [...²...]

1 NAME OPT
2 vzdalenost = DIMENSION
down = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

\setuplowhigh [...¹,...] [...²...]

1 NAME OPT
2 vzdalenost = DIMENSION
up = DIMENSION
down = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

\setuplowmidhigh [...¹,...] [...²...]

1 NAME OPT
2 up = DIMENSION
down = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

\setupMPgraphics [...^{*}...]

* barva = lokalne globalne
mpy = FILE

\setupMPinstance [...¹,...] [...²...]

1 NAME OPT
2 formatovat = metafun minifun mpost
initializations = ano ne
setups = NAME
styltextu = STYLE BEFEHL
barvatextu = COLOR
extensions = ano ne
metoda = binary decimal double scaled implicitni

\setupMPpage [...^{*}...]

* pagestate = start stop
prikaz = \...#1
marginalie = stranka
meritko = NUMMER
papir = auto implicitni NAME
inherits: \nastavoramovani

\setupMPvariables [...¹] [...²...]

1 NAME OPT
2 KEY = VALUE

\setupmarginblock [...¹,...] [...²...]

1 NAME OPT
2 status = start stop
sirka = DIMENSION
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
zarovnani = inherits: \nastavzarovnani
pismo = STYLE BEFEHL
barva = COLOR
vrsek = BEFEHL
spodek = BEFEHL
misto = vlevo vpravo nastred naokraji
vlevo = BEFEHL
vpravo = BEFEHL

`\setupmargindata` [\dots^1, \dots] [\dots, \dots^2, \dots]

```

1 NAME OPT
2 strut = ano ne auto kap prizpusobive radek implicitni CHARACTER
   prikaz = \...#1
   sirka = DIMENSION
   zarovnani = inherits: \nastavzarovnani
   anchor = region text
   misto = vlevo vpravo uvnitr vnejsi
   metoda = vrsek radek prvni podlehloubky vyska
   category = implicitni hrana
   rozsah = lokalne globalne
   volba = text odstavec
   marginalie = lokalne normalni marginalie hrana
   vzdalenost = DIMENSION
   hoffset = DIMENSION
   voffset = DIMENSION
   dy = DIMENSION
   bottomspace = DIMENSION
   threshold = DIMENSION
   radek = NUMMER
   stack = ano pokracovat
   pismeno = STYLE BEFEHL
   barva = COLOR

```

`\setupmarginframed` [\dots^1, \dots] [\dots, \dots^2, \dots]

```

1 NAME OPT
2 inherits: \nastavoramovani

```

`\setupmarginrule` [\dots^1] [\dots, \dots^2, \dots]

```

1 NUMMER OPT
2 inherits: \setupsidebar

```

`\setupmathaccent` [\dots^1, \dots] [\dots, \dots^2, \dots]

```

1 NAME OPT OPT
2 inherits: \setupmathaccents

```

`\setupmathaccents` [\dots^1, \dots] [\dots, \dots^2, \dots]

```

1 NAME OPT OPT
2 mathstyle = obrazovka text script scriptscript cramped uncramped normalni zhustene male velke
   meritko = ano ne drzet
   plugin = mp
   mp = NAME
   barva = COLOR
   barvatextu = COLOR
   symbolcolor = COLOR
   zarovnani = nastred
   natahnout = ano ne
   shrink = ano ne
   snap = ano
   alignsymbol = ano ne
   offset = auto
   i = auto

```

```

\setupmathalignment [...1,...] [...2,...]
1 NAME OPT
2 n = NUMBER
m = NUMBER
vzdalenost = DIMENSION
cislo = auto
numberdistance = DIMENSION
oddelovac = TEXT
zarovnani = vlevo nastred vpravo flushleft flushright normalni auto NUMBER:vlevo NUMBER:nastred NUMBER:vpravo
NUMBER:flushleft NUMBER:flushright
misto = vrsek center spodek vlevo nastred vpravo zhustene rovnice
mathstyle = obrazovka text script scriptscript cramped uncramped normalni zhustene male velke
styltextu = STYLE BEFEHL
textstyle:NUMBER = STYLE BEFEHL
barvatextu = COLOR
textcolor:NUMBER = COLOR
text = TEXT
text:NUMBER = TEXT
fences = cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle
solidus ceiling floor moustache uppercorner lowercorner group openbracket mirroredparenthesis
mirroredbracket mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle
mirroreddoubleangle mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner
mirroredlowercorner mirroredgroup mirroredopenbracket interval openinterval closedinterval
leftopeninterval rightopeninterval varopeninterval varleftopeninterval varrightopeninterval
integerinterval tupanddownarrows tupdownarrows tdownuparrows tuparrow tdownarrow abs innerproduct
integerpart norm set sequence tuple
adapative = ano ne
spaceinbetween = inherits: \nastavbilamista
odkaz = + - REFERENCE
suffix = TEXT
numberthreshold = DIMENSION

```

```

\setupmathcases [...1,...] [...2,...]
1 NAME OPT
2 vlevo = BEFEHL
vpravo = BEFEHL
strut = ano ne
mathstyle = obrazovka text script scriptscript cramped uncramped normalni zhustene male velke
vzdalenost = DIMENSION
numberdistance = DIMENSION
simplecommand = NAME
textvlevo = TEXT
textvpravo = TEXT
levyokraj = DIMENSION
pravyokraj = DIMENSION
fences = cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle solidus
ceiling floor moustache uppercorner lowercorner group openbracket mirroredparenthesis mirroredbracket
mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle mirroreddoubleangle
mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner mirroredlowercorner
mirroredgroup mirroredopenbracket interval openinterval closedinterval leftopeninterval rightopeninterval
varopeninterval varleftopeninterval varrightopeninterval integerinterval tupanddownarrows
tupdownarrows tdownuparrows tuparrow tdownarrow abs innerproduct integerpart norm set sequence
tuple
spaceinbetween = inherits: \nastavbilamista

```

```

\setupmathdelimited [...1,...] [...2,...]
1 NAME OPT
2 define = ano ne
strut = ano ne vyska podlehloubky math
levyokraj = DIMENSION
pravyokraj = DIMENSION
alternativa = implicitni normalni
symbolcolor = COLOR
vyska = DIMENSION
hloubka = DIMENSION
offsetvrsku = DIMENSION
offsetspodku = DIMENSION
source = NAME
velikost = NUMMER
vlevo = NUMMER
vpravo = NUMMER
mathmeaning = TEXT
barva = COLOR
barvatextu = COLOR

```

`\setupmathdelimiter [...,1...] [...,2...,...]`

```
1 NAME OPT
2 define = ano ne
   faktor = NUMMER
   levyoffset = DIMENSION
   pravyoffset = DIMENSION
   exact = ano ne
   osa = ano ne
   vyska = DIMENSION
   hloubka = DIMENSION
   symbol = NUMMER
```

`\setupmathematics [...,1...] [...,2...,...]`

```
1 NAME OPT
2 openup = ano ne
   sadasymbolu = blackboard-to-bold mikael's-favourites NAME
   functionstyle = STYLE BEFEHL
   compact = ano ne
   zarovnani = l2r lefttoright r2l righttleft
   sygreek = normalni kurziva zadny
   lcgreek = normalni kurziva zadny
   ucgreek = normalni kurziva zadny
   italics = ano ne
   autopunctuation = ano ne vse comma yes,semicolon comma,semicolon all,semicolon
   setups = NAME
   domain = implicitni NAME
   styltextu = STYLE BEFEHL
   barvatextu = COLOR
   functioncolor = COLOR
   integral = horizontalne vertikalne auto autolimits limits nolimits
   stylealternative = NAME
   implicitni = normalni kurziva
   collapsing = 0 1 2 3 implicitni tex seznam vse zadny reset
   kernpairs = ano ne
   mathconstants = kurziva upright
   differentiald = kurziva upright
   exponentiale = kurziva upright
   imaginaryi = kurziva upright
   imaginaryj = kurziva upright
   pi = kurziva upright
   snap = ano ne
   textdistance = DIMENSION
   threshold = zadny male stredni velke DIMENSION
   mathstyle = obrazovka text script scriptscript cramped uncramped normalni zhustene male velke
   barva = COLOR
   autospacing = ano ne
   autonumbers = ano ne NUMMER
   autofencing = ano ne
   hz = ano ne
   alignscripts = ano ne vzdy prazdne
   interscriptfactor = NUMMER
   autointervals = ano ne
   limitstretch = ano ne
```

`\setupmathexport [...,*...,...]`

```
* buffer = NAME
   soubor = FILE
   n = NUMMER
   volba = ascii
```

`\setupmathfence [...,1...] [...,2...,...]`

```
1 NAME OPT
2 inherits: \setupmathfences
```

`\setupmathfences` $[...^1,...]$ $[...^2...]$

```

1  NAME                                OPT
2  define                               = ano ne
    vleve                               = NUMMER
    stredni                             = NUMMER
    vpravo                               = NUMMER
    mathstyle                           = obrazovka text script scriptscript cramped uncramped normalni zhustene male velke
    barva                               = COLOR
    barvavlevo                          = COLOR
    middlecolor                         = COLOR
    barvavpravo                         = COLOR
    symbolcolor                         = COLOR
    status                              = auto
    metoda                              = auto
    velikost                            = velke Big bigg Bigg NUMMER
    faktor                              = zadny auto NUMMER
    overflow                            = ne auto
    mathclass                           = vse begin end unset ordinary operator binary relation open close punctuation variable active
                                         ununitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary
                                         differential exponential integral ellipsis function digit division factorial wrapped construct
                                         dimension unary textpunctuation unspaced experimental fake numbergroup continuation

    vyska                               = DIMENSION
    hloubka                             = DIMENSION
    plugin                              = mp
    mp                                   = NAME
    displayfactor                       = NUMMER
    inlinefactor                        = NUMMER
    mathmeaning                         = TEXT
    svrchnimezera                       = DIMENSION
    bottomspace                         = DIMENSION
    snap                                = ano ne
    alternativa                         = male velke
    setups                              = NAME
    source                              = NUMMER
    leftsource                          = NUMMER
    middlesource                        = NUMMER
    rightsource                         = NUMMER
    stylvlevo                           = STYLE BEFEHL
    stylvpravo                          = STYLE BEFEHL
    leftclass                           = NUMMER
    middleclass                         = NUMMER
    rightclass                          = NUMMER
    vzdalenost                          = DIMENSION
    text                                = ano ne

```

`\setupmathfraction` $[...^1,...]$ $[...^2...]$

```

1  NAME                                OPT
2  inherits: \setupmathfractions

```

```

\setupmathfractions [...1,...] [...2,...]
1 NAME OPT
2 vzdalenostvrsku = DIMENSION
  vzdalenostspodku = DIMENSION
  marginalie = DIMENSION
  barva = COLOR
  barvatextu = COLOR
  symbolcolor = COLOR
  topcolor = COLOR
  bottomcolor = COLOR
  strut = ano ne tight text math
  alternativa = uvnitr vnejsi obe
  linka = ano ne auto skryte symbol
  vlevo = NUMMER
  vpravo = NUMMER
  stredni = NUMMER
  symbol = NUMMER
  tloustkalinky = font DIMENSION
  mathstyle = STYLE BEFEHL
  mathnumeratorstyle = STYLE BEFEHL
  mathdenominatorstyle = STYLE BEFEHL
  vzdalenost = ne zadny vrsek spodek obe prekryv DIMENSION
  threshold = DIMENSION
  inlinethreshold = auto NUMMER
  displaythreshold = auto NUMMER
  fences =
  mathmeaning = binom limits
  mathclass = vse begin end unset ordinary operator binary relation open close punctuation variable
              active uvnitr under over fraction radical nastred prime accent fenced ghost vcenter
              explicit imaginary differential exponential integral ellipsis function digit division
              factorial wrapped construct dimension unary textpunctuation unspaced experimental fake
              numbergroup continuation
  hfaktor = NUMMER
  metoda = horizontalne vertikalne radek
  plugin = mp
  mp = NAME
  vfaktor = NUMMER
  source = NAME
  topalign = vlevo vpravo nastred flushleft flushright split:flushleft split:flushright
  bottomalign = vlevo vpravo nastred flushleft flushright split:flushleft split:flushright

```

```

\setupmathframed [...1,...] [...2,...]
1 NAME OPT
2 inherits: \nastavoramovani

```

```

\setupmathfunction [...1,...] [...2,...]
1 NAME OPT
2 inherits: \setupmathfunctions

```

```

\setupmathfunctions [...1,...] [...2,...]
1 NAME OPT
2 barva = COLOR
  pismo = STYLE BEFEHL
  class = vse begin end unset ordinary operator binary relation open close punctuation variable active
          uvnitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary
          differential exponential integral ellipsis function digit division factorial wrapped construct
          dimension unary textpunctuation unspaced experimental fake numbergroup continuation
  vlevo = BEFEHL
  vpravo = BEFEHL
  mathlimits = ano ne auto
  metoda = limits
  prikaz = \...#1

```



```

\setupmathmatrix [...1,...] [...2...,...]
1 NAME OPT
2 vlevo = BEFEHL
  vpravo = BEFEHL
  strut = ano ne NUMMER
  zarovnani = vlevo nastred vpravo flushleft flushright normalni auto NUMMER:vlevo NUMMER:nastred NUMMER:vpravo
              NUMMER:flushleft NUMMER:flushright
  mathstyle = obrazovka text script scriptscript cramped uncramped normalni zhustene male velke
  vzdalenost = DIMENSION
  simplecommand = TEXT
  misto = vrsek spodek vysoko nizko nivy center normalni
  tloustkalinky = DIMENSION
  barvalinky = COLOR
  moffset = DIMENSION
  toffset = DIMENSION
  boffset = DIMENSION
  levyokraj = DIMENSION
  pravyokraj = DIMENSION
  fences = cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle solidus
            ceiling floor moustache uppercorner lowercorner group openbracket mirroredparenthesis mirroredbracket
            mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle mirroreddoubleangle
            mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner mirroredlowercorner
            mirroredgroup mirroredopenbracket interval openinterval closedinterval leftopeninterval rightopeninterval
            varopeninterval varleftopeninterval varrightopeninterval integerinterval tupanddownarrows
            tupdownarrows tdownuparrows tuparrow tdownarrow abs innerproduct integerpart norm set sequence
            tuple
  levahrana = zadny DIMENSION
  pravahrana = zadny DIMENSION

```

```

\setupmathnesting [...1,...] [...2...,...]
1 NAME OPT
2 vlevo = BEFEHL
  vpravo = BEFEHL
  displayfactor = NUMMER
  inlinefactor = NUMMER

```

```

\setupmathoperator [...1,...] [...2...,...]
1 NAME OPT
2 inherits: \setupmathoperators

```

```

\setupmathoperators [...1,...] [...2...,...]
1 NAME OPT
2 mathclass = vse begin end unset ordinary operator binary relation open close punctuation variable active
              uvnitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary
              differential exponential integral ellipsis function digit division factorial wrapped construct
              dimension unary textpunctuation unspaced experimental fake numbergroup continuation
  symbolcolor = COLOR
  metoda = horizontalne vertikalne auto autolimits limits nolimits
  velikost = auto DIMENSION
  vrsek = TEXT
  topcolor = COLOR
  spodek = TEXT
  bottomcolor = COLOR
  barvatu = COLOR
  barva = COLOR
  barvacisla = COLOR
  vlevo = NUMMER

```

```

\setupmathornament [...1,...] [...2...,...]
1 NAME OPT
2 alternativa = mp
  barva = COLOR
  mppoffset = DIMENSION
  mp = NAME

```

`\setupmathradical [...1,...] [...2...,...]`

1 NAME OPT
 2 barva = COLOR
 barvatextu = COLOR
 barvacisla = COLOR
 symbolcolor = COLOR
 plugin = mp
 mp = NAME
 vlevo = NUMMER
 vpravo = NUMMER
 vrsek = NUMMER
 n = TEXT
 vyska = zadny DIMENSION
 hloubka = zadny DIMENSION
 mindepth = DIMENSION
 levyokraj = DIMENSION
 pravyokraj = DIMENSION
 linka = ano ne symbol spodek
 source = NAME
 mathstyle = obrazovka text script scriptscript cramped uncramped normalni zhustene male velke
 strut = ano ne vyska podlehloubky math

`\setupmathsimplealign [...1,...] [...2...,...]`

1 NAME OPT
 2 strut = ano ne
 zarovnani = normalni flushright vlevo vpravo flushleft nastred NUMMER:normalni NUMMER:flushright NUMMER:vlevo
 NUMMER:vpravo NUMMER:flushleft NUMMER:nastred
 misto = vrsek spodek center nastred vlevo vpravo zhustene rovnice
 vzdalenost = math DIMENSION
 spaceinbetween = inherits: \nastavbilamista
 levyokraj = DIMENSION
 pravyokraj = DIMENSION
 vlevo = BEFEHL
 vpravo = BEFEHL
 fences = cases sesac tekcarb parenthesis bracket brace bar doublebar triplebar angle doubleangle solidus
 ceiling floor moustache uppercorner lowercorner group openbracket mirroredparenthesis mirroredbracket
 mirroredbrace mirroredbar mirroreddoublebar mirroredtriplebar mirroredangle mirroreddoubleangle
 mirroredsolidus mirroredceiling mirroredfloor mirroredmoustache mirroreduppercorner mirroredlowercorner
 mirroredgroup mirroredopenbracket interval openinterval closedinterval leftopeninterval rightopeninterval
 varopeninterval varleftopeninterval varrightopeninterval integerinterval tupanddownarrows
 tupdownarrows tdownuparrows tuparrow tdownarrow abs innerproduct integerpart norm set sequence
 tuple
 text = TEXT
 textdistance = DIMENSION
 alternativa = equationsystem
 simplecommand = NAME

`\setupmathstackers [...1,...] [...2,...]`

```

1 NAME
2 vlevo = BEFEHL
  vpravo = BEFEHL
  topcommand = \...#1
  bottomcommand = \...#1
  middlecommand = \...#1
  topstyle = STYLE BEFEHL
  bottomstyle = STYLE BEFEHL
  middlestyle = STYLE BEFEHL
  topcolor = COLOR
  bottomcolor = COLOR
  middlecolor = COLOR
  plugin = mp
  mp = NAME
  mpheight = DIMENSION
  mpdepth = DIMENSION
  mpoffset = DIMENSION
  barva = COLOR
  symbolcolor = COLOR
  offsetvrsku = DIMENSION
  hoffset = DIMENSION
  voffset = DIMENSION
  minvyska = DIMENSION
  mindepth = DIMENSION
  mathclass = vse begin end unset ordinary operator binary relation open close punctuation variable active
              unitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary
              differential exponential integral ellipsis function digit division factorial wrapped construct
              dimension unary textpunctuation unspaced experimental fake numbergroup continuation

  offset = min max normalni
  misto = vrsek spodek vysoko nizko nastred NUMMER
  strut = ano ne
  alternativa = normalni implicitni mp
  minsirka = DIMENSION
  vzdalenost = DIMENSION
  order = normalni reverse
  mathlimits = ano ne
  lt = DIMENSION
  rt = DIMENSION
  lb = DIMENSION
  rb = DIMENSION
  shrink = ano ne
  natahnout = ano ne
  vzor = NUMMER

```

`\setupmathstyle [...,*...]`

* obrazovka text script scriptscript cramped uncramped normalni zhustene male velke NAME

`\setupmixedcolumns [...1,...] [...2,...]`

```

1 NAME
2 mrizka = inherits: \definegridsnapping
  tloustkalinky = DIMENSION
  metoda = otr box
  pred = BEFEHL
  po = BEFEHL
  vzdalenost = DIMENSION
  n = NUMMER
  maxvyska = DIMENSION
  maxsirka = DIMENSION
  krok = DIMENSION
  profile = NAME
  zarovnani = inherits: \nastavzarovnani
  setups = NAME
  rovnovaha = ano ne
  splitmethod = zadny fixne
  alternativa = lokalne globalne
  internalgrid = radek pulradku
  oddelovac = linka
  strut = ano ne
  barva = COLOR
  barvalinky = COLOR
  smer = normalni reverse
  define = ano ne
  inherits: \nastavoramovani

```

\setupmodule [¹...] [²...]

1 FILE OPT
 2 test = ano ne
 KEY = VALUE

\setupmulticolumns [¹...] [²...]

1 NAME OPT
 2 n = NUMMER
 vzdalenost = DIMENSION
 smer = vpravo reverse
 rovnovaha = ano ne
 prazdny = inherits: \preskoc
 zarovnani = inherits: \nastavzarovnani
 nvrsek = NUMMER

\setupnotation [¹...] [²...]

1 NAME OPT
 2 titul = ano ne
 cislo = ano ne
 typ = note
 ciselny prikaz = \...#1
 vzdalenost titul = DIMENSION
 styl titul = STYLE BEFEHL
 barva titul = COLOR
 title command = \...#1
 title left = BEFEHL
 title right = BEFEHL
 vlevo = BEFEHL
 vpravo = BEFEHL
 symbol = BEFEHL
 starter = BEFEHL
 predel = BEFEHL
 propojeni = NAME
 counter = NAME
 uroven = NUMMER
 text = TEXT
 head command = \...#1
 pred = BEFEHL
 po = BEFEHL
 mezi = BEFEHL
 alternativa = vlevo vpravo naokraj ivlevo ivpravo marginalie lev yokraj prav yokraj innermargin outermargin
 sem knuto visici vrsek prikaz note NAME
 zarovnani = inherits: \nastavzarovnani
 head align = inherits: \nastavzarovnani
 odsazovani = inherits: \nastavodsazovani
 obrazovka = ano ne
 odsadpristi = ano ne auto
 sirka = prizpusobive siroky radek DIMENSION
 vzdalenost = zadny DIMENSION
 natahnout = NUMMER
 shrink = NUMMER
 zaveseni = prizpusobive siroky zadny marginalie NUMMER
 closesymbol = BEFEHL
 close command = \...#1
 expanzen = ano ne xml
 reference prefix = + - TEXT
 vzor = TEXT
 marginalie = ano ne standardni DIMENSION
 pismo = STYLE BEFEHL
 barva = COLOR
 styl hlavicky = STYLE BEFEHL
 barva hlavicky = COLOR
 zarovnej titul = ano ne
 head indenting = ano ne
 inherits: \setupcounter

\setupnotations [¹...] [²...]

1 NAME OPT
 2 inherits: \setupnotation

```

\setupnote [...1,...] [...2,...]
1 NAME OPT
2 interakce = ano ne cislo text vse
symbolcommand = \...#1
textovyprikaz = \...#1
indikator = ano ne
oddelovactextu = BEFEHL
sirka = DIMENSION
vyska = DIMENSION
vzdalenost = DIMENSION
rulecommand = BEFEHL
linka = zap vyp normalni vlevo vpravo prikaz odstavec
split = tolerantni striktni velmistriktni NUMMER
faktor = NUMMER
misto = text stranka seznam vysoko spodek zadny sloupce firstcolumn lastcolumn
dalsi = BEFEHL
n = NUMMER
barvalinky = COLOR
tloustkalinky = DIMENSION
setups = NAME
meziradkovamezera = NAME
odstavec = ano ne
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
rozsah = stranka
vzdalenostsloupcu = DIMENSION
pokracovat = ano ne
alternativa = mrizka fixne sloupce note zadny
kriterium = stranka
zakladnifont = inherits: \nastavzakladnifont
zarovnani = inherits: \nastavzarovnani
styltextu = STYLE BEFEHL
barvatextu = COLOR
anchor = dalsi
mezerapred = inherits: \preskoc
spaceinbetween = inherits: \preskoc
inherits: \nastavoramovani

```

```

\setupnotes [...1,...] [...2,...]
1 NAME OPT
2 inherits: \setupnote

```

```

\setupoffset [...*,...]
* inherits: \setupoffsetbox

```

```

\setupoffsetbox [...*,...]
* x = DIMENSION
y = DIMENSION
levyoffset = DIMENSION
pravyoffset = DIMENSION
offsetvrsku = DIMENSION
offsetspodku = DIMENSION
metoda = fixne
sirka = DIMENSION
vyska = DIMENSION
hloubka = DIMENSION
misto = vlevo nastred vpravo vrsek spodek radek l c r m t b g

```

```

\setuptoptimize [...1,...] [...2,...]
1 NAME OPT
2 vlevo = DIMENSION
vpravo = DIMENSION
radky = NUMMER
vzdalenost = DIMENSION

```

```

\setuporientation [...1,...] [...2,...]
1 NAME OPT
2 orientation = up down vlevo vpravo vrsek spodek normalni radek
horizontalne = vlevo nastred vpravo flushleft flushright normalni
vertikalne = radek vrsek nastred spodek normalni

```

```
\setupoutputroutine [...] [1...][2...,...]
1 NAME OPT
2 KEY = CSNAME
```

```
\setupoutputroutine [...]
* NAME
```

```
\setuppagecolumns [1...][2...,...]
1 NAME OPT
2 oddelevac = NAME
smer = normalni reverse
vzdalenost = DIMENSION
n = NUMMER
maxsirka = DIMENSION
zarovnani = inherits: \nastavzarovnani
prazdny = inherits: \preskoc
barva = COLOR
setups = NAME
stranka = inherits: \strana
inherits: \nastavoramovani
```

```
\setuppagechecker [1...][2...,...]
1 NAME OPT
2 radky = NUMMER
offset = DIMENSION
metoda = 0 1 2 3
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
```

```
\setuppageinjection [1...][2...,...]
1 NAME OPT
2 status = predchozi dalsi NUMMER
prodleva = ano ne
alternativa = obrazek buffer setups zadny NAME
stranka = inherits: \strana
pagestate = start stop
n = NUMMER
inherits: \nastavoramovani
```

```
\setuppageinjectionalternative [1...][2...,...]
1 NAME OPT
2 renderingsetup = NAME
```

```
\setuppageshift [1...][2...][3...]
1 stranka papir OPT OPT
2 NAME
3 NAME
```

```
\setuppagestate [1...][2...,...]
1 NAME OPT
2 prodleva = ano ne
```

```
\setuppairedbox [1...][2...,...]
1 NAME OPT
2 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
misto = vlevo nastred vpravo vrsek spodek vysoko nizko
n = NUMMER
vzdalenost = DIMENSION
zakladnifont = inherits: \nastavzakladnifont
sirka = DIMENSION
vyska = DIMENSION
maxsirka = DIMENSION
maxvyska = DIMENSION
zarovnani = inherits: \nastavzarovnani
pismo = STYLE BEFEHL
barva = COLOR
```

```
\nastaveniPAIREDBOX [...,*...,...]
* inherits: \setuppairedbox
instances: legend
```

```
\nastavenilegend [...,*...,...]
* inherits: \setuppairedbox
```

```
\setuppaper [...,*...,...]
* inherits: \nastavvelikostpapiru
```

```
\setupparagraph [...,1...] [...,2...]
1 NAME OPT
2 pismo = STYLE BEFEHL
   barva = COLOR
   zarovnani = inherits: \nastavzarovnani
   setups = NAME
```

```
\setupparagraphintro [...,1...] [...,2...]
1 reset kazdy prvni dalsi
2 BEFEHL
```

```
\setupparallel [...,1] [...,2,...] [...,3...,...]
1 NAME
2 NAME
3 setups = NAME
   start = NUMMER
   n = NUMMER
   kriterium = vse
```

```
\setupperiodkerning [...,1...] [...,2...,...]
1 NAME OPT
2 faktor = NUMMER
```

```
\setupperiods [...,*...,...]
* n = NUMMER
   sirka = DIMENSION prizpusobive
   vzdalenost = DIMENSION
   symbol = BEFEHL
```

```
\setupplaceholder [...,1...] [...,2...,...]
1 NAME OPT
2 pred = BEFEHL
   po = BEFEHL
   text = TEXT
   pismo = STYLE BEFEHL
   barva = COLOR
```

```
\setupplacement [...,1...] [...,2...,...]
1 NAME OPT
2 pred = BEFEHL
   po = BEFEHL
   vlevo = BEFEHL
   vpravo = BEFEHL
   mrizka = inherits: \snaptogrid
   korekceradku = zap vyp
   korekcehloubky = zap vyp
   marginalie = ano ne standardni
```

```
\setuppositionbar [...,*...,...]
* pismo = STYLE BEFEHL
   barva = COLOR
   n = NUMMER
   min = NUMMER
   max = NUMMER
   text = TEXT
   sirka = DIMENSION
   vyska = DIMENSION
   hloubka = DIMENSION
```

\setupprocessor [...¹...] [...²...]

1 NAME OPT
2 status = start stop
vlevo = BEFEHL
vpravo = BEFEHL
prikaz = \...#1
pismo = STYLE BEFEHL
barva = COLOR

\setupprofile [...¹...] [...²...]

1 NAME OPT
2 vyska = DIMENSION
hloubka = DIMENSION
vzdalenost = DIMENSION
faktor = NUMMER
radky = NUMMER
metoda = striktni fixne zadny
define = ano ne

\setupquotation [...^{*}...]

* inherits: \setupdelimitedtext

\setuprealpagenumber [...^{*}...]

* inherits: \setupcounter

\setupreferenceformat [...¹...] [...²...]

1 NAME OPT
2 popisek = * NAME
vlevo = BEFEHL
vpravo = BEFEHL
typ = implicitni text titul cislo stranka realpage
setups = NAME
autocase = ano ne
text = TEXT
pismo = STYLE BEFEHL
barva = COLOR

\setupreferenceprefix [...]

* + - TEXT

\setupreferencestructureprefix [...¹] [...²] [...³...]

1 NAME ABSCHNITT OPT
2 implicitni OPT
3 prefix = ano ne
prefixseparatorset = NAME
prefixconversion = NAME
prefixconversionset = NAME
prefixstarter = BEFEHL PROCESSOR->BEFEHL
prefixstopper = BEFEHL PROCESSOR->BEFEHL
prefixset = NAME
prefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:* ABSCHNITT:vse
aktualni
numberconversion = NAME
numberconversionset = NAME
numberstarter = BEFEHL PROCESSOR->BEFEHL
numberstopper = BEFEHL PROCESSOR->BEFEHL
numbersegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse
numberseparatorset = NAME
prefixconnector = BEFEHL PROCESSOR->BEFEHL


```

\setupregisters [...] [1...][2...,...]
1 NAME NAME:NUMMER OPT
2 referencemethod = vpred
  expanzen = ano ne xml
  vlastnicislo = ano ne
  xmlsetup = NAME
  alternativa = a b A B
  metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
  compress = ano ne vse zhustene text
  check = ano ne
  kriterium = lokalne text aktualni predchozi vse ABSCHNITT
  pageprefixseparatorset = BEFEHL
  pageprefixconversionset = NAME
  pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
  pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
  pageprefixset = NAME
  pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
    ABSCHNITT:vse aktualni
  pageprefixconnector = BEFEHL
  pageprefix = ano ne
  pageseparatorset = NAME
  pageconversionset = NAME
  pagestarter = BEFEHL PROCESSOR->BEFEHL
  pagestopper = BEFEHL PROCESSOR->BEFEHL
  pagesegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse
  maxsirka = DIMENSION
  indikator = ano ne
  pred = BEFEHL
  po = BEFEHL
  prikaz = \...#1
  textovyprikaz = \...#1
  deeptextcommand = \...#1
  strankovyprikaz = \...#1
  vzdalenost = DIMENSION
  interakce = text cislostranky
  cislostranky = ano ne
  symbol = a n zadny 1 2 BEFEHL
  language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
  pismo = STYLE BEFEHL
  barva = COLOR
  styltextu = STYLE BEFEHL
  barvatextu = COLOR
  stylstranky = STYLE BEFEHL
  barvastranky = COLOR
  pageleft = BEFEHL
  pageright = BEFEHL
  n = NUMMER
  rovnovaha = ano ne
  zarovnani = inherits: \nastavzarovnani
  numberorder = ciska
  pagemethod = stranka sekce

```

\setupregisters [...¹,...] [...²,...] [...³,...]

```

1 NAME OPT OPT
2 NUMMER
3 referencemethod = vpred
  expanzen = ano ne xml
  vlastnicislo = ano ne
  xmlsetup = NAME
  alternativa = a b A B
  metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
  compress = ano ne vse zhustene text
  check = ano ne
  kriterium = lokalne text aktualni predchozi vse ABSCHNITT
  pageprefixseparatorset = BEFEHL
  pageprefixconversionset = NAME
  pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
  pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
  pageprefixset = NAME
  pageprefixsegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
                        ABSCHNITT:vse aktualni
  pageprefixconnector = BEFEHL
  pageprefix = ano ne
  pageseparatorset = NAME
  pageconversionset = NAME
  pagestarter = BEFEHL PROCESSOR->BEFEHL
  pagestopper = BEFEHL PROCESSOR->BEFEHL
  pagesegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:vse
  maxsirka = DIMENSION
  indikator = ano ne
  pred = BEFEHL
  po = BEFEHL
  prikaz = \...#1
  textovyprikaz = \...#1
  deeptextcommand = \...#1
  strankovyprikaz = \...#1
  vzdalenost = DIMENSION
  interakce = text cislostranky
  cislostranky = ano ne
  symbol = a n zadny 1 2 BEFEHL
  language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
  pismo = STYLE BEFEHL
  barva = COLOR
  styltextu = STYLE BEFEHL
  barvatextu = COLOR
  stylstranky = STYLE BEFEHL
  barvastranky = COLOR
  pageleft = BEFEHL
  pageright = BEFEHL
  n = NUMBER
  rovnovaha = ano ne
  zarovnani = inherits: \nastavzarovnani
  numberorder = cisla
  pagemethod = stranka sekce

```

\setuprenderingwindow [...¹,...] [...²,...]

```

1 NAME OPT
2 akceotevrenistranky = REFERENCE
  akcezavrenistranky = REFERENCE
  inherits: \nastavoramovani

```

\setuprubby [...¹,...] [...²,...]

```

1 NAME OPT
2 misto = vrsek vlevo vpravo zadny
  zarovnani = auto flushleft nastred flushright
  natahnout = ano ne
  hoffset = DIMENSION
  voffset = DIMENSION
  vzdalenost = zadny DIMENSION
  vlevo = BEFEHL
  vpravo = BEFEHL
  pismo = STYLE BEFEHL
  barva = COLOR

```

\setups [...*,...]

```

* NAME

```

```

\setupscale [...] [1...] [2...]
1 NAME OPT
2 meritko = NUMMER
  xmeritko = NUMMER
  ymeritko = NUMMER
  sirka = DIMENSION
  vyska = DIMENSION
  hloubka = ano ne
  radky = NUMMER
  faktor = prizpusobive siroky max min auto implicitni
  hfaktor = prizpusobive siroky max min auto implicitni
  sfaktor = prizpusobive siroky max min auto implicitni
  maxsirka = DIMENSION
  maxvyska = DIMENSION
  s = NUMMER
  sx = NUMMER
  sy = NUMMER
  equalwidth = DIMENSION
  equalheight = DIMENSION
  mrizka = ano prizpusobive vyska podlehloubky pulradku

```

```

\setupscript [1...] [2...]
1 NAME OPT
2 metoda = hangul hanzi nihongo ethiopic thai tibetan test
  prednastaveni = NAME
  features = auto

```

```

\setupscripts [1...] [2...]
1 NAME OPT
2 inherits: \setupscript

```

```

\setupselector [1...] [2...]
1 NAME
2 n = NUMMER
  max = NUMMER

```

```

\setupshapedparagraph [...] [*...]
* mp = NAME
  opakovat = ano ne
  seznam = NAME
  metoda = cycle shift
  voffset = DIMENSION
  hoffset = DIMENSION
  vzdalenost = DIMENSION
  radky = NUMMER
  sirka = DIMENSION
  text = TEXT

```

```

\setupshift [1...] [2...]
1 NAME OPT
2 pokracovat = ano ne
  jednotka = ex em pt in cm mm sp bp pc dd cc nc
  metoda = NUMMER
  dy = NUMMER
  zarovnani = inherits: \nastavzarovnani
  pismeno = STYLE BEFEHL
  barva = COLOR

```

```

\setupsidebar [1...] [2...]
1 NAME OPT
2 tloustkalinky = DIMENSION
  barvalinky = COLOR
  alternativa = NUMMER
  offsetvrsku = DIMENSION
  offsetspodku = DIMENSION
  vzdalenost = DIMENSION
  vzdalenostlevehookraje = DIMENSION
  uroven = NUMMER
  misto = vlevo vpravo uvnitr vnejsi

```

<pre> \setupspellchecking [...,*...,...] * status = start stop metoda = 1 2 3 seznam = NAME </pre>
<pre> \setupstacking [...,¹...] [...,*²...,...] 1 NAME ^{OPT} 2 define = ano ne kriterium = NAME </pre>
<pre> \setupstartstop [...,¹...] [...,*²...,...] 1 NAME ^{OPT} 2 pred = BEFEHL po = BEFEHL mezi = BEFEHL setups = NAME vlevo = BEFEHL vpravo = BEFEHL pismo = STYLE BEFEHL barva = COLOR arguments = ano ne </pre>
<pre> \setupstretched [...,*...,...] * inherits: \setupcharacterkerning </pre>
<pre> \setupstrut [...*] * ano ne auto kap^{OPT}prizpusobive radek implicitni CHARACTER </pre>
<pre> \setupstyle [...,¹...] [...,*²...,...] 1 NAME ^{OPT} 2 metoda = prikaz pismo = STYLE BEFEHL barva = COLOR </pre>
<pre> \setupsubformula [...,¹...] [...,*²...,...] 1 NAME ^{OPT} 2 inherits: \setupsubformulas </pre>
<pre> \setupsubformulas [...,¹...] [...,*²...,...] 1 NAME ^{OPT} 2 odsadpristi = ano ne auto </pre>
<pre> \setupsymbols [...,*...,...] * stylealternative = text math </pre>
<pre> \setupsynctex [...,*...,...] * status = start stop opakovat metoda = min max </pre>
<pre> \setupsynchronize [...,¹...] [...,*²...,...] 1 NAME ^{OPT} 2 vzdalenost = DIMENSION seznam = NAME split = TEXT buffer = NAME text = TEXT pismo = STYLE BEFEHL barva = COLOR </pre>
<pre> \setupsynchronizecontent [...,¹...] [...,*²...,...] 1 NAME ^{OPT} 2 vlevo = BEFEHL vpravo = BEFEHL language = SPRACHE pismo = STYLE BEFEHL barva = COLOR </pre>

```
\setups {...,*,...}
```

```
* NAME
```

```
\setupTABLE [...,1...] [...,2...] [...,3...,...]
```

```
1 r c x y row columnPTprvni posledTTstart zahlavi kazdy liche sude jedna NUMMER -NUMMER
```

```
2 prvni least kazdy dve liche sude NUMMER -NUMMER
```

```
3 extras = BEFEHL
```

```
vlevo = BEFEHL
```

```
vpravo = BEFEHL
```

```
barvahlavicky = COLOR
```

```
stylhlavicky = STYLE BEFEHL
```

```
vzdalenostlevehookraje = DIMENSION
```

```
vzdalenostpravehookraje = DIMENSION
```

```
vzdalenostsloupcu = DIMENSION
```

```
maxsirka = DIMENSION
```

```
setups = NAME
```

```
sirkatextu = DIMENSION lokalne
```

```
split = ano ne opakovat stranka auto
```

```
zahlavi = opakovat
```

```
volba = natahnout tight
```

```
pred = BEFEHL
```

```
po = BEFEHL
```

```
stejnastranka = pred po obe
```

```
spaceinbetween = inherits: \preskoc
```

```
splitoffset = DIMENSION
```

```
aligncharacter = ano ne
```

```
alignmentcharacter = TEXT number->TEXT text->TEXT
```

```
vzdalenost = DIMENSION
```

```
barva = COLOR
```

```
pismeno = math STYLE BEFEHL
```

```
synchronize = pozadi
```

```
inherits: \nastavoramovani
```

```
\setupTEXpage [...,*...,...]
```

```
* pagestate = start stop
```

```
prikaz = \...#1
```

```
marginalie = stranka
```

```
meritko = NUMMER
```

```
papir = auto implicitni NAME
```

```
inherits: \nastavoramovani
```

```
\setuptabulatemove [...,1...] [...,2...,...]
```

```
1 NAME OPT
```

```
2 xoffset = DIMENSION
```

```
yoffset = vyska podlehloubky DIMENSION
```

```
orientation = NUMMER
```

```
\setuptagging [...,*...,...]
```

```
* status = start stop
```

```
metoda = auto
```

\setuptextbackground [...¹,...] [...²,...]

1 NAME OPT
 2 status = start stop
 misto = text odstavec vzdy zadny
 kriterium = NUMMER
 alternativa = NUMMER
 mp = NAME
 metoda = NAME
 pozadi = barevne
 barvapozadi = COLOR
 roh = pravouhly zaobleny
 uroven = NUMMER
 offsetpozadi = DIMENSION
 pred = BEFEHL
 po = BEFEHL
 zarovnani = inherits: \nastavzarovnani
 pomlcka = NUMMER
 polomer = DIMENSION
 ramecek = zap vyp
 barvaramecku = COLOR
 tloustkalinky = DIMENSION
 voffset = DIMENSION
 offsetramecku = DIMENSION
 levyoffset = ano ne standardni DIMENSION
 pravyoffset = ano ne standardni DIMENSION
 offsetvrsku = male stredni velke radek DIMENSION
 offsetspodku = male stredni velke radek DIMENSION
 pismo = STYLE BEFEHL
 barva = COLOR

\setuptextdisplay [...¹,...] [...²,...]

1 NAME OPT
 2 pred = BEFEHL
 po = BEFEHL
 faktor = NUMMER

\setuptextflow [...¹,...] [...²,...]

1 NAME OPT
 2 sirka = DIMENSION
 pismo = STYLE BEFEHL
 barva = COLOR

\setuptextnote [...¹,...] [...²,...]

1 NAME OPT
 2 linka = NAME
 note = NAME
 n = * NUMMER
 prazdne = ano ne zadny cislo

\setuptooltip [...¹,...] [...²,...]

1 NAME OPT
 2 misto = vlevo nastred vpravo
 inherits: \nastavoramovani

\setupunit [...¹,...] [...²,...]

1 NAME OPT
 2 metoda = 1 2 3 4 5 6
 language = SPRACHE
 alternativa = text matematika
 order = reverse normalni
 oddelovac = male stredni velke normalni zadny NAME
 mezera = male stredni velke normalni zadny NAME
 pismo = STYLE BEFEHL
 barva = COLOR
 volba = drzet

`\setupuserdata` [...¹,...] [...²,...]

1 NAME OPT
2 pred = BEFEHL
po = BEFEHL
zarovnani = inherits: \nastavzarovnani
setups = NAME
pismo = STYLE BEFEHL
barva = COLOR
alternativa = implicitni NAME
KEY = VALUE

`\setupuserdataalternative` [...¹,...] [...²,...]

1 NAME OPT
2 renderingsetup = NAME
KEY = VALUE

`\setupuserpagenumber` [...^{*},...]

* viewerprefix = TEXT
status = start stop zadny drzet prazdne
inherits: \setupcounter

`\setupversion` [...]

* koncept soubor docasne finalni NAME

`\setupviewerlayer` [...^{*},...]

* titul = TEXT
status = start stop
export = ano ne
tisknutelne = ano ne
rozsah = lokalne globalne
metoda = zadny prikaz

`\setupvspacing` [...^{*},...]

* inherits: \vspacing OPT

`\setupwithargument` {...¹} {...²}

1 NAME
2 CONTENT

`\setupwithargumentswapped` {...¹} {...²}

1 CONTENT
2 NAME

`\setupxml` [...^{*},...]

* implicitni = skryte zadny text
compress = ano ne
entities = ano ne

\setupxtable [...¹...] [...²...]

```
1 NAME OPT
2 sirkatextu = DIMENSION lokalne
  zakladnifont = inherits: \nastavzakladnifont
  spaceinbetween = inherits: \preskoc
  volba = tight max natahnout sirka vyska fixne
  vyskatextu = DIMENSION
  maxsirka = DIMENSION
  vzdalenostsloupcu = DIMENSION
  vzdalenostlevehookraje = DIMENSION
  vzdalenostpravehookraje = DIMENSION
  zahlavi = opakovat
  upati = opakovat
  tloustkalinky = DIMENSION
  split = ano ne opakovat auto
  splitoffset = DIMENSION
  stejnastranka = pred po obe
  vzdalenost = DIMENSION
  aligncharacter = ano ne
  alignmentleftsample = TEXT
  alignmentrightsample = TEXT
  alignmentleftwidth = DIMENSION
  alignmentrightwidth = DIMENSION
  alignmentcharacter = TEXT
  inherits: \nastavoramovani
```

\setuvalue {...} {...}

```
1 NAME
2 CONTENT
```

\setuxvalue {...} {...}

```
1 NAME
2 CONTENT
```

\setvalue {...} {...}

```
1 NAME
2 CONTENT
```

\setvariable {...} {...} {...}

```
1 NAME
2 KEY
3 VALUE
```

\setvariables [...¹] [...²...]

```
1 NAME
2 set = BEFEHL
  reset = BEFEHL
  KEY = VALUE
```

\setvboxregister ... {...}

```
1 CSNAME NUMBER
2 CONTENT
```

\setvisualizerfont [...^{*}]

```
* FONT OPT
```

\setvtopregister ... {...}

```
1 CSNAME NUMBER
2 CONTENT
```

\setwidthof ...¹ \to ...²

```
1 TEXT
2 CSNAME
```

\setxmeasure {...} {...}

```
1 NAME
2 DIMENSION
```


<pre> \setxvalue {...} {...} 1 NAME 2 CONTENT </pre>
<pre> \setxvariable {...} {...} {...} 1 NAME 2 KEY 3 VALUE </pre>
<pre> \setxvariables [...]¹ [...]²... 1 NAME 2 set = BEFEHL reset = BEFEHL KEY = VALUE </pre>
<pre> \shapedhbox {...} * CONTENT </pre>
<pre> \shiftbox {...} 1 CONTENT </pre>
<pre> \SHIFT {...} * CONTENT instances: shiftup shiftdown </pre>
<pre> \shiftdown {...} * CONTENT </pre>
<pre> \shiftup {...} * CONTENT </pre>
<pre> \showallmakeup </pre>
<pre> \showattributes </pre>
<pre> \showboxes </pre>
<pre> \showbreakpoints [...][*]... * inherits: \nastavsloupce OPT </pre>
<pre> \showbtxdatasetauthors [...][*]... * specification = NAME OPT dataset = NAME field = address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME </pre>
<pre> \showbtxdatasetauthors [...][*] * NAME OPT </pre>
<pre> \showbtxdatasetcompleteness [...][*]... * specification = NAME OPT dataset = NAME field = address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME </pre>
<pre> \showbtxdatasetcompleteness [...][*] * NAME OPT </pre>

<pre> \showbtxdatasetfields [...] * specification = NAME dataset = NAME field = address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME </pre>
<pre> \showbtxdatasetfields [...] * NAME </pre>
<pre> \showbtxfields [...] * rotate = NUMBER specification = NAME </pre>
<pre> \showbtxfields [...] * NAME </pre>
<pre> \showbtxhashedauthors [...] * TEXT </pre>
<pre> \showbtxtables [...] * TEXT </pre>
<pre> \showcolorbar [...] * COLOR </pre>
<pre> \showcolorcomponents [...] * COLOR </pre>
<pre> \showcolorset [...] * COLOR </pre>
<pre> \showcolorstruts </pre>
<pre> \showcounter [...] * NAME </pre>
<pre> \showdirectives </pre>
<pre> \showdirsmargin </pre>
<pre> \showdebuginfo </pre>
<pre> \showexperiments </pre>
<pre> \showfont [...] [...] 1 FONT 2 NUMBER </pre>
<pre> \showfontdata </pre>
<pre> \showfontexpansion </pre>
<pre> \showfontitalics </pre>
<pre> \showfontkerns </pre>

<code>\showfontparameters</code>
<code>\showfontstrip [...,*...]</code> <code>* inherits: \nastavzakladnifont</code>
<code>\showfontstyle [...,¹...] [...,²...] [...,³...] [...,⁴...]</code> <code>1 inherits: \nastavzakladnifont</code> <code>2 rm ss tt mm hw cg</code> <code>3 tf bf it sl bi bs</code> <code>4 vse NUMMER</code>
<code>\showglyphdata</code>
<code>\showglyphs</code>
<code>\showgridsnapping</code>
<code>\showhelp {..¹.} [...².]</code> <code>1 TEXT</code> <code>2 REFERENCE</code>
<code>\showhyphenationtrace [...¹.] [...².]</code> <code>1 SPRACHE</code> <code>2 TEXT</code>
<code>\showhyphens {...}</code> <code>* TEXT</code>
<code>\showchardata {...}</code> <code>* TEXT</code>
<code>\showcharratio {...}</code> <code>* TEXT</code>
<code>\showinjector [...,*...]</code> <code>* NAME</code>
<code>\showjustification</code>
<code>\showkerning {...}</code> <code>* TEXT</code>
<code>\showlayoutcomponents</code>
<code>\showligature {...}</code> <code>* TEXT</code>
<code>\showligatures [...*]</code> <code>* FONT</code>
<code>\showlogcategories</code>
<code>\showluatables</code>
<code>\showmargins</code>

<pre> \showmessage {...} {...} {...,³...} 1 NAME 2 NAME NUMMER 3 TEXT </pre>
<pre> \showminimalbaseline </pre>
<pre> \shownextbox \... {...} 1 CSNAME 2 CONTENT </pre>
<pre> \showotfcomposition {...} {...} {...³} 1 FONT 2 -1 1 +1 l2r r2l 3 TEXT </pre>
<pre> \showpageprogress [...[*]] * ano ne vse OPT </pre>
<pre> \showparentchain \... {...²} 1 CSNAME 2 NAME </pre>
<pre> \showparwrapperstate {...[*]} * NAME </pre>
<pre> \showrivers [...[*],...[*],...] * inherits: \addriverstobox </pre>
<pre> \showsetupsdefinition [...[*]] * NAME </pre>
<pre> \showtimer {...[*]} * TEXT </pre>
<pre> \showtokens [...[*]] * NAME </pre>
<pre> \showtrackers </pre>
<pre> \showvalue {...[*]} * NAME </pre>
<pre> \showvariable {...¹} {...²} 1 NAME 2 KEY </pre>
<pre> \showwarning {...¹} {...²} {...,³...} 1 NAME 2 NAME NUMMER 3 TEXT </pre>
<pre> \schovejbloky [...¹,...] [...²,...]^{OPT} 1 NAME 2 NAME </pre>
<pre> \signalcharacteralign {...¹} {...²} 1 NUMMER 2 NUMMER </pre>

<code>\signalrightpage</code>
<code>\similartokens {¹.} {².}</code> 1 TEXT 2 TEXT
<code>\simplealignedbox {¹.} {².} {³.}</code> 1 DIMENSION 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi 3 CONTENT
<code>\simplealignedboxplus {¹.} {².} {³.} {⁴.}</code> 1 DIMENSION 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi 3 TEXT 4 CONTENT
<code>\simplealignedspreadbox {¹.} {².} {³.}</code> 1 DIMENSION 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi 3 CONTENT
<code>\simplegroupedcommand {¹.} {².}</code> 1 BEFEHL 2 BEFEHL
<code>\simplegroupedcommandcs \¹. \².</code> 1 CSNAME 2 CSNAME
<code>\simplereversealignedbox {¹.} {².} {³.}</code> 1 DIMENSION 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi 3 CONTENT
<code>\simplereversealignedboxplus {¹.} {².} {³.} {⁴.}</code> 1 DIMENSION 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi 3 TEXT 4 CONTENT
<code>\singlebond</code>
<code>\sixthofsixarguments {¹.} {².} {³.} {⁴.} {⁵.} {⁶.}</code> 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT
<code>\skiphere [...]</code> * + - DIMENSION ^P NUMMER stranka stejnastranka
<code>\sklonene</code>
<code>\sklonenetucne</code>
<code>\slantedface</code>

\slashed [¹...] {²...}

- 1 vse begin ~~eff~~ unset ordinary operator binary relation open close punctuation variable active uvnitr under over fraction radical nastred prime accent fenced ghost vcenter explicit imaginary differential exponential integral ellipsis function digit division factorial wrapped construct dimension unary textpunctuation unspaced experimental fake numbergroup continuation
- 2 CONTENT

\slicepages [¹...] [²...,...²...,...] [³...,...³...,...]

- 1 FILE
- 2 offset = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
sirka = DIMENSION
vyska = DIMENSION
n = NUMBER
- 3 offset = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
sirka = DIMENSION
vyska = DIMENSION
n = NUMBER

\sloupec [...,*,...]

- * inherits: \columnbreak

\slovenianNumerals {...}

- * NUMMER

\sloveniannumerals {...}

- * NUMMER

\slovo {...}

- * TEXT

\slovovpravo [¹...] {²...}

- 1 vpravo DIMENSION^{OPT}
- 2 CONTENT

\smallbodyfont

\smallcappedcharacters {...}

- * NUMMER

\smallcappedromannumerals {...}

- * NUMMER

\smaller

\smallskip

\smash [¹...] {²...}

- 1 w h d t ^{OPT}
- 2 CONTENT

\smashbox ...

- * CSNAME NUMBER

\smashboxed ...

- * CSNAME NUMBER

$\backslash\text{smashedhbox}$ $\overset{1}{\dots}$ $\{\overset{2}{\dots}\}$ 1 TEXT <small>OPT</small> 2 CONTENT
$\backslash\text{smashedvbox}$ $\overset{1}{\dots}$ $\{\overset{2}{\dots}\}$ 1 TEXT <small>OPT</small> 2 CONTENT
$\backslash\text{snaptogrid}$ $[\overset{1}{\dots}]$ $\backslash\overset{2}{\dots}$ $\{\overset{3}{\dots}\}$ 1 normalni standardni ano striktni tolerantni vrsek spodek obe široky prizpusobive prvni posledni vysoko jedna nizko zadny radek strut box min max nastred math math:radek math:pulradku math:-line math:-halflne NAME 2 CSNAME 3 CONTENT
$\backslash\text{snaptogrid}$ $[\overset{1}{\dots},\dots]$ $\backslash\overset{2}{\dots}$ $\{\overset{3}{\dots}\}$ 1 inherits: $\backslash\text{definegridsnapping}$ <small>OPT</small> 2 CSNAME 3 CONTENT
$\backslash\text{someheadnumber}$ $[\overset{1}{\dots}]$ $[\overset{2}{\dots}]$ 1 ABSCHNITT 2 predchozi aktualni dalsi prvni posledni
$\backslash\text{somekindoftab}$ $[\dots,\overset{*}{\dots},\dots]$ * alternativa = horizontalne vertikálne sirka = DIMENSION vyska = DIMENSION n = NUMMER m = NUMMER
$\backslash\text{somelocalfloat}$
$\backslash\text{somenamedheadnumber}$ $\{\overset{1}{\dots}\}$ $\{\overset{2}{\dots}\}$ 1 ABSCHNITT 2 predchozi aktualni dalsi prvni posledni
$\backslash\text{someplace}$ $\{\overset{1}{\dots}\}$ $\{\overset{2}{\dots}\}$ $\{\overset{3}{\dots}\}$ $\{\overset{4}{\dots}\}$ $\{\overset{5}{\dots}\}$ $[\overset{6}{\dots}]$ 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 REFERENCE
$\backslash\text{SORTING}$ $[\overset{1}{\dots}]$ $\{\overset{2}{\dots}\}$ 1 NAME <small>OPT</small> 2 CONTENT instances: logo
$\backslash\text{logo}$ $[\overset{1}{\dots}]$ $\{\overset{2}{\dots}\}$ 1 NAME <small>OPT</small> 2 CONTENT
$\backslash\text{spaceddigits}$ $\{\overset{*}{\dots}\}$ * NUMMER
$\backslash\text{spaceddigitmethod}$
$\backslash\text{spaceddigitseparator}$
$\backslash\text{spaceddigitssymbol}$

<code>\spaceorpar</code>
<code>\spanishNumerals {...}</code> <code>* NUMMER</code>
<code>\spanishnumerals {...}</code> <code>* NUMMER</code>
<code>\splitatasterisk ¹... \²... \³...</code> <code>1 TEXT</code> <code>2 CSNAME</code> <code>3 CSNAME</code>
<code>\splitatcolon ¹... \²... \³...</code> <code>1 TEXT</code> <code>2 CSNAME</code> <code>3 CSNAME</code>
<code>\splitatcolons ¹... \²... \³...</code> <code>1 TEXT</code> <code>2 CSNAME</code> <code>3 CSNAME</code>
<code>\splitatcomma ¹... \²... \³...</code> <code>1 TEXT</code> <code>2 CSNAME</code> <code>3 CSNAME</code>
<code>\splitatperiod ¹... \²... \³...</code> <code>1 TEXT</code> <code>2 CSNAME</code> <code>3 CSNAME</code>
<code>\splitfilename {...}</code> <code>* FILE</code>
<code>\splitoffbase</code>
<code>\splitofffull</code>
<code>\splitoffkind</code>
<code>\splitoffname</code>
<code>\splitoffpath</code>
<code>\splitoffroot</code>
<code>\splitofftokens ¹... \from ²... \to ³...</code> <code>1 TEXT</code> <code>2 TEXT</code> <code>3 CSNAME</code>
<code>\splitofftype</code>
<code>\splitstring ¹... \at ²... \to ³... \and ⁴...</code> <code>1 TEXT</code> <code>2 TEXT</code> <code>3 CSNAME</code> <code>4 CSNAME</code>

<code>\spreadhbox ...</code> <code>* CSNAME NUMBER</code>
<code>\stacking [...] {...}</code> <code>1 NAME</code> <code>2 CONTENT</code>
<code>\STACKING [...] {...}</code> <code>1 NAME</code> <code>2 CONTENT</code>
<code>\stackrel [...] {...}</code> <code>1 CONTENT</code> <code>2 CONTENT</code>
<code>\stackscripts</code>
<code>\stanovcislonaadpisu [...]</code> <code>* ABSCHNITT</code>
<code>\stanovcharakteristickuseznamu [...¹...] [...²...] OPT</code> <code>1 LISTE</code> <code>2 inherits: \nastavseznam</code>
<code>\start [...] ... \stop</code> <code>* NAME OPT</code>
<code>\startalignment [...,*...] ... \stopalignment</code> <code>* inherits: \nastavzarovnani</code>
<code>\startallmodes [...,*...] ... \stopallmodes</code> <code>* NAME</code>
<code>\startalternate [...,*=...,...] ... \stopalternate</code> <code>* text = TEXT</code>
<code>\startasciimode ... \stopasciimode</code>
<code>\startATTACHMENT [...] [...] OPT OPT ... \stopATTACHMENT</code> <code>1 NAME</code> <code>2 inherits: \setupattachment</code> <code>instances: attachment</code>
<code>\startattachment [...] [...] OPT OPT ... \stopattachment</code> <code>1 NAME</code> <code>2 inherits: \setupattachment</code>
<code>\startbar [...] ... \stopbar</code> <code>* NAME</code>
<code>\startbarva [...] ... \stopbarva</code> <code>* COLOR</code>
<code>\startbbordermatrix ... \stopbbordermatrix</code>

<pre> \startbitmapimage [...,.*=...,...] ... \stopbitmapimage * barva = rgb cmyk seda sirka = DIMENSION vyska = DIMENSION x = NUMMER y = NUMMER </pre>
<pre> \startbordermatrix ... \stopbordermatrix </pre>
<pre> \startboxexport [...,.*=...,...] ... \stopboxexport * inherits: \setupboxexport^{OPT} </pre>
<pre> \startbtxrenderingdefinitions [...*] ... \stopbtxrenderingdefinitions * NAME </pre>
<pre> \startbuffer [...*] ... \stopbuffer * NAME^{OPT} </pre>
<pre> \startBUFFER ... \stopBUFFER instances: hiding </pre>
<pre> \starthiding ... \stophiding </pre>
<pre> \startcatcodetable \.* ... \stopcatcodetable * CSNAME </pre>
<pre> \startcenteraligned ... \stopcenteraligned </pre>
<pre> \startcollect ... \stopcollect </pre>
<pre> \startcollecting ... \stopcollecting </pre>
<pre> \startcolorintent [...*] ... \stopcolorintent * knockout overprint zadny </pre>
<pre> \startcoloronly [...*] ... \stopcoloronly * COLOR </pre>
<pre> \startcolorset [...*] ... \stopcolorset * NAME </pre>
<pre> \startcolumnset [...¹] [...,.*²=...,...] ... \stopcolumnset 1 NAME^{OPT} 2 inherits: \setupcolumnset^{OPT} </pre>
<pre> \startcolumnsetspan [...¹] [...,.*²=...,...] ... \stopcolumnsetspan 1 NAME^{OPT} 2 c = NUMMER r = NUMMER metoda = tblr lrtb tbrl rltb fxtb btlr lrbt btrl rlbt fxbt fixd volba = zadny siroce </pre>
<pre> \startCOLUMNSET [...,.*=...,...] ... \stopCOLUMNSET * inherits: \setupcolumnset^{OPT} </pre>
<pre> \startcombination [...¹] [...,.*²=...,...] ... \stopcombination 1 NAME^{OPT} 2 inherits: \setupcombination^{OPT} </pre>

$\backslash\text{startcombination}$ $[\overset{1}{...}]$ $[\overset{2}{...}]$... $\backslash\text{stopcombination}$ 1 NAME OPT OPT 2 N*M
$\backslash\text{startcontextcode}$... $\backslash\text{stopcontextcode}$
$\backslash\text{startcontextdefinitioncode}$... $\backslash\text{stopcontextdefinitioncode}$
$\backslash\text{startctxfunction}$ $\overset{*}{...}$... $\backslash\text{stopctxfunction}$ * NAME
$\backslash\text{startctxfunctiondefinition}$ $\overset{*}{...}$... $\backslash\text{stopctxfunctiondefinition}$ * NAME
$\backslash\text{startcurrentcolor}$... $\backslash\text{stopcurrentcolor}$
$\backslash\text{startcurrentlistentrywrapper}$... $\backslash\text{stopcurrentlistentrywrapper}$
$\backslash\text{startdelimited}$ $[\overset{1}{...}]$ $[\overset{2}{...}]$ $[\overset{3}{...},...]$... $\backslash\text{stopdelimited}$ 1 NAME OPT OPT 2 SPRACHE 3 inherits: $\backslash\text{startzuzeni}$
$\backslash\text{startdelimitedtext}$ $[\overset{1}{...}]$ $[\overset{2}{...}]$ $[\overset{3}{...},...]$... $\backslash\text{stopdelimitedtext}$ 1 NAME OPT OPT 2 SPRACHE 3 inherits: $\backslash\text{startzuzeni}$
$\backslash\text{startDELIMITEDTEXT}$ $[\overset{1}{...}]$ $[\overset{2}{...},...]$... $\backslash\text{stopDELIMITEDTEXT}$ 1 SPRACHE OPT OPT 2 inherits: $\backslash\text{startzuzeni}$ instances: quotation quote blockquote speech aside
$\backslash\text{startaside}$ $[\overset{1}{...}]$ $[\overset{2}{...},...]$... $\backslash\text{stopaside}$ 1 SPRACHE OPT OPT 2 inherits: $\backslash\text{startzuzeni}$
$\backslash\text{startblockquote}$ $[\overset{1}{...}]$ $[\overset{2}{...},...]$... $\backslash\text{stopblockquote}$ 1 SPRACHE OPT OPT 2 inherits: $\backslash\text{startzuzeni}$
$\backslash\text{startquotation}$ $[\overset{1}{...}]$ $[\overset{2}{...},...]$... $\backslash\text{stopquotation}$ 1 SPRACHE OPT OPT 2 inherits: $\backslash\text{startzuzeni}$
$\backslash\text{startquote}$ $[\overset{1}{...}]$ $[\overset{2}{...},...]$... $\backslash\text{stopquote}$ 1 SPRACHE OPT OPT 2 inherits: $\backslash\text{startzuzeni}$
$\backslash\text{startspeech}$ $[\overset{1}{...}]$ $[\overset{2}{...},...]$... $\backslash\text{stopspeech}$ 1 SPRACHE OPT OPT 2 inherits: $\backslash\text{startzuzeni}$
$\backslash\text{startdisplaymath}$... $\backslash\text{stopdisplaymath}$
$\backslash\text{startdmath}$... $\backslash\text{stopdmath}$
$\backslash\text{startdocument}$ $[\overset{1}{...}]$ $[\overset{2}{...},...]$... $\backslash\text{stopdocument}$ 1 NAME OPT OPT 2 inherits: $\backslash\text{setupdocument}$

$\backslash\startdocument$ [¹ ...] [\dots,\dots,\dots] ² ... \backstopdocument 1 NAME OPT OPT 2 inherits: \backsetupdocument
\backstarteffect [...] ... \backstopeffect * NAME
\backstartEFFECT ... \backstopEFFECT
\backstartelement [...] [\dots,\dots,\dots] ² ... \backstopelement 1 NAME OPT 2 KEY = VALUE
\backstartembeddedxtable [\dots,\dots,\dots] [*] ... \backstopembeddedxtable * inherits: \backsetupxtable OPT
\backstartembeddedxtable [...] ... \backstopembeddedxtable * NAME OPT
\backstartexceptions [...] ... \backstopexceptions * SPRACHE
\backstartexpanded ... \backstopexpanded
$\backstartexpandedcollect$... \backstopexpandedcollect
$\backstartextendedcatcodetable$ *... ... $\backstopextendedcatcodetable$ * CSNAME
$\backstartexternalfigurecollection$ [...] ... $\backstopexternalfigurecollection$ * NAME
\backstartfacingfloat [...] ... \backstopfacingfloat * NAME
\backstartfittingpage [¹ ...] [\dots,\dots,\dots] ² ... \backstopfittingpage 1 NAME OPT 2 inherits: \backsetupfittingpage
\backstartFITTINGPAGE [\dots,\dots,\dots] [*] ... \backstopFITTINGPAGE * inherits: \backsetupfittingpage OPT instances: TEXpage MPpage
\backstartMPpage [\dots,\dots,\dots] [*] ... \backstopMPpage * inherits: \backsetupfittingpage OPT
\backstartTEXpage [\dots,\dots,\dots] [*] ... \backstopTEXpage * inherits: \backsetupfittingpage OPT
\backstartfixne [...] ... \backstopfixne * nizko nastred vysoke nivy implicitni OPT
$\backstartfloatcombination$ [\dots,\dots,\dots] [*] ... $\backstopfloatcombination$ * inherits: \backsetupcombination OPT
$\backstartfloatcombination$ [...] ... $\backstopfloatcombination$ * N*M NAME OPT

```

\startFLOATtext [...1,...] [...2,...] {...3} ... \stopFLOATtext
1 split keepetogether vzdýOPTvlevo vpravoORTuvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokrají levýokraj pravýokraj
levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantní velmitolerantní 90 180 270 nonumber zadný lokálně zde
síla marginalie [-+]zavesení visící vysoko obe nastřed offset vrsek spodek auto stranka levastranka pravastranka
odstavec nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
2 REFERENCE
3 TEXT
instances: chemical figure table intermezzo graphic

```

```

\startfiguretext [...1,...] [...2,...] {...3} ... \stopfiguretext
1 split keepetogether vzdýOPTvlevo vpravoORTuvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokrají levýokraj pravýokraj
levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantní velmitolerantní 90 180 270 nonumber zadný lokálně zde
síla marginalie [-+]zavesení visící vysoko obe nastřed offset vrsek spodek auto stranka levastranka pravastranka
odstavec nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
2 REFERENCE
3 TEXT

```

```

\startgraphictext [...1,...] [...2,...] {...3} ... \stopgraphictext
1 split keepetogether vzdýOPTvlevo vpravoORTuvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokrají levýokraj pravýokraj
levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantní velmitolerantní 90 180 270 nonumber zadný lokálně zde
síla marginalie [-+]zavesení visící vysoko obe nastřed offset vrsek spodek auto stranka levastranka pravastranka
odstavec nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
2 REFERENCE
3 TEXT

```

```

\startchemicaltext [...1,...] [...2,...] {...3} ... \stopchemicaltext
1 split keepetogether vzdýOPTvlevo vpravoORTuvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokrají levýokraj pravýokraj
levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantní velmitolerantní 90 180 270 nonumber zadný lokálně zde
síla marginalie [-+]zavesení visící vysoko obe nastřed offset vrsek spodek auto stranka levastranka pravastranka
odstavec nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
2 REFERENCE
3 TEXT

```

```

\startintermezzotext [...1,...] [...2,...] {...3} ... \stopintermezzotext
1 split keepetogether vzdýOPTvlevo vpravoORTuvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokrají levýokraj pravýokraj
levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantní velmitolerantní 90 180 270 nonumber zadný lokálně zde
síla marginalie [-+]zavesení visící vysoko obe nastřed offset vrsek spodek auto stranka levastranka pravastranka
odstavec nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
2 REFERENCE
3 TEXT

```

```

\starttabletext [...1,...] [...2,...] {...3} ... \stoptabletext
1 split keepetogether vzdýOPTvlevo vpravoORTuvnitř vnější zpetnamezera cutspace ivlevo ivpravo naokrají levýokraj pravýokraj
levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek
pulradku mřížka vysoko nízko prizpusobive tight tolerantní velmitolerantní 90 180 270 nonumber zadný lokálně zde
síla marginalie [-+]zavesení visící vysoko obe nastřed offset vrsek spodek auto stranka levastranka pravastranka
odstavec nekde effective zahlaví upatí tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
2 REFERENCE
3 TEXT

```

```

\startfont [...*] ... \stopfont
* FONT OPT

```

```

\startfontclass [...*] ... \stopfontclass
* kazdy NAME

```

```

\startfontsolution [...*] ... \stopfontsolution
* NAME

```

```

\startformulacombination [...*,...OPT] ... \stopformulacombination
* inherits: \setupcombination

```

$\backslash\text{startformulacombination}$ [\dots] ... $\backslash\text{stopformulacombination}$ \ast NAME <small>OPT</small>
$\backslash\text{startframedcell}$ [$\dots=\dots$] ... $\backslash\text{stopframedcell}$ \ast inherits: $\backslash\text{nastavoramovani}$ <small>OPT</small>
$\backslash\text{startframedcontent}$ [\dots] ... $\backslash\text{stopframedcontent}$ \ast NAME vyp <small>OPT</small>
$\backslash\text{startframedrow}$ [$\dots=\dots$] ... $\backslash\text{stopframedrow}$ \ast inherits: $\backslash\text{nastavoramovani}$ <small>OPT</small>
$\backslash\text{startframedtable}$ [$\overset{1}{\dots}$] [$\dots=\overset{2}{\dots}$] ... $\backslash\text{stopframedtable}$ 1 NAME <small>OPT</small> <small>OPT</small> 2 inherits: $\backslash\text{nastavoramovani}$
$\backslash\text{startgridsnapping}$ [\dots] ... $\backslash\text{stopgridsnapping}$ \ast normalni standardni ano <small>OPT</small> striktni tolerantni vrsek spodek obe široky prizpusobive prvni posledni vysoko jedna nizko zadny radek strut box min max nastred math math:radek math:pulradku math:-line math:-halflne NAME
$\backslash\text{startgridsnapping}$ [$\dots=\dots$] ... $\backslash\text{stopgridsnapping}$ \ast inherits: $\backslash\text{definegridsnapping}$ <small>OPT</small>
$\backslash\text{starthboxestohbox}$... $\backslash\text{stophboxestohbox}$
$\backslash\text{starthboxregister}$ \dots ... $\backslash\text{stophboxregister}$ \ast CSNAME NUMBER
$\backslash\text{startHELP}$ [\dots] ... $\backslash\text{stopHELP}$ \ast REFERENCE <small>OPT</small> instances: helptext
$\backslash\text{starthelptext}$ [\dots] ... $\backslash\text{stophelptext}$ \ast REFERENCE <small>OPT</small>
$\backslash\text{starthiddencontent}$... $\backslash\text{stophiddencontent}$
$\backslash\text{starthighlight}$ [\dots] ... $\backslash\text{stophighlight}$ \ast NAME
$\backslash\text{starthyphenation}$ [$\dots=\dots$] ... $\backslash\text{stophyphenation}$ \ast original tex implicitni hyphenate expanded traditional zadny
$\backslash\text{startcharacteralign}$ [$\dots=\dots$] ... $\backslash\text{stopcharacteralign}$ \ast inherits: $\backslash\text{setupcharacteralign}$
$\backslash\text{startcharacteralign}$ [\dots] ... $\backslash\text{stopcharacteralign}$ \ast TEXT number->TEXT text->TEXT <small>OPT</small>
$\backslash\text{startcheckedfences}$... $\backslash\text{stopcheckedfences}$
$\backslash\text{startchemical}$ [$\overset{1}{\dots}$] [$\dots=\overset{2}{\dots}$] ... $\backslash\text{stopchemical}$ 1 NAME <small>OPT</small> <small>OPT</small> 2 inherits: $\backslash\text{setupchemical}$
$\backslash\text{startimath}$... $\backslash\text{stopimath}$

<code>\startindentedtext [...] ... \stopindentedtext</code> <code>* NAME</code>
<code>\startINDENTEDTEXT ... \stopINDENTEDTEXT</code>
<code>\startinterakce [...] ... \stopinterakce</code> <code>* skryte NAME</code>
<code>\startinteraktivnimenu [...] ... \stopinteraktivnimenu</code> <code>* NAME</code>
<code>\startinterface ... \stopinterface</code> <code>* vse SPRACHE</code>
<code>\startintertext ... \stopintertext</code>
<code>\startitemgroup [...] [...] [...] ... \stopitemgroup</code> <code>1 NAME</code> <code>2 inherits: \setupitemgroup</code> <code>3 inherits: \setupitemgroup</code>
<code>\startITEMGROUptable [...] [...] ... \stopITEMGROUptable</code> <code>1 inherits: \setupitemgroup</code> <code>2 inherits: \setupitemgroup</code> <code>instances: itemize</code>
<code>\startitemizetable [...] [...] ... \stopitemizetable</code> <code>1 inherits: \setupitemgroup</code> <code>2 inherits: \setupitemgroup</code>
<code>\startITEMGROUP [...] [...] ... \stopITEMGROUP</code> <code>1 inherits: \setupitemgroup</code> <code>2 inherits: \setupitemgroup</code> <code>instances: itemize</code>
<code>\startitemize [...] [...] ... \stopitemize</code> <code>1 inherits: \setupitemgroup</code> <code>2 inherits: \setupitemgroup</code>
<code>\startJScode ... \stopJScode</code> <code>1 NAME</code> <code>2 uses</code> <code>3 NAME</code>
<code>\startJSreamble ... \stopJSreamble</code> <code>1 NAME</code> <code>2 uzito</code> <code>3 now later</code>
<code>\startjazyk [...] ... \stopjazyk</code> <code>* SPRACHE</code>
<code>\startjdina [...] ... \stopjdina</code> <code>* REFERENCE</code>
<code>\startknockout ... \stopknockout</code>
<code>\startkomentarstranky ... \stopkomentarstranky</code>

```

\startCOMMENT [...]1 [...,...2...,...] ... \stopCOMMENT
1 TEXT OPT OPT
2 inherits: \nastavkomentar
instances: comment

```

```

\startcomment [...]1 [...,...2...,...] ... \stopcomment
1 TEXT OPT OPT
2 inherits: \nastavkomentar

```

```

\startkomponenta [...]* ... \stopkomponenta
* FILE *

```

```

\startkomponenta ...* ... \stopkomponenta
* FILE *

```

```

\startkonectabulky [...]* ... \stopkonectabulky
* NAME

```

```

\startlayout [...]* ... \stoplayout
* NAME

```

```

\startlinealignment [...]* ... \stoplinealignment
* vlevo nastred vpravo max

```

```

\startlinecorrection [...]*... \stoplinecorrection
* prazdny inherits: \preskoc OPT

```

```

\startlinefiller [...]1 [...,...2...,...] ... \stoplinefiller
1 filler NAME OPT
2 inherits: \setuplinefiller

```

```

\startLINENOTE [...]1 {...}2
1 REFERENCE
2 TEXT
instances: linenote

```

```

\startlinenote [...]1 {...}2
1 REFERENCE
2 TEXT

```

```

\startlinenumbering [...]1 [...,...2...,...] ... \stoplinenumbering
1 NAME OPT OPT
2 pokračovat = ano ne
start = NUMMER
krok = NUMMER
metoda = stranka prvni dalsi

```

```

\startlinenumbering [...]1 [...]2 ... \stoplinenumbering
1 NAME OPT OPT
2 pokračovat NUMMER

```

```

\startlinetable ... \stoplinetable

```

```

\startlinetablebody ... \stoplinetablebody

```

```

\startlinetablecell [...]*... \stoplinetablecell
* inherits: \setuplinetable OPT

```

```

\startlinetablehead ... \stoplinetablehead

```


\startlocalbox [...] ... \stoplocalbox * NAME
\startlocalboxrange [...] ... \stoplocalboxrange * NAME
\startlocalfootnotes ... \stoplocalfootnotes
\startlocalheadsetup ... \stoplocalheadsetup
\startlocallinecorrection [...] ... \stoplocallinecorrection * prazdny inherits: \preskoc OPT
\startlocalnotes [...] ... \stoplocalnotes * NAME
\startlocalsetups [...] [...] ... \stoplocalsetups 1 mrizka OPT 2 NAME
\startlocalsetups .*. ... \stoplocalsetups * NAME
\startlua ... \stoplua
\startluacode ... \stopluacode
\startluaparameterset [...] ... \stopluaparameterset * NAME
\startluasetups [...] [...] ... \stopluasetups 1 mrizka OPT 2 NAME
\startluasetups .*. ... \stopluasetups * NAME
\startMPclip {...} ... \stopMPclip * NAME
\startMPcode {...} ... \stopMPcode * metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun
\startMPdefinitions {...} ... \stopMPdefinitions * metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun
\startMPdrawing [...] ... \stopMPdrawing * - OPT
\startMPenvironment [...] ... \stopMPenvironment * reset globalne + OPT
\startMPextensions {...} ... \stopMPextensions * metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun

$\backslash\text{startMPinclusions}$ $[...]^{1}$ $\{...\}^{2}$... $\backslash\text{stopMPinclusions}$ 1 + OPT OPT 2 metafun minifun extrafun lessfun doublefun binaryfun decimalfun mprun metapost nofun doublepost binarypost decimalpost simplefun
$\backslash\text{startMPinitializations}$... $\backslash\text{stopMPinitializations}$
$\backslash\text{startMPpositiongraphic}$ $\{...\}^{1}$ $\{...\}^{2},...$... $\backslash\text{stopMPpositiongraphic}$ 1 NAME OPT 2 KEY
$\backslash\text{startMPpositionmethod}$ $\{...\}$... $\backslash\text{stopMPpositionmethod}$ * NAME
$\backslash\text{startMPrun}$ $\{...\}$... $\backslash\text{stopMPrun}$ * NAME OPT
$\backslash\text{startmarginalnilinka}$ $[...]^{*}$... $\backslash\text{stopmarginalnilinka}$ * NUMMER OPT
$\backslash\text{startmarginalnilinka}$ $[...,*,...]$... $\backslash\text{stopmarginalnilinka}$ * inherits: $\backslash\text{setupmarginrule}$ OPT
$\backslash\text{startmarginblock}$ $[...]^{*}$... $\backslash\text{stopmarginblock}$ * NAME OPT
$\backslash\text{startmarkedcontent}$ $[...]^{*}$... $\backslash\text{stopmarkedcontent}$ * reset vse NAME OPT
$\backslash\text{startmarkpages}$ $[...,*,...]$... $\backslash\text{stopmarkpages}$ * NAME
$\backslash\text{startmatematika}$ $[...]^{*}$... $\backslash\text{stopmatematika}$ * implicitni i:default $\frac{1}{2}$ half i:tight i:fixed NAME
$\backslash\text{startMATHALIGNMENT}$ $[...,*,...]$... $\backslash\text{stopMATHALIGNMENT}$ * inherits: $\backslash\text{setupmathalignment}$ OPT instances: align mathalignment
$\backslash\text{startalign}$ $[...,*,...]$... $\backslash\text{stopalign}$ * inherits: $\backslash\text{setupmathalignment}$ OPT
$\backslash\text{startmathalignment}$ $[...,*,...]$... $\backslash\text{stopmathalignment}$ * inherits: $\backslash\text{setupmathalignment}$ OPT
$\backslash\text{startMATHCASES}$ $[...,*,...]$... $\backslash\text{stopMATHCASES}$ * inherits: $\backslash\text{setupmathcases}$ OPT instances: cases mathcases
$\backslash\text{startcases}$ $[...,*,...]$... $\backslash\text{stopcases}$ * inherits: $\backslash\text{setupmathcases}$ OPT
$\backslash\text{startmathcases}$ $[...,*,...]$... $\backslash\text{stopmathcases}$ * inherits: $\backslash\text{setupmathcases}$ OPT
$\backslash\text{startmathexport}$ $[...,*,...]$... $\backslash\text{stopmathexport}$ * inherits: $\backslash\text{setupmathexport}$ OPT

$\backslash\mathrm{startmathfenced} \left[\dots \right] \dots \backslash\mathrm{stopmathfenced}$ 1 parenthesis bracket brace angle doubleangle bar doublebar triplebar solidus floor ceiling moustache uppercorner lowercorner group openbracket nothing mirroredparenthesis mirroredbracket mirroredbrace mirroredangle mirroreddoubleangle mirroredbar mirroreddoublebar mirroredtriplebar mirroredsolidus mirroredfloor mirroredceiling mirroredmoustache mirroreduppercorner mirroredlowercorner mirroredgroup mirroredopenbracket mirrorednothing interval openinterval leftopeninterval rightopeninterval NAME 2 inherits: \setupmathfences	
$\backslash\mathrm{startMATHMATRIX} \left[\dots \right] \dots \backslash\mathrm{stopMATHMATRIX}$ * inherits: \setupmathmatrix ^{OPT} instances: matrix mathmatrix thematrix	
$\backslash\mathrm{startmathmatrix} \left[\dots \right] \dots \backslash\mathrm{stopmathmatrix}$ * inherits: \setupmathmatrix ^{OPT}	
$\backslash\mathrm{startmatrix} \left[\dots \right] \dots \backslash\mathrm{stopmatrix}$ * inherits: \setupmathmatrix ^{OPT}	
$\backslash\mathrm{startthematrix} \left[\dots \right] \dots \backslash\mathrm{stopthematrix}$ * inherits: \setupmathmatrix ^{OPT}	
$\backslash\mathrm{startmathmode} \dots \backslash\mathrm{stopmathmode}$	
$\backslash\mathrm{startMATHOPERATOR} \left[\dots \right] \dots \backslash\mathrm{stopMATHOPERATOR}$ * inherits: \setupmathoperators ^{OPT} instances: integral iintegral iiintegral iiiintegral int iint iiint iiiint oint oint oiiint intc ointc aointc sumint barint doublebarint slashint aodownintc rectangularpoleintc semicirclepoleintc circlepoleoutsideintc circlepoleinsideintc squareintc hookleftarrowint timesint capint cupint upperint lowerint sum blackboardsum modtwosum prod coprod bigwedge bigvee bigcap bigcup bigodot bigoplus bigotimes bigudot biguplus bigsqcap bigsqcup bigtimes leftouterjoin rightouterjoin fullouterjoin bigbottom bigtop bigsolidus bigreversesolidus bigdoublewedge bigdoublevee	
$\backslash\mathrm{startaodownintc} \left[\dots \right] \dots \backslash\mathrm{stopaodownintc}$ * inherits: \setupmathoperators ^{OPT}	
$\backslash\mathrm{startaointc} \left[\dots \right] \dots \backslash\mathrm{stopaointc}$ * inherits: \setupmathoperators ^{OPT}	
$\backslash\mathrm{startbarint} \left[\dots \right] \dots \backslash\mathrm{stopbarint}$ * inherits: \setupmathoperators ^{OPT}	
$\backslash\mathrm{startbigbottom} \left[\dots \right] \dots \backslash\mathrm{stopbigbottom}$ * inherits: \setupmathoperators ^{OPT}	
$\backslash\mathrm{startbigcap} \left[\dots \right] \dots \backslash\mathrm{stopbigcap}$ * inherits: \setupmathoperators ^{OPT}	
$\backslash\mathrm{startbigcup} \left[\dots \right] \dots \backslash\mathrm{stopbigcup}$ * inherits: \setupmathoperators ^{OPT}	
$\backslash\mathrm{startbigdoublevee} \left[\dots \right] \dots \backslash\mathrm{stopbigdoublevee}$ * inherits: \setupmathoperators ^{OPT}	
$\backslash\mathrm{startbigdoublewedge} \left[\dots \right] \dots \backslash\mathrm{stopbigdoublewedge}$ * inherits: \setupmathoperators ^{OPT}	
$\backslash\mathrm{startbigodot} \left[\dots \right] \dots \backslash\mathrm{stopbigodot}$ * inherits: \setupmathoperators ^{OPT}	

$\backslash\text{startbigoplus} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigoplus}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigotimes} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigotimes}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigreversesolidus} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigreversesolidus}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigsolidus} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigsolidus}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigsqcap} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigsqcap}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigsqcup} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigsqcup}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigtimes} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigtimes}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigtop} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigtop}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigudot} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigudot}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbiguplus} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbiguplus}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigvee} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigvee}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startbigwedge} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopbigwedge}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startblackboardsum} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopblackboardsum}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startcapint} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopcapint}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startcirclepoleinsideintc} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopcirclepoleinsideintc}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startcirclepoleoutsideintc} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopcirclepoleoutsideintc}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startcoprod} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopcoprod}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startcupint} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopcupint}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$
$\backslash\text{startdoublebarint} [\dots\overset{*}{=}\dots] \dots \backslash\text{stopdoublebarint}$ $\ast \text{ inherits: } \backslash\text{setupmathoperators}^{\text{OPT}}$

```
\startfullouterjoin [...,*=...,...] ... \stopfullouterjoin
* inherits: \setupmathoperators OPT
```

```
\starhookleftarrowint [...,*=...,...] ... \stophookleftarrowint
* inherits: \setupmathoperators OPT
```

```
\startiiiint [...,*=*,...] ... \stopiiiint
* inherits: \setupmathoperators
```

```
\startiiiintegral [...,*=...,...] ... \stopiiiintegral
* inherits: \setupmathoperatorsOPT
```

```
\startiiint [...=*...,...] ... \stopiiint
* inherits: \setupmathOPToperators
```

```
\startiiintegral [...,*=...,...] ... \stopiiintegral
* inherits: \setupmathoperatorsOPT
```

```
\startiint [...,*=...,...] ... \stopiint
* inherits: \setupmathoperators
```

```
\startiintegral [...,*=...,...] ... \stopiintegral
* inherits: \setupmathoperatorsOPT
```

```
\startint [...,*=...,...] ... \stopint
* inherits: \setupmathoperators
```

```
\startintc [...,*=...,...] ... \stopintc
* inherits: \setupmathoperators
```

```
\startintegral [.,..*=.,..] ... \stopintegral
* inherits: \setupmathoperators
```

```
\startleftouterjoin [...,*=...,...] ... \stopleftouterjoin
* inherits: \setupmathoperators OPT
```

```
\startlowerint [...,*=...,...] ... \stoplowerint
* inherits: \setupmathoperatorsOPT
```

```
\startmodtwosum [...,*=...,...] ... \stopmodtwosum
* inherits: \setupmathoperatorsOPT
```

```
\startoiint [...,*=*,...] ... \stopoiint
* inherits: \setupmathoperators
```

```
\startoint [,...=*...,...] ... \stopoint
* inherits: \setupmathOPToperators
```

```
\startpoint [...] ... \stoppoint
* inherits: \setupmathoperators
```

```
\startointc [...] ... \stopointc
* inherits: \setupmathOPToperators
```

```
\startprod [...,*=...,...] ... \stopprod
* inherits: \setupmathoperators
```

$\backslash\text{startrectangularpoleintc}$ $[...,\overset{*}{=},...]$... $\backslash\text{stoprectangularpoleintc}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{startrightouterjoin}$ $[...,\overset{*}{=},...]$... $\backslash\text{stoprightouterjoin}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{startsemicirclepoleintc}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopsemicirclepoleintc}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{startslashint}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopslashint}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{startsquareintc}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopsquareintc}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{startsum}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopsum}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{startsumint}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopsumint}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{starttimesint}$ $[...,\overset{*}{=},...]$... $\backslash\text{stoptimesint}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{startupperint}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopupperint}$ * inherits: $\backslash\text{setupmathoperators}$ <small>OPT</small>
$\backslash\text{startMATHSIMPLEALIGN}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopMATHSIMPLEALIGN}$ * inherits: $\backslash\text{setupmathsimplealign}$ <small>OPT</small> instances: equationsystem lequationsystem reequationsystem
$\backslash\text{startequationsystem}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopequationsystem}$ * inherits: $\backslash\text{setupmathsimplealign}$ <small>OPT</small>
$\backslash\text{startlequationsystem}$ $[...,\overset{*}{=},...]$... $\backslash\text{stoplequationsystem}$ * inherits: $\backslash\text{setupmathsimplealign}$ <small>OPT</small>
$\backslash\text{startrequationsystem}$ $[...,\overset{*}{=},...]$... $\backslash\text{stoprequationsystem}$ * inherits: $\backslash\text{setupmathsimplealign}$ <small>OPT</small>
$\backslash\text{startmathstyle}$ $[...,*...]$... $\backslash\text{stopmathstyle}$ * obrazovka text script scriptscript cramped uncramped normalni zhustene male velke NAME
$\backslash\text{startmatrices}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopmatrices}$ * inherits: $\backslash\text{setupmathmatrix}$ <small>OPT</small>
$\backslash\text{startmaxaligned}$... $\backslash\text{stopmaxaligned}$
$\backslash\text{startmiddlealigned}$... $\backslash\text{stopmiddlealigned}$
$\backslash\text{startmixedcolumns}$ $[...,\overset{1}{=},...]$ $[...,\overset{2}{=},...]$... $\backslash\text{stopmixedcolumns}$ 1 NAME <small>OPT</small> <small>OPT</small> 2 inherits: $\backslash\text{setupmixedcolumns}$
$\backslash\text{startMIXEDCOLUMNS}$ $[...,\overset{*}{=},...]$... $\backslash\text{stopMIXEDCOLUMNS}$ * inherits: $\backslash\text{setupmixedcolumns}$ <small>OPT</small> instances: itemgroupcolumns boxedcolumns columns

$\backslash\text{startboxedcolumns}$ [...] $\backslash\text{stopboxedcolumns}$ * inherits: $\backslash\text{setupmixedcolumns}$ <small>OPT</small>
$\backslash\text{startcolumns}$ [...] $\backslash\text{stopcolumns}$ * inherits: $\backslash\text{setupmixedcolumns}$
$\backslash\text{startitemgroupcolumns}$ [...] $\backslash\text{stopitemgroupcolumns}$ * inherits: $\backslash\text{setupmixedcolumns}$ <small>OPT</small>
$\backslash\text{startmode}$ [...] $\backslash\text{stopmode}$ * NAME
$\backslash\text{startmodeset}$ [...] $\backslash\text{stopmodeset}$ 1 NAME implicitni 2 CONTENT
$\backslash\text{startmodule}$ [...] $\backslash\text{stopmodule}$ * FILE
$\backslash\text{startmoduletestsection}$... $\backslash\text{stopmoduletestsection}$
$\backslash\text{startmodule}$... $\backslash\text{stopmodule}$ * FILE
$\backslash\text{startmulticolumns}$ [...] $\backslash\text{stopmulticolumns}$ * inherits: $\backslash\text{setupmulticolumns}$ <small>OPT</small>
$\backslash\text{startnadpis}$ [...] $\backslash\text{stopnadpis}$ 1 REFERENCE <small>OPT</small> 2 TEXT
$\backslash\text{startnamedformula}$ [...] $\backslash\text{stopnamedformula}$ 1 NAME <small>OPT</small> 2 zhustene tight nastred podlehloubky radek pulradku -radek -pulradku ramecek male DIMENSION
$\backslash\text{startnamedformula}$ [...] $\backslash\text{stopnamedformula}$ 1 NAME <small>OPT</small> 2 inherits: $\backslash\text{nastavrovnice}$
$\backslash\text{startnamedmatrix}$ [...] $\backslash\text{stopnamedmatrix}$ 1 NAME <small>OPT</small> 2 inherits: $\backslash\text{setupmathmatrix}$ 3 CONTENT
$\backslash\text{startnamednotation}$ [...] $\backslash\text{stopnamednotation}$ 1 NAME <small>OPT</small> 2 REFERENCE
$\backslash\text{startnamednotation}$ [...] $\backslash\text{stopnamednotation}$ 1 NAME <small>OPT</small> 2 titul = TEXT zalozka = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT

<p>\startnamedsection [¹...] [²...,...²...,...] [³...,...³...,...] ... \stopnamedsection</p> <p>1 ABSCHNITT</p> <p>2 titul = TEXT</p> <p>zalozka = TEXT</p> <p>znaceni = TEXT</p> <p>seznam = TEXT</p> <p>odkaz = REFERENCE</p> <p>referencetext = TEXT</p> <p>vlastnicislo = TEXT</p> <p>placeholder = TEXT</p> <p>3 KEY = VALUE</p>
<p>\startnamedsubformulas [...¹,...] {...²} ... \stopnamedsubformulas</p> <p>1 + - REFERENCE</p> <p>2 TEXT</p>
<p>\startnamedtyping [¹...] [²...,...²...,...] ... \stopnamedtyping</p> <p>1 NAME</p> <p>2 inherits: \nastavopis</p>
<p>\startnamedtyping [¹...] [²...,...²...,...] ... \stopnamedtyping</p> <p>1 NAME</p> <p>2 pokracovat</p>
<p>\startnaproti ... \stopnaproti</p>
<p>\startnarrower [...[*],...] ... \stopnarrower</p> <p>* [-+]vlevo [-+]nastred^{OPT}[-+]vpravo NUMBER*vlevo NUMBER*nastred NUMBER*vpravo reset reverse</p>
<p>\startNARROWER [...[*],...] ... \stopNARROWER</p> <p>* [-+]vlevo [-+]nastred^{OPT}[-+]vpravo NUMBER*vlevo NUMBER*nastred NUMBER*vpravo reset reverse</p>
<p>\startnegativ ... \stopnegativ</p>
<p>\startnicelyfilledbox [...[*],...[*]...,...] ... \stopnicelyfilledbox</p> <p>* sirka = DIMENSION</p> <p>vyska = DIMENSION</p> <p>offset = DIMENSION</p> <p>strut = ano ne</p>
<p>\startnointerference ... \stopnointerference</p>
<p>\startnotallmodes [...[*],...] ... \stopnotallmodes</p> <p>* NAME</p>
<p>\startnotext ... \stopnotext</p>
<p>\startnotmode [...[*],...] ... \stopnotmode</p> <p>* NAME</p>
<p>\startobrazek [¹...] [²...] [...³,...³...,...] ... \stopobrazek</p> <p>1 NAME</p> <p>2 FILE</p> <p>3 inherits: \externiobraz</p>
<p>\startodlozit [...[*]] ... \stopodlozit</p> <p>* [-+]NUMBER</p>
<p>\startodstavec [¹...] [...²,...²...,...] ... \stopodstavec</p> <p>1 NAME</p> <p>2 inherits: \setupparagraph</p>

$\backslash\text{startoramovani}$ [¹ ...] [\dots,\dots,\dots] ... $\backslash\text{stoporamovani}$ 1 NAME OPT OPT 2 inherits: $\backslash\text{nastavoramovani}$
$\backslash\text{startFRAMEDTEXT}$ [¹ ...] [\dots,\dots,\dots] ... $\backslash\text{stopFRAMEDTEXT}$ 1 vlevo vpravo nastred zadny OPT OPT 2 inherits: $\backslash\text{setupframedtext}$ instances: framedtext
$\backslash\text{startframedtext}$ [¹ ...] [\dots,\dots,\dots] ... $\backslash\text{stopframedtext}$ 1 vlevo vpravo nastred zadny OPT OPT 2 inherits: $\backslash\text{setupframedtext}$
$\backslash\text{startoutputstream}$ [...] ... $\backslash\text{stopoutputstream}$ * NAME
$\backslash\text{startoutputsubstream}$ [...] ... $\backslash\text{stopoutputsubstream}$ * NAME
$\backslash\text{startoverprint}$... $\backslash\text{stopoverprint}$
$\backslash\text{startpageblock}$ [...] ... $\backslash\text{stoppageblock}$ * NAME
$\backslash\text{startpagecolumns}$ [\dots,\dots,\dots] ... $\backslash\text{stoppagecolumns}$ * inherits: $\backslash\text{setuppagecolumns}$ OPT
$\backslash\text{startPAGECOLUMNS}$... $\backslash\text{stopPAGECOLUMNS}$
$\backslash\text{startpagecolumns}$ [...] ... $\backslash\text{stoppagecolumns}$ * NAME OPT
$\backslash\text{startpagefigure}$ [¹ ...] [\dots,\dots,\dots] ... $\backslash\text{stoppagefigure}$ 1 FILE OPT 2 offset = implicitni prekryv zadny DIMENSION
$\backslash\text{startpagelayout}$ [...] ... $\backslash\text{stoppagelayout}$ * stranka levastranka pravastranka
$\backslash\text{startpar}$ [¹ ...] [\dots,\dots,\dots] ... $\backslash\text{stoppar}$ 1 NAME OPT OPT 2 inherits: $\backslash\text{setupparagraph}$
$\backslash\text{startparagraphs}$ [...] ... $\backslash\text{stopparagraphs}$ * NAME
$\backslash\text{startparagraphscell}$... $\backslash\text{stopparagraphscell}$
$\backslash\text{startparagraphshape}$ [...] ... $\backslash\text{stopparagraphshape}$ * NAME
$\backslash\text{startPARAGRAPHS}$... $\backslash\text{stopPARAGRAPHS}$
$\backslash\text{startPARALLEL}$... $\backslash\text{stopPARALLEL}$
$\backslash\text{startparbuilder}$ [...] ... $\backslash\text{stopparbuilder}$ * implicitni oneline basic NAME

```

\startplacefloat [...1...] [...2...] [...3...] ... \stopplacefloat
1 SINGULAR
2 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
misto = split keep together vzdý vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj
levyokraj pravyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text
naproti reset vyska podlehloubky [-+]radek pulradku mizka vysoko nizko prizpusobive tight
tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni
visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec
nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
odkaz = REFERENCE
referencetext = TEXT
3 KEY = VALUE

```

```

\startumistiFLOAT [...1...] [...2...] ... \stopumistiFLOAT
1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
misto = split keep together vzdý vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj
levyokraj pravyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text
naproti reset vyska podlehloubky [-+]radek pulradku mizka vysoko nizko prizpusobive tight
tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni
visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec
nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
odkaz = REFERENCE
referencetext = TEXT
2 KEY = VALUE
instances: chemical figure table intermezzo graphic

```

```

\startumistifigure [...1...] [...2...] ... \stopumistifigure
1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
misto = split keep together vzdý vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj
levyokraj pravyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text
naproti reset vyska podlehloubky [-+]radek pulradku mizka vysoko nizko prizpusobive tight
tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni
visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec
nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
odkaz = REFERENCE
referencetext = TEXT
2 KEY = VALUE

```

```

\startumistigraphic [...1...] [...2...] ... \stopumistigraphic
1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
misto = split keep together vzdý vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj
levyokraj pravyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text
naproti reset vyska podlehloubky [-+]radek pulradku mizka vysoko nizko prizpusobive tight
tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni
visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec
nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rlbt fxbt fixd
odkaz = REFERENCE
referencetext = TEXT
2 KEY = VALUE

```

$\backslash\text{startumistichemical}$ $[\dots,\overset{1}{=}\dots,\dots]$ $[\dots,\overset{2}{=}\dots,\dots]$... $\backslash\text{stopumistichemical}$	
1	titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT misto = split keep together vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levyokraj pravyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rltb fxbt fixd odkaz = REFERENCE referencetext = TEXT
2	KEY = VALUE
$\backslash\text{startumistiintermezzo}$ $[\dots,\overset{1}{=}\dots,\dots]$ $[\dots,\overset{2}{=}\dots,\dots]$... $\backslash\text{stopumistiintermezzo}$	
1	titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT misto = split keep together vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levyokraj pravyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rltb fxbt fixd odkaz = REFERENCE referencetext = TEXT
2	KEY = VALUE
$\backslash\text{startumistitable}$ $[\dots,\overset{1}{=}\dots,\dots]$ $[\dots,\overset{2}{=}\dots,\dots]$... $\backslash\text{stopumistitable}$	
1	titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT misto = split keep together vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levyokraj pravyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive tight tolerantni velmitolerantni 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka odstavec nekde effective zahlavi upati tblr lrtb tblr rltb fxtb btlr lrbt btrl rltb fxbt fixd odkaz = REFERENCE referencetext = TEXT
2	KEY = VALUE
$\backslash\text{startplacepairedbox}$ $[\overset{1}{.}]$ $[\dots,\overset{2}{=}\dots,\dots]$... $\backslash\text{stopplacepairedbox}$	
1	NAME
2	inherits: \setuppairedbox
$\backslash\text{startumistiPAIREDBOX}$ $[\dots,\overset{*}{=}\dots,\dots]$... $\backslash\text{stopumistiPAIREDBOX}$	
*	inherits: \setuppairedbox
instances: legend	
$\backslash\text{startumistilegend}$ $[\dots,\overset{*}{=}\dots,\dots]$... $\backslash\text{stopumistilegend}$	
*	inherits: \setuppairedbox
$\backslash\text{startpolozka}$ $[\dots,\overset{*}{.},\dots]$... $\backslash\text{stoppolozka}$	
*	REFERENCE
$\backslash\text{startPOPIS}$ $[\dots,\overset{*}{=}\dots,\dots]$... $\backslash\text{stopPOPIS}$	
*	titul = TEXT zalozka = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT
$\backslash\text{startPOPIS}$ $[\dots,\overset{1}{.},\dots]$ $\{\dots,\overset{2}{.}\}$... $\backslash\text{stopPOPIS}$	
1	REFERENCE
2	TEXT

<p><code>\startpositioning</code> [¹...] [²...²...] ... <code>\stoppositioning</code></p> <p>1 NAME OPT OPT</p> <p>2 inherits: \nastavumistovani</p>
<p><code>\startpositionoverlay</code> {...} ... <code>\stoppositionoverlay</code></p> <p>* NAME</p>
<p><code>\startpositiv</code> ... <code>\stoppositiv</code></p>
<p><code>\startpostponingnotes</code> ... <code>\stoppostponingnotes</code></p>
<p><code>\startpozadi</code> [...[*]...] ... <code>\stoppozadi</code></p> <p>* inherits: \nastavpozadi^{OPT}</p>
<p><code>\startPOZADI</code> [...[*]...] ... <code>\stopPOZADI</code></p> <p>* inherits: \nastavpozadi^{OPT}</p> <p>instances: pozadi</p>
<p><code>\startNOTE</code> [...[*]...] ... <code>\stopNOTE</code></p> <p>* REFERENCE OPT</p> <p>instances: footnote endnote</p>
<p><code>\startNOTE</code> [...[*]...] ... <code>\stopNOTE</code></p> <p>* titul = TEXT^{OPT}</p> <p>zalozka = TEXT</p> <p>seznam = TEXT</p> <p>odkaz = REFERENCE</p> <p>referencetext = TEXT</p> <p>instances: footnote endnote</p>
<p><code>\startendnote</code> [...[*]...] ... <code>\stopendnote</code></p> <p>* titul = TEXT^{OPT}</p> <p>zalozka = TEXT</p> <p>seznam = TEXT</p> <p>odkaz = REFERENCE</p> <p>referencetext = TEXT</p>
<p><code>\startfootnote</code> [...[*]...] ... <code>\stopfootnote</code></p> <p>* titul = TEXT^{OPT}</p> <p>zalozka = TEXT</p> <p>seznam = TEXT</p> <p>odkaz = REFERENCE</p> <p>referencetext = TEXT</p>
<p><code>\startendnote</code> [...[*]...] ... <code>\stopendnote</code></p> <p>* REFERENCE OPT</p>
<p><code>\startfootnote</code> [...[*]...] ... <code>\stopfootnote</code></p> <p>* REFERENCE OPT</p>
<p><code>\startprekryv</code> ... <code>\stopprekryv</code></p>
<p><code>\startprerollpageblock</code> [...[*]...] ... <code>\stopprerollpageblock</code></p> <p>* NAME</p>
<p><code>\startprocessassignmentcommand</code> [...[*]...] ... <code>\stopprocessassignmentcommand</code></p> <p>* KEY = VALUE</p>
<p><code>\startprocessassignmentlist</code> [...[*]...] ... <code>\stopprocessassignmentlist</code></p> <p>* KEY = VALUE</p>

\startprocesscommacommand [...*...] ... \stopprocesscommacommand * BEFEHL
\startprocesscommalist [...*...] ... \stopprocesscommalist * BEFEHL
\startprodukt [...] ... \stopprodukt * FILE *
\startprodukt .* ... \stopprodukt * FILE *
\startprofile [...] ... \stopprofile * NAME <small>OPT</small>
\startprofile [...,*=,...] ... \stopprofile * inherits: \setupprofile ^{PPT}
\startPROFILE [...] ... \stopPROFILE * NAME <small>OPT</small>
\startPROFILE [...,*=,...] ... \stopPROFILE * inherits: \setupprofile ^{PPT}
\startprojekt [...] ... \stopprojekt * FILE *
\startprojekt .* ... \stopprojekt * FILE *
\startprostredi [...] ... \stopprostredi * FILE *
\startprostredi .* ... \stopprostredi * FILE *
\startprotectedcolors ... \stopprotectedcolors
\startpublikace [¹ .] [² ...,*=,...] ... \stoppublikace 1 NAME <small>OPT</small> <small>OPT</small> 2 tag = REFERENCE category = TEXT k = REFERENCE t = TEXT
\startradek [...] * REFERENCE
\startLINES [...,*=,...] ... \stopLINES * inherits: \nastavradky ^{PT} instances: lines
\startlines [...,*=,...] ... \stoplines * inherits: \nastavradky ^{PT}
\startrandomized ... \stoprandomized

<pre> \startrowsetups [...] [...] ... \stoprowsetups 1 mrizka OPT 2 NAME </pre>
<pre> \startrowsetups \stoprowsetups * NAME </pre>
<pre> \startreadingfile ... \stopreadingfile </pre>
<pre> \startregime [...] ... \stopregime * inherits: \enableregime </pre>
<pre> \startregister [...] [...] [...] [...] {...+...+...} ... \stopregister [...] [...] 1 NAME 2 NAME 3 TEXT 4 TEXT PROCESSOR->TEXT 5 INDEX 6 CONTENT 7 NAME 8 NAME </pre>
<pre> \startreusableMPgraphic {...} {..., ...} ... \stopreusableMPgraphic 1 NAME 2 KEY </pre>
<pre> \starttrovnice [...,*,...] ... \stoprovnice * zhustene tight nastred podlehloubky radek pulradku -radek -pulradku ramecek male DIMENSION </pre>
<pre> \starttrovnice [...,*=...,...] ... \stoprovnice * inherits: \nastavrovnice OPT </pre>
<pre> \startFORMULAformula [...,*,...] ... \stopFORMULAformula * zhustene tight nastred podlehloubky radek pulradku -radek -pulradku ramecek male DIMENSION instances: sp sd mp md </pre>
<pre> \startFORMULAformula [...,*=...,...] ... \stopFORMULAformula * inherits: \nastavrovnice OPT instances: sp sd mp md </pre>
<pre> \startmdformula [...,*=...,...] ... \stopmdformula * inherits: \nastavrovnice OPT </pre>
<pre> \startmpformula [...,*=...,...] ... \stopmpformula * inherits: \nastavrovnice OPT </pre>
<pre> \startsdformula [...,*=...,...] ... \stopsdformula * inherits: \nastavrovnice OPT </pre>
<pre> \startspformula [...,*=...,...] ... \stopspformula * inherits: \nastavrovnice OPT </pre>
<pre> \startmdformula [...,*,...] ... \stopmdformula * zhustene tight nastred podlehloubky radek pulradku -radek -pulradku ramecek male DIMENSION </pre>
<pre> \startmpformula [...,*,...] ... \stopmpformula * zhustene tight nastred podlehloubky radek pulradku -radek -pulradku ramecek male DIMENSION </pre>
<pre> \startsdformula [...,*,...] ... \stopsdformula * zhustene tight nastred podlehloubky radek pulradku -radek -pulradku ramecek male DIMENSION </pre>

<code>\startspformula [...,*...] ... \stopspformula</code> * zhustene tight nastred ^{OPT} řóðlehloubky radek pulradku -radek -pulradku ramecek male DIMENSION
<code>\startrozbalene ... \stoprozbalene</code>
<code>\startruby [...] ... \stopruby</code> * NAME
<code>\startscript [...] ... \stopscrip</code> * hangul hanzi nihongo ethiopic thai tibetan test NAME
<code>\startsectionblock [¹...] [...,²*,...]</code> ... <code>\stopsectionblock</code> 1 NAME ^{OPT} 2 zalozka = TEXT inherits: \nastavbloksekce
<code>\startsectionblockenvironment [...] ... \stopsectionblockenvironment</code> * NAME
<code>\startSECTIONBLOCK [...,[*]*,...]</code> ... <code>\stopSECTIONBLOCK</code> * zalozka = TEXT ^{OPT} inherits: \nastavbloksekce instances: frontmatter bodymatter appendices backmatter
<code>\startappendices [...,[*]*,...]</code> ... <code>\stopappendices</code> * zalozka = TEXT ^{OPT} inherits: \nastavbloksekce
<code>\startbackmatter [...,[*]*,...]</code> ... <code>\stopbackmatter</code> * zalozka = TEXT ^{OPT} inherits: \nastavbloksekce
<code>\startbodymatter [...,[*]*,...]</code> ... <code>\stopbodymatter</code> * zalozka = TEXT ^{OPT} inherits: \nastavbloksekce
<code>\startfrontmatter [...,[*]*,...]</code> ... <code>\stopfrontmatter</code> * zalozka = TEXT ^{OPT} inherits: \nastavbloksekce
<code>\startsectionlevel [¹...] [...,²*,...]</code> [³ *,...] ... <code>\stopsectionlevel</code> 1 NAME ^{OPT} ^{OPT} ^{OPT} 2 titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT vlastnicislo = TEXT placeholder = TEXT 3 KEY = VALUE

`\startSECTION [...1...2...] ... \stopSECTION`

```
1  titul      = TEXT OPT
    zalozka   = TEXT
    znaceni   = TEXT
    seznam    = TEXT
    odkaz     = REFERENCE
    referencetext = TEXT
    vlastnicislo = TEXT
    placeholder = TEXT
```

2 KEY = VALUE

instances: part chapter section subsection subsubsection subsubsubsection
subsubsubsubsection title subject subsubject subsubsubject subsubsubsubject
subsubsubsubsubject

`\startchapter [...1...2...] ... \stopchapter`

```
1  titul      = TEXT OPT
    zalozka   = TEXT
    znaceni   = TEXT
    seznam    = TEXT
    odkaz     = REFERENCE
    referencetext = TEXT
    vlastnicislo = TEXT
    placeholder = TEXT
```

2 KEY = VALUE

`\startpart [...1...2...] ... \stoppart`

```
1  titul      = TEXT OPT
    zalozka   = TEXT
    znaceni   = TEXT
    seznam    = TEXT
    odkaz     = REFERENCE
    referencetext = TEXT
    vlastnicislo = TEXT
    placeholder = TEXT
```

2 KEY = VALUE

`\startsection [...1...2...] ... \stopsection`

```
1  titul      = TEXT OPT
    zalozka   = TEXT
    znaceni   = TEXT
    seznam    = TEXT
    odkaz     = REFERENCE
    referencetext = TEXT
    vlastnicislo = TEXT
    placeholder = TEXT
```

2 KEY = VALUE

`\startsubject [...1...2...] ... \stopsubject`

```
1  titul      = TEXT OPT
    zalozka   = TEXT
    znaceni   = TEXT
    seznam    = TEXT
    odkaz     = REFERENCE
    referencetext = TEXT
    vlastnicislo = TEXT
    placeholder = TEXT
```

2 KEY = VALUE

`\startsubsection [...1...2...] ... \stopsubsection`

```
1  titul      = TEXT OPT
    zalozka   = TEXT
    znaceni   = TEXT
    seznam    = TEXT
    odkaz     = REFERENCE
    referencetext = TEXT
    vlastnicislo = TEXT
    placeholder = TEXT
```

2 KEY = VALUE

`\startsubsubject [...,\subscript{1}...,...] [...,\subscript{2}...,...] ... \stopsubsubject`

```
1  titul      = TEXT      OPT
   zalozka    = TEXT
   znaceni    = TEXT
   seznam     = TEXT
   odkaz      = REFERENCE
   referencetext = TEXT
   vlastnicislo = TEXT
   placeholder = TEXT
2  KEY = VALUE
```

`\startsubsubsection [...,\subscript{1}...,...] [...,\subscript{2}...,...] ... \stopsubsubsection`

```
1  titul      = TEXT      OPT
   zalozka    = TEXT
   znaceni    = TEXT
   seznam     = TEXT
   odkaz      = REFERENCE
   referencetext = TEXT
   vlastnicislo = TEXT
   placeholder = TEXT
2  KEY = VALUE
```

`\startsubsubsubject [...,\subscript{1}...,...] [...,\subscript{2}...,...] ... \stopsubsubsubject`

```
1  titul      = TEXT      OPT
   zalozka    = TEXT
   znaceni    = TEXT
   seznam     = TEXT
   odkaz      = REFERENCE
   referencetext = TEXT
   vlastnicislo = TEXT
   placeholder = TEXT
2  KEY = VALUE
```

`\startsubsubsubsection [...,\subscript{1}...,...] [...,\subscript{2}...,...] ... \stopsubsubsubsection`

```
1  titul      = TEXT      OPT
   zalozka    = TEXT
   znaceni    = TEXT
   seznam     = TEXT
   odkaz      = REFERENCE
   referencetext = TEXT
   vlastnicislo = TEXT
   placeholder = TEXT
2  KEY = VALUE
```

`\startsubsubsubsubject [...,\subscript{1}...,...] [...,\subscript{2}...,...] ... \stopsubsubsubsubject`

```
1  titul      = TEXT      OPT
   zalozka    = TEXT
   znaceni    = TEXT
   seznam     = TEXT
   odkaz      = REFERENCE
   referencetext = TEXT
   vlastnicislo = TEXT
   placeholder = TEXT
2  KEY = VALUE
```

`\startsubsubsubsubsection [...,\subscript{1}...,...] [...,\subscript{2}...,...] ... \stopsubsubsubsubsection`

```
1  titul      = TEXT      OPT
   zalozka    = TEXT
   znaceni    = TEXT
   seznam     = TEXT
   odkaz      = REFERENCE
   referencetext = TEXT
   vlastnicislo = TEXT
   placeholder = TEXT
2  KEY = VALUE
```

```

\startsubsubsubsubsubject [...,\1...,...] [...,\2...,...] ... \stopsubsubsubsubsubject
1  titul           = TEXT
    zalozka        = TEXT
    znaceni         = TEXT
    seznam          = TEXT
    odkaz           = REFERENCE
    referencetext   = TEXT
    vlastnicislo    = TEXT
    placeholder     = TEXT
2  KEY = VALUE

```

```

\starttitle [...,\1...,...] [...,\2...,...] ... \stoptitle
1  titul           = TEXT
    zalozka        = TEXT
    znaceni         = TEXT
    seznam          = TEXT
    odkaz           = REFERENCE
    referencetext   = TEXT
    vlastnicislo    = TEXT
    placeholder     = TEXT
2  KEY = VALUE

```

```

\startsetups [...,\1...] [...,\2...] ... \stopsetups
1  mrizka          = TEXT
2  NAME

```

```

\startsetups ... .. \stopsetups
*  NAME

```

```

\startshapedparagraph [...,\*...,...] ... \stopshapedparagraph
*  inherits: \setupshapedparagraph

```

```

\startshapetext [...,\*...] ... \stopshapetext
*  NAME

```

```

\startshift [...,\*...] ... \stopshift
*  NAME

```

```

\startshowbreakpoints [...,\*...,...] ... \stopshowbreakpoints
*  volba = marginalie simple
    seznam = TEXT
    offset = DIMENSION

```

```

\startshowrivers [...,\*...,...] ... \stopshowrivers
*  marginalie = DIMENSION
    krok = DIMENSION
    vyska = DIMENSION
    hloubka = DIMENSION
    spaceinbetween = DIMENSION
    kriterium = NUMBER
    volba = test

```

```

\startsidebar [...,\1...] [...,\2...,...] ... \stopsidebar
1  NAME
2  inherits: \setupsidebar

```

```

\startsimplecolumns [...,\*...,...] ... \stopsimplecolumns
*  n = NUMBER
    sirka = DIMENSION
    vzdalenost = DIMENSION
    radky = NUMBER

```

```

\startspecialitem [...,\1...] [...,\2...,...] ... \stopspecialitem
1  polozka
2  REFERENCE

```

\startspecialitem [...] ... \stopspecialitem * pod pol ne
\startspecialitem [¹ ...] { ² ...} ... \stopspecialitem 1 sym rozsah mar 2 TEXT
\startsplitttext ... \stopsplitttext
\startspread ... \stopspread
\startstacking [...] ... \stopstacking * NAME
\startstackingsteps [... [*] ...] ... \stopstackingsteps * NAME
\startSTACKING [...] ... \stopSTACKING * NAME
\startSTARTSTOP ... \stopSTARTSTOP
\startSTARTSTOP [... [*] ... [*] ...] ... \stopSTARTSTOP * inherits: \setupstartstop ^{OPT}
\startstaticMPfigure { [*] ...} ... \stopstaticMPfigure * NAME
\startstaticMPgraphic { ¹ ...} { ² ... ^{OPT} } ... \stopstaticMPgraphic 1 NAME 2 KEY
\STARTSTOP { [*] ...} * CONTENT
\STARTSTOP [... ¹ ... ¹ ...] { ² ...} 1 inherits: \setupstartstop ^{OPT} 2 CONTENT
\startstrictinspectnextcharacter ... \stopstrictinspectnextcharacter
\startstructurepageregister [¹ ...] [² ...] [... ³ ... ³ ...] [... ⁴ ... ⁴ ...] ⁵ ... \stopstructurepageregister [⁶ ...] [⁷ ...] ^{OPT} 1 NAME 2 NAME 3 popisek = NAME keys = TEXT PROCESSOR->TEXT entries = TEXT PROCESSOR->TEXT processors = PROCESSOR keys:1 = TEXT keys:2 = TEXT keys:3 = TEXT entries:1 = TEXT entries:2 = TEXT entries:3 = TEXT alternativa = TEXT processors:1 = PROCESSOR processors:2 = PROCESSOR processors:3 = PROCESSOR 4 KEY = VALUE 5 CONTENT 6 NAME 7 NAME

<pre> \startstyle [...,*...] ... \stopstyle * inherits: \setupstyle </pre>
<pre> \startstyle [...] ... \stopstyle * NAME FONT </pre>
<pre> \startSTYLE ... \stopSTYLE </pre>
<pre> \startsubformulas [...,*...] ... \stopsubformulas * + - REFERENCE OPT </pre>
<pre> \startsubjectlevel [¹...] [...,²...] [...,³...] ... \stopsubjectlevel 1 NAME OPT OPT OPT 2 titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT vlastnicislo = TEXT placeholder = TEXT 3 KEY = VALUE </pre>
<pre> \startsubnumberinghere ... \stopsubnumberinghere </pre>
<pre> \startsubsentence ... \stopsubsentence </pre>
<pre> \startsubstack ... \stopsubstack </pre>
<pre> \startsymbolset [¹] [...,²...] ... \stopsymbolset 1 NAME OPT 2 font = FONT </pre>
<pre> \startTABLE [...,*...] ... \stopTABLE * inherits: \setupTABLE^{FT} </pre>
<pre> \startTABLEbody [...,*...] ... \stopTABLEbody * inherits: \setupTABLE OPT </pre>
<pre> \startTABLEfoot [...,*...] ... \stopTABLEfoot * inherits: \setupTABLE OPT </pre>
<pre> \startTABLEhead [...,*...] ... \stopTABLEhead * inherits: \setupTABLE OPT </pre>
<pre> \startTABLEnext [...,*...] ... \stopTABLEnext * inherits: \setupTABLE OPT </pre>
<pre> \starttabelator [/¹...] [...,²...] ... \stoptabelator 1 TEMPLATE OPT OPT 2 inherits: \nastvtabelaci </pre>
<pre> \startTABULATE [¹] [...,²...] ... \stopTABULATE 1 NAME OPT OPT 2 inherits: \nastvtabelaci instances: legend fact </pre>
<pre> \startfact [¹] [...,²...] ... \stopfact 1 NAME OPT OPT 2 inherits: \nastvtabelaci </pre>

$\backslash\text{startlegend}$ [¹ ...] [² ... _{...}] ... $\backslash\text{stoplegend}$ 1 NAME OPT OPT 2 inherits: $\backslash\text{nastavtabelaci}$
$\backslash\text{starttabulatehead}$ [...] _{...} ... $\backslash\text{stoptabulatehead}$ * NAME OPT
$\backslash\text{starttabulatetail}$ [...] _{...} ... $\backslash\text{stoptabulatetail}$ * NAME OPT
$\backslash\text{starttabulka}$ [¹ ...] [² ... _{...}] ... $\backslash\text{stoptabulka}$ 1 TEMPLATE OPT 2 inherits: $\backslash\text{nastavtabulky}$
$\backslash\text{starttabulka}$ [...] _{...} [² ... _{...}] ... $\backslash\text{stoptabulka}$ 1 NAME OPT 2 inherits: $\backslash\text{nastavtabulky}$
$\backslash\text{starttabulky}$ [[*] ...] ... $\backslash\text{stoptabulky}$ * TEMPLATE
$\backslash\text{starttabulky}$ [...] _{...} ... $\backslash\text{stoptabulky}$ * NAME
$\backslash\text{starttexcode}$... $\backslash\text{stoptexcode}$
$\backslash\text{starttexdefinition}$ ¹ ... ² ... ³ ... ⁴ ... ⁵ ... ⁶ ... ⁷ ... ⁸ ... ⁹ ... ¹⁰ ... ¹¹ ... ¹² ... $\backslash\text{stoptexdefinition}$ OPT OPT OPT OPT OPT OPT OPT OPT OPT OPT OPT OPT 1 spaces nospaces 2 globalne 3 tolerantni 4 frozen 5 permanent 6 instance 7 mutable immutable 8 chrane semiprotected unexpanded 9 expanded 10 singleempty doubleempty tripleempty quadrupleempty quintupleempty sextupleempty singleargument doubleargument tripleargument quadrupleargument quintupleargument sextupleargument 11 NAME 12 TEMPLATE
$\backslash\text{starttext}$... $\backslash\text{stoptext}$
$\backslash\text{starttextbackground}$ [¹ ...] [² ... _{...}] ... $\backslash\text{stoptextbackground}$ 1 NAME OPT 2 inherits: $\backslash\text{setuptextbackground}$
$\backslash\text{starttextbackgroundmanual}$... $\backslash\text{stoptextbackgroundmanual}$
$\backslash\text{startTEXTBACKGROUND}$ [[*] ... _{...}] ... $\backslash\text{stopTEXTBACKGROUND}$ * inherits: $\backslash\text{setuptextbackground}$ OPT
$\backslash\text{starttextcolor}$ [...] _{...} ... $\backslash\text{stoptextcolor}$ * COLOR
$\backslash\text{starttextcolorintent}$... $\backslash\text{stoptextcolorintent}$
$\backslash\text{startTEXTDISPLAY}$ [[*] ... _{...}] ... $\backslash\text{stopTEXTDISPLAY}$ * inherits: $\backslash\text{setuptextdisplay}$ OPT instances: textdisplay

$\backslash starttextdisplay [...^*...] \dots \backstoptextdisplay$ <p>* inherits: \backsetuptextdisplay ^{OPT}</p>
$\backstarttextflow [...] \dots \backstoptextflow$ <p>* NAME</p>
$\backstarttextnapovedy [...] \dots \backstoptextnapovedy$ <p>* REFERENCE ^{OPT}</p>
$\backstarttextovalinka \{...\} \dots \backstoptextovalinka$ <p>* TEXT</p>
$\backstartLABELtext [...]^{[...]} \dots \backstopLABELtext$ <p>1 SPRACHE ^{OPT} 2 KEY</p> <p>instances: head label mathlabel taglabel unit operator prefix suffix btxlabel</p>
$\backstartbtxlabeltext [...]^{[...]} \dots \backstopbtxlabeltext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstartheadtext [...]^{[...]} \dots \backstoptheadtext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstartlabeltext [...]^{[...]} \dots \backstoplabeltext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstartmathlabeltext [...]^{[...]} \dots \backstopmathlabeltext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstartoperatortext [...]^{[...]} \dots \backstopoperatortext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstartprefixtext [...]^{[...]} \dots \backstopprefixtext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstartsuffixtext [...]^{[...]} \dots \backstopsuffixtext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstarttaglabeltext [...]^{[...]} \dots \backstoptaglabeltext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstartunittext [...]^{[...]} \dots \backstopunittext$ <p>1 SPRACHE ^{OPT} 2 KEY</p>
$\backstarttokenlist [...] \dots \backstoptokenlist$ <p>* NAME</p>
$\backstarttokens [...] \dots \backstoptokens$ <p>* NAME</p>

<pre> \starttransparent [...] ... \stoptransparent * COLOR </pre>
<pre> \starttypescript [...] ... \stoptypescript 1 serif sans mono math handwriting calligraphy 2 NAME 3 velikost jmeno </pre>
<pre> \starttypescriptcollection [...] ... \stoptypescriptcollection * NAME </pre>
<pre> \startTYPING [...] ... \stopTYPING * inherits: \nastavopis instances: typing LUA MP PARSEDXML TEX XML </pre>
<pre> \startTYPING [...] ... \stopTYPING * pokračovat instances: typing LUA MP PARSEDXML TEX XML </pre>
<pre> \startLUA [...] ... \stopLUA * pokračovat </pre>
<pre> \startMP [...] ... \stopMP * pokračovat </pre>
<pre> \startPARSEDXML [...] ... \stopPARSEDXML * pokračovat </pre>
<pre> \startTEX [...] ... \stopTEX * pokračovat </pre>
<pre> \starttyping [...] ... \stoptyping * pokračovat </pre>
<pre> \startXML [...] ... \stopXML * pokračovat </pre>
<pre> \startLUA [...] ... \stopLUA * inherits: \nastavopis </pre>
<pre> \startMP [...] ... \stopMP * inherits: \nastavopis </pre>
<pre> \startPARSEDXML [...] ... \stopPARSEDXML * inherits: \nastavopis </pre>
<pre> \startTEX [...] ... \stopTEX * inherits: \nastavopis </pre>
<pre> \starttyping [...] ... \stoptyping * inherits: \nastavopis </pre>
<pre> \startXML [...] ... \stopXML * inherits: \nastavopis </pre>

<pre> \startumistirovnici [...,\stackrel{1}{=},...] {\stackrel{2}{...}} ... \stopumistirovnici 1 titul = TEXT odkaz = + - REFERENCE zalozka = TEXT seznam = TEXT suffix = TEXT 2 TEXT </pre>
<pre> \startumistirovnici [...,*...] ... \stopumistirovnici * + - REFERENCE </pre>
<pre> \startuniqueMPgraphic {\stackrel{1}{...}} {\stackrel{2}{...},...} ... \stopuniqueMPgraphic 1 NAME 2 KEY </pre>
<pre> \startuniqueMPpagegraphic {\stackrel{1}{...}} {\stackrel{2}{...},...} ... \stopuniqueMPpagegraphic 1 NAME 2 KEY </pre>
<pre> \startusableMPgraphic {\stackrel{1}{...}} {\stackrel{2}{...},...} ... \stopusableMPgraphic 1 NAME 2 KEY </pre>
<pre> \startuseMPgraphic {\stackrel{1}{...}} {\stackrel{2}{...},...} ... \stopuseMPgraphic 1 NAME 2 KEY </pre>
<pre> \startusemathstyleparameter \stackrel{*}{...} ... \stopusemathstyleparameter * CSNAME </pre>
<pre> \startuserdata [...,\stackrel{1}{...} [...,\stackrel{2}{...},...]] ... \stopuserdata 1 NAME 2 KEY = VALUE </pre>
<pre> \startUSERDATA [...,\stackrel{*}{...},...] ... \stopUSERDATA * KEY = VALUE </pre>
<pre> \startusingbtxs specification [...] ... \stopusingbtxs specification * NAME </pre>
<pre> \startuzky [...,\stackrel{1}{...} [...,\stackrel{2}{...},...]] ... \stopuzky 1 NAME 2 inherits: \nastavzuzeni </pre>
<pre> \startuzky [...,\stackrel{1}{...},...] [...,\stackrel{2}{...},...] ... \stopuzky 1 inherits: \nastavzuzeni 2 [-+]vlevo [-+]nastred [-+]vpravo NUMMER*vlevo NUMMER*nastred NUMMER*vpravo reset reverse </pre>
<pre> \startuzky [...,\stackrel{1}{...} [...,\stackrel{2}{...},...]] ... \stopuzky 1 NAME 2 [-+]vlevo [-+]nastred [-+]vpravo NUMMER*vlevo NUMMER*nastred NUMMER*vpravo reset reverse </pre>
<pre> \startvboxregister \stackrel{*}{...} ... \stopvboxregister * CSNAME NUMMER </pre>
<pre> \startvboxtohbox ... \stopvboxtohbox </pre>
<pre> \startvboxtohboxseparator ... \stopvboxtohboxseparator </pre>

<pre> \startviewerlayer [...] ... \stopviewerlayer * NAME </pre>
<pre> \startVIEWERLAYER ... \stopVIEWERLAYER </pre>
<pre> \startvisici [...¹...²...] {...} ... \stopvisici 1 vzdalenost = DIMENSION n = NUMBER misto = vlevo vpravo 2 CONTENT </pre>
<pre> \startvisici [...¹] {...²} ... \stopvisici 1 vlevo vpravo ^{OPT} 2 CONTENT </pre>
<pre> \startvtopregister ... \stopvtopregister * CSNAME NUMBER </pre>
<pre> \startVYCET [...¹...²...] ... \stopVYCET * titul = TEXT zalozka = TEXT seznam = TEXT odkaz = REFERENCE referencetext = TEXT </pre>
<pre> \startVYCET [...¹...²...] {...³} ... \stopVYCET 1 REFERENCE ^{OPT} ^{OPT} 2 TEXT </pre>
<pre> \startxcell [...¹] [...²...³...] ... \stopxcell 1 NAME ^{OPT} ^{OPT} 2 nx = NUMBER ny = NUMBER nc = NUMBER nr = NUMBER inherits: \setupxtable </pre>
<pre> \startxcellgroup [...¹] [...²...³...] ... \stopxcellgroup 1 NAME ^{OPT} ^{OPT} 2 inherits: \setupxtable </pre>
<pre> \startxcolumn [...¹...²...] ... \stopxcolumn * inherits: \setupxtable ^{OPT} </pre>
<pre> \startxcolumn [...¹] ... \stopxcolumn * NAME ^{OPT} </pre>
<pre> \startxgroup [...¹] [...²...³...] ... \stopxgroup 1 NAME ^{OPT} ^{OPT} 2 inherits: \setupxtable </pre>
<pre> \startxmldisplayverbatim [...¹] ... \stopxmldisplayverbatim * NAME </pre>
<pre> \startxmllineverbatim [...¹] ... \stopxmllineverbatim * NAME </pre>
<pre> \startxmlraw ... \stopxmlraw </pre>
<pre> \startxmlsetups [...¹] [...²] ... \stopxmlsetups 1 mrizka ^{OPT} 2 NAME </pre>

\startxmlsetups ... \stopxmlsetups * NAME
\startxrow [¹ ...] [² ...] ... \stopxrow 1 NAME OPT OPT 2 inherits: \setupxtable
\startxrowgroup [¹] [² ...] ... \stopxrowgroup 1 NAME OPT OPT 2 inherits: \setupxtable
\startxtable [... [*] ...] ... \stopxtable * inherits: \setupxtable ^{OPT}
\startxtablebody [... [*] ...] ... \stopxtablebody * inherits: \setupxtable OPT
\startxtablebody [... [*]] ... \stopxtablebody * NAME OPT
\startxtablefoot [... [*] ...] ... \stopxtablefoot * inherits: \setupxtable OPT
\startxtablefoot [... [*]] ... \stopxtablefoot * NAME OPT
\startxtablehead [... [*] ...] ... \stopxtablehead * inherits: \setupxtable OPT
\startxtablehead [... [*]] ... \stopxtablehead * NAME OPT
\startxtablenext [... [*] ...] ... \stopxtablenext * inherits: \setupxtable OPT
\startxtablenext [... [*]] ... \stopxtablenext * NAME OPT
\startXTABLE [... [*] ...] ... \stopXTABLE * inherits: \setupxtable ^{OPT}
\startxtable [... [*]] ... \stopxtable * NAME OPT
\startzahlavitabulky [... [*]] ... \stopzahlavitabulky * NAME
\startzarovnanonastred ... \stopzarovnanonastred
\startzarovnanovlevo ... \stopzarovnanovlevo
\startzarovnanovpravo ... \stopzarovnanovpravo
\startzhustene [... [*]] ... \stopzhustene * prazdny OPT

<p><code>\startzlom</code> [¹...] [²..._{OPT}...] ... <code>\stopzlom</code></p> <p>1 NAME</p> <p>2 inherits: \nastavupravu</p>
<p><code>\startMAKEUPzlom</code> [[*]..._{OPT}...] ... <code>\stopMAKEUPzlom</code></p> <p>* inherits: \nastavupravu</p> <p>instances: standard page text middle</p>
<p><code>\startmiddlezlom</code> [[*]..._{OPT}...] ... <code>\stopmiddlezlom</code></p> <p>* inherits: \nastavupravu</p>
<p><code>\startpagezlom</code> [[*]..._{OPT}...] ... <code>\stoppagezlom</code></p> <p>* inherits: \nastavupravu</p>
<p><code>\startstandardzlom</code> [[*]..._{OPT}...] ... <code>\stopstandardzlom</code></p> <p>* inherits: \nastavupravu</p>
<p><code>\starttextzlom</code> [[*]..._{OPT}...] ... <code>\stoptextzlom</code></p> <p>* inherits: \nastavupravu</p>
<p><code>\stopLINENOTE</code> [...]</p> <p>* REFERENCE</p> <p>instances: linenote</p>
<p><code>\stoplinenote</code> [...]</p> <p>* REFERENCE</p>
<p><code>\stopradek</code> [...]</p> <p>* REFERENCE</p>
<p><code>\strana</code> [..._{OPT}...]</p> <p>* inherits: \pagebreak</p>
<p><code>\strictdoifelsenextoptional</code> {¹...} {²...}</p> <p>1 TRUE</p> <p>2 FALSE</p>
<p><code>\strictdoifnextoptionalelse</code> {¹...} {²...}</p> <p>1 TRUE</p> <p>2 FALSE</p>
<p><code>\stripcharacter</code> ¹... \from ²... \to ³...</p> <p>1 CHARACTER</p> <p>2 TEXT</p> <p>3 CSNAME</p>
<p><code>\strippedcsname</code> *</p> <p>* CSNAME</p>
<p><code>\strippedcsname</code> *</p> <p>* TEXT</p>
<p><code>\stripspaces</code> \from ¹... \to ²...</p> <p>1 TEXT</p> <p>2 CSNAME</p>
<p><code>\structurelistuservariable</code> {*...}</p> <p>* KEY</p>

<code>\structurenumber</code>
<code>\structuretitle</code>
<code>\structureuservariable {...}</code> <code>* KEY</code>
<code>\structurevariable {...}</code> <code>* KEY</code>
<code>\strut</code>
<code>\strutdp</code>
<code>\strutgap</code>
<code>\strutht</code>
<code>\struthtdp</code>
<code>\struttedbox {...}</code> <code>* CONTENT</code>
<code>\strutwd</code>
<code>\style [...¹...²...] {...}</code> <code>1 inherits: \setupstyle</code> <code>2 TEXT</code>
<code>\styleinstance [...]</code> <code>* NAME</code>
<code>\style [...¹] {...²}</code> <code>1 NAME FONT</code> <code>2 TEXT</code>
<code>\STYLE {...}</code> <code>* TEXT</code>
<code>\subpagenumber</code>
<code>\subsentence {...}</code> <code>* CONTENT</code>
<code>\substituteincommalist {...¹} {...²} \...³</code> <code>1 TEXT</code> <code>2 TEXT</code> <code>3 CSNAME</code>
<code>\subtractfeature [...]</code> <code>* NAME</code>
<code>\subtractfeature {...}</code> <code>* NAME</code>

<code>\swapcounts \¹... \²...</code> 1 CSNAME 2 CSNAME
<code>\swapdimens \¹... \²...</code> 1 CSNAME 2 CSNAME
<code>\swapface</code>
<code>\swapmacros \¹... \²...</code> 1 CSNAME 2 CSNAME
<code>\swaptypeface</code>
<code>\switchstyleonly [...]</code> * rm ss tt hw cg antikva serif pravidelne sans bezserifu podpora opis strojopis mono rukopisne kaligraficke
<code>\switchstyleonly \[*]...</code> * CSNAME
<code>\switchtcolor [...]</code> * COLOR
<code>\switchtointerlinespace [...,¹...] [...,²...,...]</code> 1 NAME <small>OPT</small> 2 inherits: \nastavmeziradkovoumezeru
<code>\switchtointerlinespace [...,[*]...]</code> * zap vyp reset auto male stredni velke <small>OPT</small> NUMBER DIMENSION
<code>\switchtointerlinespace [...]</code> * NAME
<code>\symbol [...¹] [...²]</code> 1 NAME <small>OPT</small> 2 NAME
<code>\symbolreference [...]</code> * REFERENCE
<code>\symbol {...}</code> * NAME
<code>\synctexblockfilename {...}</code> * FILE
<code>\synctexresetfilename</code>
<code>\synctexsetfilename {...}</code> * FILE
<code>\synchronizeblank</code>
<code>\synchronizeindenting</code>

\synchro ¹ nizemarking [...] [² ...] [³ ...] 1 BESCHRIFTUNG 2 NUMMER 3 drzet
\synthesizeoutputstreams [...,*,...] * NAME
\synchro [*] nizestrut {...} * ano ne auto kap prizpusobive radek implicitni CHARACTER
\synchronizewhitespace
\SYNCHRONIZE [..., ¹ ...,...] {...} {...} 1 inherits: \setupsynchr ^{OPT} onize 2 CONTENT 3 CONTENT instances: paralleltext
\paralleltext [..., ¹ ...,...] {...} {...} 1 inherits: \setupsynchr ^{OPT} onize 2 CONTENT 3 CONTENT
\SYNONYM [¹ ...] [² ...] {...} {...} 1 NAME 2 TEXT 3 TEXT 4 CONTENT instances: abbreviation
\abbreviation [¹ ...] [² ...] {...} {...} 1 NAME 2 TEXT 3 TEXT 4 CONTENT
\systemlog {...} {...} {...} 1 FILE 2 TEXT 3 TEXT
\systemlogfirst {...} {...} {...} 1 FILE 2 TEXT 3 TEXT
\systemloglast {...} {...} {...} 1 FILE 2 TEXT 3 TEXT
\systemsetups {...} * NAME
\TABLE
\TaBlE
\TEX
\TeX

<code>\TheNormalizedFontSize</code>
<code>\TransparencyHack</code>
<code>\tabulateautoline</code>
<code>\tabulateautorule</code>
<code>\tabulateline</code>
<code>\tabulaterule</code>
<code>\taggedctxcommand {...}</code> * BEFEHL
<code>\taggedlabeltexts {...} {...} {...}</code> 1 NAME 2 NAME 3 CONTENT
<code>\tbox {...}</code> * CONTENT
<code>\tecky [...]</code> * NUMMER <small>OPT</small>
<code>\tecky [..., ..., ..., ...]</code> * inherits: <small>OPT</small> \setupperperiods
<code>\tenkalinka</code>
<code>\tenkelinky [..., ..., ..., ...]</code> * inherits: \nastavtenkelinky
<code>\testandsplitstring ...¹ \at ...² \to ...³ \and ...⁴</code> 1 TEXT 2 TEXT 3 CSNAME 4 CSNAME
<code>\testcolumn [...]¹ [...]²</code> 1 NUMMER <small>OPT</small> 2 DIMENSION
<code>\testfeature {...}¹ {...}²</code> 1 NUMMER 2 CONTENT
<code>\testfeatureonce {...}¹ {...}²</code> 1 NUMMER 2 CONTENT
<code>\testpage [...]¹ [...]²</code> 1 NUMMER <small>OPT</small> 2 DIMENSION
<code>\testpageonly [...]¹ [...]²</code> 1 NUMMER <small>OPT</small> 2 DIMENSION

<pre> \testpagesync [...] [..².] 1 NUMMER OPT 2 DIMENSION </pre>
<pre> \testtokens [...] * NAME </pre>
<pre> \tex {...} * CONTENT </pre>
<pre> \texdefinition {...} * NAME </pre>
<pre> \texsetup {...} * NAME </pre>
<pre> \TEXTBACKGROUND {...} * CONTENT </pre>
<pre> \textcitation [...,¹...,...] [..².] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 REFERENCE </pre>
<pre> \textcitation [..¹.] [..².] 1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear 2 REFERENCE </pre>
<pre> \textcitation [...,¹...,...] [...,²...,...] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 KEY = VALUE </pre>
<pre> \textcite [...,¹...,...] [..².] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 REFERENCE </pre>
<pre> \textcite [..¹.] [..².] 1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear 2 REFERENCE </pre>

$\backslash\text{textcite}$ [\dots] ¹ \dots [\dots] ² \dots] 1 odkaz = REFERENCE alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear pred = BEFEHL po = BEFEHL vlevo = BEFEHL vpravo = BEFEHL inherits: \setupbtx 2 KEY = VALUE
$\backslash\text{textcontrolspace}$
$\backslash\text{textflowcollector}$ {...} * NAME
$\backslash\text{texthere}$ [\dots] ¹ {...} ² 1 vlevo vpravo ^{OPT} pred po mezi 2 CONTENT
$\backslash\text{textmath}$ {...} * CONTENT
$\backslash\text{textminus}$
$\backslash\text{texnapovedy}$ [\dots] ¹ {...} ² {...} ³ 1 REFERENCE ^{OPT} 2 TEXT 3 TEXT
$\backslash\text{texnote}$ [\dots] ¹ \dots {...} ² 1 inherits: \setuptextnote ^{OPT} 2 TEXT
$\backslash\text{textormathchar}$ {...} * NUMMER
$\backslash\text{textormathchars}$ {...} * CHARACTER
$\backslash\text{textovalinka}$ [\dots] ¹ {...} ² 1 vrsek nastred spod ^{OPT} 2 TEXT
$\backslash\text{textplus}$
$\backslash\text{LABELtext}$ {...} * KEY instances: head label mathlabel taglabel unit operator prefix suffix btxlabel
$\backslash\text{btxlabeltext}$ {...} * KEY
$\backslash\text{headtext}$ {...} * KEY
$\backslash\text{labeltext}$ {...} * KEY

$\backslash\mathrm{mathlabeltext}$ {...} * KEY
$\backslash\mathrm{operatortext}$ {...} * KEY
$\backslash\mathrm{prefixtext}$ {...} * KEY
$\backslash\mathrm{suffixtext}$ {...} * KEY
$\backslash\mathrm{taglabeltext}$ {...} * KEY
$\backslash\mathrm{unittext}$ {...} * KEY
$\backslash\mathrm{textstacker}$ [... ¹] {... ² } {... ³ } {... ⁴ } 1 reverse mathematika ^{99%} text chemistry 2 NUMMER 3 TEXT 4 TEXT
$\backslash\mathrm{textvisiblespace}$
$\backslash\mathrm{thainumerals}$ {...} * NUMMER
$\backslash\mathrm{thedatavalue}$ {...} * NAME
$\backslash\mathrm{thefirstcharacter}$ {...} * TEXT
$\backslash\mathrm{thenormalizedbodyfontsize}$ {...} * DIMENSION
$\backslash\mathrm{theorientation}$ {...} * normalni up down vlevo vpravo vrsek spodek NAME
$\backslash\mathrm{theremainingcharacters}$ {...} * TEXT
$\backslash\mathrm{thickspace}$
$\backslash\mathrm{thinspace}$
$\backslash\mathrm{thirdoffivearguments}$ {... ¹ } {... ² } {... ³ } {... ⁴ } {... ⁵ } 1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT

<p><code>\thirdoffourarguments {¹...} {²...} {³...} {⁴...}</code></p> <p>1 TEXT 2 TEXT 3 TEXT 4 TEXT</p>
<p><code>\thirdofsixarguments {¹...} {²...} {³...} {⁴...} {⁵...} {⁶...}</code></p> <p>1 TEXT 2 TEXT 3 TEXT 4 TEXT 5 TEXT 6 TEXT</p>
<p><code>\thirdofthreearguments {¹...} {²...} {³...}</code></p> <p>1 TEXT 2 TEXT 3 TEXT</p>
<p><code>\thirdofthreeunexpanded {¹...} {²...} {³...}</code></p> <p>1 TEXT 2 TEXT 3 TEXT</p>
<p><code>\threedigitrounding {[*]...}</code></p> <p>* NUMBER</p>
<p><code>\tibetannumerals {[*]...}</code></p> <p>* NUMBER</p>
<p><code>\tightfitboundary</code></p>
<p><code>\tightfitcompensation</code></p>
<p><code>\tightlayer [[*]...]</code></p> <p>* NAME</p>
<p><code>\tinyfont</code></p>
<p><code>\tlacitko [...,¹...²...³...] {²...} [...]</code></p> <p>1 inherits: \setupbutton 2 TEXT 3 REFERENCE</p>
<p><code>\tlacitkomenu [...,¹...²...³...] {²...} {³...}</code></p> <p>1 inherits: \setupbutton 2 TEXT 3 REFERENCE</p>
<p><code>\tlacitkomenu [...]¹ [...,²...³...⁴...] {³...} {⁴...}</code></p> <p>1 NAME 2 inherits: \nastavinterakcnimenu 3 TEXT 4 REFERENCE</p>
<p><code>\BUTTON [...,¹...²...³...] {²...} [...]</code></p> <p>1 inherits: \setupbutton 2 TEXT 3 REFERENCE</p> <p>instances: button</p>
<p><code>\tlap {[*]...}</code></p> <p>* CONTENT</p>

<code>\tloustkacary</code>
<code>\tochar {...}</code> * e:NAME x:NUMMER d:NUMMER s:NUMMER i:NUMMER n:NAME c:NAME u:NAME a:NAME
<code>\tolinenote [...]</code> * REFERENCE
<code>\topbox {...}</code> * CONTENT
<code>\topleftbox {...}</code> * CONTENT
<code>\toplinebox {...}</code> * CONTENT
<code>\toprightbox {...}</code> * CONTENT
<code>\topskippedbox {...}</code> * CONTENT
<code>\tracecatcodetables</code>
<code>\tracedfontname {...}</code> * FONT
<code>\tracedpagestate</code>
<code>\traceoutputroutines</code>
<code>\tracepositions</code>
<code>\transparencycomponents {...}</code> * COLOR
<code>\transparent [...] {...}</code> 1 COLOR 2 CONTENT
<code>\tref {...} {...} [...]</code> 1 TEXT OPT OPT 2 TEXT 3 REFERENCE
<code>\triggergroupedcommand {...}</code> * BEFEHL
<code>\triggergroupedcommandcs \...</code> * CSNAME
<code>\triplebond</code>
<code>\truefilename {...}</code> * FILE

\truefontname {...} * FONT
\ttraggedright
\tucne
\tucnekurzivni
\tucnesklonene
\tvrdamezera
\tvrdemezery
\twodigitrounding {...} * NUMMER
\tx
\txx
\typebuffer [... ¹ ,...] [... ² ,...] 1 BUFFER OPT OPT 2 inherits: \nastavopis
\opisBUFFER [... [*] ,...] * inherits: \nastavopis ^{PT}
\typedefinedbuffer [... ¹] [... ² ,...] 1 BUFFER OPT 2 inherits: \nastavopis
\typeface
\typeinlinebuffer [... ¹ ,...] [... ² ,...] 1 BUFFER OPT OPT 2 inherits: \nastavtype
\typescriptone
\typescriptprefix {...} * NAME
\typescriptthree
\typescripttwo
\typesetbuffer [... ¹] [... ² ,...] 1 * BUFFER OPT OPT 2 inherits: \setupexternalfigure
\typesetbufferonly [... [*]] * * BUFFER OPT

<pre> \typesetfile [...] [...] [...] [...] 1 NAME FILE OPT OPT 2 FILE TEXT 3 inherits: \setuexternalfigure </pre>
<pre> \uconvertnumber {...} {...} 1 inherits: \konvertujcislo 2 NUMMER </pre>
<pre> \uedcatcodecommand \... .. {...} 1 CSNAME 2 CHARACTER NUMBER 3 BEFEHL </pre>
<pre> \uchexnumber {...} * NUMMER </pre>
<pre> \uchexnumbers {...} * NUMMER </pre>
<pre> \ukazbarvu [...] * COLOR </pre>
<pre> \ukazmrizku [...*,...] * reset spodek vrsek zadny vse radky ramecek nonumber vpravo vlevo vnejsi uvnitr sloupce </pre>
<pre> \ukaznastaveni [...*,...] * pt bp cm mm dd cc pc hbf nc sp in </pre>
<pre> \ukazpaletu [...] [...] 1 NAME OPT 2 horizontalne vertikalne cislo hodnota jmeno </pre>
<pre> \ukazpodpery </pre>
<pre> \ukazpostredizakladnihofontu [...*,...] * inherits: \nastavzakladnifont </pre>
<pre> \ukazramecek [...*,...] [...] 1 vrsek zahnavi text upati spodek OPT 2 levahrana levyokraj text pravyokraj pravahrana </pre>
<pre> \ukazsadasymbolu [...] * NAME </pre>
<pre> \ukazskupinubarev [...] [...] 1 NAME OPT 2 horizontalne vertikalne cislo hodnota jmeno </pre>
<pre> \ukazupravu [...] * reset boxes zlo OPT vse hbox vbox vtop kern glue penalty fontkern strut whatsit glyph simple simplehbox simplevbox simplevtop user math kurziva origin discretionary expansion radek mezera podlehloubky marginkern mathkern dir par mathglue mark insert boundary vkern hkern vglue hglue vpenalty hpenalty </pre>
<pre> \ukazvytisk [...*,...] [...] [...] 1 inherits: \nastavvelikostpapiru OPT OPT 2 inherits: \nastavvelikostpapiru 3 inherits: \nastavvzhled </pre>

\backslash ukazvzhled [...*...] * pt bp cm mm dd cc ^{OPT} nd nc sp in NUMBER
\backslash ukazzakladnifont [...*...] * inherits: \nastavzakladnifont
\backslash umistikombinovanyseznam [... ¹] [... ² ...] 1 LISTE 2 inherits: \nastavkombinovanyseznam
\backslash umistiCOMBINEDLIST [...*...] * inherits: \nastavkombinovanyseznam ^{OPT} instances: content
\backslash umisticontent [...*...] * inherits: \nastavkombinovanyseznam ^{OPT}
\backslash umistilokalnipoznamkypodcarou [...*...] * inherits: \setupnote ^{OPT}
\backslash umistinadsebe {... ¹ } {... ² } 1 CONTENT 2 CONTENT
\backslash umistinamrizku [... ¹] {... ² } 1 normalni standardni ^{OPT} striktni tolerantni vrsek spodek obe široky prizpusobive prvni posledni vysoko jedna nizko zadny radek strut box min max nastred math math:radek math:pulradku math:-line math:-halflne NAME 2 CONTENT
\backslash umistinamrizku [... ¹ ...] {... ² } 1 inherits: \definegridsnapping ^{OPT} 2 CONTENT
\backslash umistipodrovnici [... ¹ ...] {... ² } 1 + - REFERENCE ^{OPT} ^{OPT} 2 TEXT
\backslash umistipoznamkypodcarou [...*...] * inherits: \setupnote ^{OPT}
\backslash umistirejstrik [... ¹] [... ² ...] 1 NAME ^{OPT} 2 inherits: \nastavrejstrik
\backslash umistiREGISTER [...*...] * inherits: \nastavrejstrik ^{OPT} instances: index
\backslash umistiindex [...*...] * inherits: \nastavrejstrik ^{OPT}
\backslash umistirovnici [... ¹ ...] {... ² } 1 + - REFERENCE ^{OPT} ^{OPT} 2 TEXT
\backslash umistiseznam [... ¹ ...] [... ² ...] 1 LISTE ^{OPT} 2 inherits: \nastavseznam

<code>\umistivedlesebe {...} {...}</code> 1 CONTENT 2 CONTENT
<code>\umistizalozky [...¹,...] [...²,...] [...³,...]</code> 1 ABSCHNITT LISTE OPT OPT OPT 2 ABSCHNITT LISTE 3 inherits: \setupbookmark
<code>\undefinevalue {...}</code> * NAME
<code>\undepthed {...}</code> * CONTENT
<code>\underset {...} {...}</code> 1 TEXT 2 TEXT
<code>\undoassign [...¹] [...²..]</code> 1 TEXT 2 KEY = VALUE
<code>\unexpandeddocumentvariable {...}</code> * KEY
<code>\unhhbox ...¹ \with {...²}</code> 1 CSNAME NUMBER 2 BEFEHL
<code>\unicodehexnumber {...}</code> * NUMMER
<code>\unicodechar {...}</code> * TEXT
<code>\unicodenummer {...}</code> * NUMMER
<code>\unihex {...}</code> * NUMMER
<code>\uniqueMPgraphic {...¹} {...²,...}</code> 1 NAME OPT 2 KEY = VALUE
<code>\uniqueMPpagegraphic {...¹} {...²,...}</code> 1 NAME OPT 2 KEY = VALUE
<code>\unknownchar</code>
<code>\unprotect ... \protect</code>
<code>\unprotected ... \par</code> * CONTENT

<code>\unregisterhyphenationpattern [...] [...]</code> 1 SPRACHE OPT 2 TEXT
<code>\unregisterparwrapper {...}</code> * NAME
<code>\unspaceafter \.¹ {...}</code> 1 CSNAME 2 TEXT
<code>\unspaceargument ... \to \.²</code> 1 TEXT 2 CSNAME
<code>\unspaced {...}</code> * TEXT
<code>\unspacestring \.¹ \to \.²</code> 1 TEXT 2 CSNAME
<code>\unstackscripts</code>
<code>\untexargument {...} \to \.²</code> 1 TEXT 2 CSNAME
<code>\untexcommand {...} \to \.²</code> 1 CSNAME 2 CSNAME
<code>\updateparagraphdemerits</code>
<code>\updateparagraphpenalties</code>
<code>\updateparagraphproperties</code>
<code>\updateparagraphshapes</code>
<code>\uppercased {...}</code> * TEXT
<code>\uppercasestring \.¹ \to \.²</code> 1 TEXT 2 CSNAME
<code>\uppercasing</code>
<code>\upperlefthdoubleninequote</code>
<code>\upperlefthdoublesixquote</code>
<code>\upperleftsingleninequote</code>
<code>\upperleftsinglesixquote</code>

<code>\upperrightrightdoublequote</code>
<code>\upperrightrightdoublequote</code>
<code>\upperrightsingleninequote</code>
<code>\upperrightsinglesixquote</code>
<code>\urcickarakteristikurejstriku</code> ¹ [...] ² [... _{OPT} ...,...] 1 NAME 2 language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc numberorder = ciska compress = ano ne vse kriterium = lokalne text aktualni predchozi vse ABSCHNITT
<code>\url</code> [...] * NAME
<code>\usealignparameter</code> \... * CSNAME
<code>\useblankparameter</code> \... * CSNAME
<code>\usebodyfont</code> [...;...] * inherits: \nastavzakladnifont
<code>\usebodyfontparameter</code> \... * CSNAME
<code>\usebtxdataset</code> ¹ [...] ² [...] ³ [... _{OPT} ...,...] 1 NAME 2 FILE 3 specification = NAME
<code>\usebtdefinitions</code> [...] * FILE
<code>\usecitation</code> [...] * REFERENCE
<code>\usecitation</code> {...} * REFERENCE
<code>\usecolors</code> [...] * FILE
<code>\usecomponent</code> [...] * FILE
<code>\usedadaptivealternative</code>
<code>\usedadaptivebox</code>
<code>\usedadaptivecolor</code>
<code>\usedadaptivedepth</code>

<code>\usedadaptiveheight</code>
<code>\usedadaptivehsize</code>
<code>\usedadaptiveline</code>
<code>\usedadaptivetotal</code>
<code>\usedadaptivewidth</code>
<code>\usedummycolorparameter {..}</code> * KEY
<code>\usedummystyleandcolor {...} {...}</code> 1 KEY 2 KEY
<code>\usedummystyleparameter {...}</code> * KEY
<code>\useenvironment [...]</code> * FILE
<code>\useexternalrendering [...] [...] [...] [...]</code> 1 NAME 2 NAME 3 FILE 4 auto embed
<code>\usefigurebase [...]</code> * reset FILE
<code>\usefile [...] [...] [...] [...]</code> 1 NAME 2 FILE 3 TEXT
<code>\usefontpath [..., ...]</code> * PATH
<code>\usegridparameter \...</code> * CSNAME
<code>\usehyphensparameter \...</code> * CSNAME
<code>\useindentingparameter \...</code> * CSNAME
<code>\useindentnextparameter \...</code> * CSNAME
<code>\useinterlinespaceparameter \...</code> * CSNAME
<code>\uselanguageparameter \...</code> * CSNAME

<pre> \uselist [...] [...] [...] 1 NAME 2 FILE 3 TEXT </pre>
<pre> \useluamodule [...] * FILE </pre>
<pre> \uselutable \... * CSNAME </pre>
<pre> \useMPenvironmentbuffer [...] * NAME </pre>
<pre> \useMPgraphic {...} {..., ...²..., ...} 1 NAME 2 KEY = VALUE </pre>
<pre> \useMPlibrary [...] * FILE </pre>
<pre> \useMPrun {...} {...} 1 NAME 2 NUMMER </pre>
<pre> \useMPvariables [...] [...] 1 NAME 2 KEY </pre>
<pre> \usemathstyleparameter \... * CSNAME </pre>
<pre> \useproduct [...] * FILE </pre>
<pre> \useprofileparameter \... * CSNAME </pre>
<pre> \useproject [...] * FILE </pre>
<pre> \userferenceparameter \... * CSNAME </pre>
<pre> \userregister [...] [...] [...] [...] 1 NAME 2 FILE 3 NAME 4 TEXT </pre>
<pre> \userpagenumber </pre>
<pre> \usesetupparameter \... * CSNAME </pre>
<pre> \usestaticMPfigure [..., ...¹..., ...] [...] 1 inherits: \setupscale 2 NAME </pre>

<code>\usesubpath [...,*,...]</code> <code>* PATH</code>
<code>\usetexmodule [¹...] [...,²...] [...,³=...,...]</code> <code>1 m p s x t OPT OPT</code> <code>2 FILE</code> <code>3 KEY = VALUE</code>
<code>\usetypescript [¹] [²] [³]</code> <code>1 serif sans mono math^{OPT}handwriting call^{OPT}igraphy casual vse</code> <code>2 NAME fallback implicitni dtp simple</code> <code>3 velikost jmeno</code>
<code>\usetypescriptfile [[*].]</code> <code>* reset FILE</code>
<code>\usezipfile [¹] [².]</code> <code>1 FILE OPT</code> <code>2 FILE</code>
<code>\utfchar {[*]...}</code> <code>* NUMMER</code>
<code>\utflower {[*]...}</code> <code>* TEXT</code>
<code>\utfupper {[*]...}</code> <code>* TEXT</code>
<code>\utilityregisterlength</code>
<code>\uzijadresar [...,*,...]</code> <code>* PATH</code>
<code>\uzijbloky [...,¹...] [...,²...] [...,³=...,...]</code> <code>1 NAME OPT OPT</code> <code>2 NAME</code> <code>3 kriterium = text ABSCHNITT</code>
<code>\uzijexternidokument [¹] [²] [³.]</code> <code>1 NAME OPT</code> <code>2 FILE</code> <code>3 TEXT</code>
<code>\uzijexterniobraz [¹] [²] [³] [...,⁴=...,...]</code> <code>1 NAME OPT OPT</code> <code>2 FILE</code> <code>3 NAME</code> <code>4 inherits: \setupexternalfigure</code>
<code>\uzijJSscripts [¹] [...,²...]</code> <code>1 FILE OPT</code> <code>2 NAME</code>
<code>\uzijmodul [¹] [...,²...] [...,³=...,...]</code> <code>1 m p s x t OPT OPT</code> <code>2 FILE</code> <code>3 KEY = VALUE</code>
<code>\uzijsymbol [[*].]</code> <code>* FILE</code>

\uzijURL [...] [...] [...] [...] 1 NAME OPT OPT 2 URL 3 FILE 4 TEXT
\uzijurl [...] [...] [...] [...] 1 NAME OPT OPT 2 URL 3 FILE 4 TEXT
\VerboseNumber {...} * NUMMER
\VSEDNIDEN {...} * NUMMER
\validassignment {...} * TEXT
\vboxreference [... ¹ ,...] {... ² } 1 REFERENCE 2 CONTENT
\velke ... * CHARACTER
\verbatim {...} * CONTENT
\verbatimstring {...} * CONTENT
\verbosenummer {...} * NUMMER
\verticalgrowingbar [... [*] ,...] * inherits: \setuppositionbar
\verticalpositionbar [... [*] ,...] * inherits: \setuppositionbar
\veryraggedcenter
\veryraggedleft
\veryraggedright
\verze [...] * koncept soubor docasne finalni NAME
\vglue ... * DIMENSION
\viewerlayer [...] {...} 1 NAME 2 CONTENT

\vyplnenytext [...,.. ¹ ...,..] {... ² .} {... ³ .} 1 inherits: \nastavvyplnovelinky <small>OPT</small> <small>OPT</small> 2 TEXT 3 TEXT
\vyplnovelinky [...,.. ¹ ...,..] {... ² .} {... ³ .} 1 inherits: \nastavvyplnovelinky <small>OPT</small> <small>OPT</small> 2 TEXT 3 TEXT
\vyplnovyradek [...,.. [*] ...,..] * inherits: \nastavvyplnoveradky
\vysoky {...} * CONTENT
\HIGH {...} * CONTENT instances: unitshigh
\unitshigh {...} * CONTENT
\WidthSpanningText {... ¹ .} {... ² .} {... ³ .} 1 TEXT 2 DIMENSION 3 FONT
\wdofstring {...} * TEXT
\widthhofstring {...} * TEXT
\widthspanningtext {... ¹ .} {... ² .} {... ³ .} 1 TEXT 2 DIMENSION 3 FONT
\wipedtokens {... ¹ .} {... ² .} 1 TEXT 2 TEXT
\wipetokens {... ¹ .} {... ² .} 1 TEXT 2 TEXT
\withoutpt {...} * DIMENSION
\words {...} * TEXT
\wordtonumber {... ¹ .} {... ² .} 1 jedna dve tri ctyri pet 2 TEXT
\writadatolist [... ¹ .] [...,.. ² ...,..] [...,.. ³ ...,..] 1 LISTE <small>OPT</small> 2 inherits: \nastavseznam 3 KEY = VALUE

<code>\writestatus {...} {...}</code> 1 TEXT 2 TEXT
<code>\XETEX</code>
<code>\XeTeX</code>
<code>\xdefconvertedargument \¹... {\²...}</code> 1 CSNAME 2 TEXT
<code>\xmladdindex {...}</code> * NODE
<code>\xmllafterdocumentsetup {\¹...} {\²...} {\³...}</code> 1 NAME 2 SETUP 3 SETUP
<code>\xmllaftersetup {\¹...} {\²...}</code> 1 SETUP 2 SETUP
<code>\xmlall {\¹...} {\²...}</code> 1 NODE 2 LPATH
<code>\xmlappenddocumentsetup {\¹...} {\²...}</code> 1 NAME 2 SETUP
<code>\xmlappendsetup {...}</code> * SETUP
<code>\xmlapplyselectors {...}</code> * NODE
<code>\xmlatt {\¹...} {\²...}</code> 1 NODE 2 NAME
<code>\xmlattdef {\¹...} {\²...} {\³...}</code> 1 NODE 2 NAME 3 TEXT
<code>\xmlattribute {\¹...} {\²...} {\³...}</code> 1 NODE 2 LPATH 3 NAME
<code>\xmlattributedef {\¹...} {\²...} {\³...} {\⁴...}</code> 1 NODE 2 LPATH 3 NAME 4 TEXT
<code>\xmlbadinclusions {...}</code> * NODE

\xmlbeforedocumentsetup {...} {...} {...} 1 NAME 2 SETUP 3 SETUP
\xmlbeforesetup {...} {...} 1 SETUP 2 SETUP
\xmlcommand {...} {...} {...} 1 NODE 2 LPATH 3 XMLSETUP
\xmlconcat {...} {...} {...} 1 NODE 2 LPATH 3 TEXT
\xmlconcatrange {...} {...} {...} {...} {...} 1 NODE 2 LPATH 3 TEXT 4 FIRST 5 LAST
\xmlcontext {...} {...} 1 NODE 2 LPATH
\xmlcount {...} {...} 1 NODE 2 LPATH
\xmldata {...} * TEXT
\xmldefaulttotext {...} * NODE
\xmldelete {...} {...} 1 NODE 2 LPATH
\xmldepth {...} * NODE
\xmldirect {...} * NODE
\xmldirectives {...} * NODE
\xmldirectivesafter {...} * NODE
\xmldirectivesbefore {...} * NODE
\xmldisplayverbatim {...} * NODE

<code>\xmldocument</code>
<code>\xmldoif {¹...} {²...} {³...}</code> 1 NODE 2 LPATH 3 TRUE
<code>\xmldoifatt {¹...} {²...} {³...} {⁴...}</code> 1 NODE 2 TEXT 3 TEXT 4 TRUE
<code>\xmldoifelse {¹...} {²...} {³...} {⁴...}</code> 1 NODE 2 LPATH 3 TRUE 4 FALSE
<code>\xmldoifelseatt {¹...} {²...} {³...} {⁴...} {⁵...}</code> 1 NODE 2 TEXT 3 TEXT 4 TRUE 5 FALSE
<code>\xmldoifelseempty {¹...} {²...} {³...} {⁴...}</code> 1 NODE 2 LPATH 3 TRUE 4 FALSE
<code>\xmldoifelseselfempty {¹...} {²...} {³...}</code> 1 NODE 2 TRUE 3 FALSE
<code>\xmldoifelsestext {¹...} {²...} {³...} {⁴...}</code> 1 NODE 2 LPATH 3 TRUE 4 FALSE
<code>\xmldoifelsevalue {¹...} {²...} {³...} {⁴...}</code> 1 CATEGORY 2 NAME 3 TRUE 4 FALSE
<code>\xmldoifempty {¹...} {²...} {³...}</code> 1 NODE 2 LPATH 3 TRUE
<code>\xmldoifemptyelse {¹...} {²...} {³...} {⁴...}</code> 1 NODE 2 LPATH 3 TRUE 4 FALSE
<code>\xmldoifnot {¹...} {²...} {³...}</code> 1 NODE 2 LPATH 3 TRUE

\xmldoifnotatt {...} {...} {...} {...}

1 NODE
2 TEXT
3 TEXT
4 TRUE

\xmldoifnotempty {...} {...} {...}

1 NODE
2 LPATH
3 TRUE

\xmldoifnotselfempty {...} {...}

1 NODE
2 TRUE

\xmldoifnottext {...} {...} {...}

1 NODE
2 LPATH
3 TRUE

\xmldoifselfempty {...} {...}

1 NODE
2 TRUE

\xmldoifselfemptyelse {...} {...} {...}

1 NODE
2 TRUE
3 FALSE

\xmldoiftext {...} {...} {...}

1 NODE
2 LPATH
3 TRUE

\xmldoiftextelse {...} {...} {...} {...}

1 NODE
2 LPATH
3 TRUE
4 FALSE

\xmldoifvalueelse {...} {...} {...} {...}

1 CATEGORY
2 NAME
3 TRUE
4 FALSE

\xmlelement {...} {...}

1 NODE
2 NUMMER

\xmlfileline {...}

* NODE

\xmlfilename {...}

* NODE

\xmlfilter {...} {...}

1 NODE
2 LPATH

\xmlfirst {...} {...}

1 NODE
2 LPATH

<pre>\xmlflush {...} * NODE</pre>
<pre>\xmlflushcontext {...} * NODE</pre>
<pre>\xmlflushdocumentsetups {...} {...} 1 NAME 2 SETUP</pre>
<pre>\xmlflushlinewise {...} * NODE</pre>
<pre>\xmlflushpure {...} * NODE</pre>
<pre>\xmlflushsetups {...} * NAME</pre>
<pre>\xmlflushspacewise {...} * NODE</pre>
<pre>\xmlflushtext {...} * NODE</pre>
<pre>\xmlfunction {...} {...} 1 NODE 2 NAME</pre>
<pre>\xmlchainatt {...} {...} 1 NODE 2 NAME</pre>
<pre>\xmlchainattdef {...} {...} {...} 1 NODE 2 NAME 3 TEXT</pre>
<pre>\xmlchecknamespace {...} {...} {...} 1 NODE 2 NAME 3 NAME</pre>
<pre>\xmlinclude {...} {...} {...} 1 NODE 2 LPATH 3 NAME</pre>
<pre>\xmlincludeoptions {...} {...} {...} {...,⁴...} 1 NODE 2 LPATH 3 NAME 4 recurse prepare rootpath resolve basename</pre>
<pre>\xmlinclusion {...} * NODE</pre>
<pre>\xmlinclusionbase {...} * NODE</pre>

<code>\xmlinclusions {...}</code> * NODE
<code>\xmlindex {...} {...} {...}</code> 1 NODE 2 LPATH 3 NUMMER
<code>\xmlinfo {...}</code> * NODE
<code>\xmlinjector {...}</code> * NAME
<code>\xmlinlineprettyprint {...} {...}</code> 1 NODE 2 mp lua xml parsed-xml nested tex context zadny NAME
<code>\xmlinlineprettyprinttext {...} {...}</code> 1 NODE 2 mp lua xml parsed-xml nested tex context zadny NAME
<code>\xmlinlineverbatim {...}</code> * NODE
<code>\xmlinstalldirective {...} {...}</code> 1 NAME 2 CSNAME
<code>\xmllast {...} {...}</code> 1 NODE 2 LPATH
<code>\xmllastatt</code>
<code>\xmllastmatch</code>
<code>\xmllastpar</code>
<code>\xmlload {...} {...}</code> 1 NAME 2 FILE
<code>\xmlloadbuffer {...} {...}</code> 1 BUFFER 2 NAME
<code>\xmlloaddata {...} {...}</code> 1 NAME 2 TEXT
<code>\xmlloaddirectives {...}</code> * FILE
<code>\xmlloadfile {...} {...}</code> 1 NAME 2 FILE

\xmlloadonly {...} {...} {...} 1 NAME 2 FILE 3 XMLSETUP
\xmlmain {...} * NODE
\xmlmapval {...} {...} {...} 1 CATEGORY 2 NAME 3 TEXT
\xmlmapvalue {...} {...} {...} 1 CATEGORY 2 NAME 3 TEXT
\xmlmatch {...} * NODE
\xmlname {...} * NODE
\xmlnamespace {...} * NODE
\xmlnonspace {...} {...} 1 NODE 2 LPATH
\xmlpar {...} {...} 1 NODE 2 NAME
\xmlparam {...} {...} {...} 1 NODE 2 LPATH 3 NAME
\xmlpath {...} * NODE
\xmlpos {...} * NODE
\xmlposition {...} {...} {...} 1 NODE 2 LPATH 3 NUMMER
\xmlprependdocumentsetup {...} {...} 1 NAME 2 SETUP
\xmlprependsetup {...} * SETUP
\xmlprettyprint {...} {...} 1 NODE 2 mp lua xml parsed-xml nested tex context zadny NAME

<pre> \xmlprettyprinttext {...} {...} 1 NODE 2 mp lua xml parsed-xml nested tex context zadny NAME </pre>
<pre> \xmlprocess {...} {...} {...} 1 NAME 2 FILE 3 XMLSETUP </pre>
<pre> \xmlprocessbuffer {...} {...} {...} 1 BUFFER 2 NAME 3 XMLSETUP </pre>
<pre> \xmlprocessdata {...} {...} {...} 1 NAME 2 TEXT 3 XMLSETUP </pre>
<pre> \xmlprocessfile {...} {...} {...} 1 NAME 2 FILE 3 XMLSETUP </pre>
<pre> \xmlpure {...} {...} 1 NODE 2 LPATH </pre>
<pre> \xmlpushmatch ... \xmlpopmatch </pre>
<pre> \xmlraw {...} * NODE </pre>
<pre> \xmlrefatt {...} {...} 1 NODE 2 NAME </pre>
<pre> \xmlregisterdocumentsetup {...} {...} 1 NAME 2 SETUP </pre>
<pre> \xmlregisterreddocumentsetups {...} {...} 1 NAME 2 SETUP </pre>
<pre> \xmlregisteredsetups </pre>
<pre> \xmlregisterns {...} {...} 1 NAME 2 URL </pre>
<pre> \xmlregistersetup {...} * SETUP </pre>
<pre> \xmlremapname {...} {...} {...} {...} 1 NODE 2 LPATH 3 NAME 4 NAME </pre>

<pre> \xmlremapnamespace {...} {...} {...} 1 NODE 2 NAME 3 NAME </pre>
<pre> \xmlremovedocumentsetup {...} {...} 1 NAME 2 SETUP </pre>
<pre> \xmlremovesetup {...} * SETUP </pre>
<pre> \xmlresetdocumentsetups {...} * NAME </pre>
<pre> \xmlresetinjectors </pre>
<pre> \xmlresetsetups </pre>
<pre> \xmls {...} {...} 1 NODE 2 SETUP </pre>
<pre> \xmlsave {...} {...} 1 NODE 2 FILE </pre>
<pre> \xmlsetatt {...} {...} {...} 1 NODE 2 NAME 3 TEXT </pre>
<pre> \xmlsetattribute {...} {...} {...} {...} 1 NODE 2 LPATH 3 NAME 4 TEXT </pre>
<pre> \xmlsetentity {...} {...} 1 NAME 2 TEXT </pre>
<pre> \xmlsetfunction {...} {...} {...} 1 NODE 2 LPATH 3 LUAFUNCTION </pre>
<pre> \xmlsetinjectors [...*,...] * NAME </pre>
<pre> \xmlsetpar {...} {...} {...} 1 NODE 2 NAME 3 TEXT </pre>
<pre> \xmlsetparam {...} {...} {...} {...} 1 NODE 2 LPATH 3 NAME 4 TEXT </pre>

<pre> \xmlsetsetup {...} {...} {...} 1 NAME 2 LPATH 3 SETUP </pre>
<pre> \xmlsetup {...} {...} 1 NODE 2 SETUP </pre>
<pre> \xmlshow {...} * NODE </pre>
<pre> \xmlsnippet {...} {...} 1 NODE 2 NUMMER </pre>
<pre> \xmlstartraw ... \xmlstopraw </pre>
<pre> \xmlstarttiming ... \xmlstoptiming </pre>
<pre> \xmlstrip {...} {...} 1 NODE 2 LPATH </pre>
<pre> \xmlstripanywhere {...} {...} 1 NODE 2 LPATH </pre>
<pre> \xmlstripeverything {...} {...} 1 NODE 2 LPATH </pre>
<pre> \xmlstripnolines {...} {...} 1 NODE 2 LPATH </pre>
<pre> \xmlstripped {...} {...} 1 NODE 2 LPATH </pre>
<pre> \xmlstrippednolines {...} {...} 1 NODE 2 LPATH </pre>
<pre> \xmltag {...} * NODE </pre>
<pre> \xmltexatt {...} {...} 1 NODE 2 NAME </pre>
<pre> \xmltexentity {...} {...} 1 NAME 2 TEXT </pre>
<pre> \xmltext {...} {...} 1 NODE 2 LPATH </pre>

\xmlobuffer {...} {...} {...} 1 NODE 2 LPATH 3 BUFFER
\xmlobuffertextonly {...} {...} {...} 1 NODE 2 LPATH 3 BUFFER
\xmlobufferverbose {...} {...} {...} 1 NODE 2 LPATH 3 BUFFER
\xmltofile {...} {...} {...} 1 NODE 2 LPATH 3 FILE
\xmltoparameters {...} * NODE
\xmlval {...} {...} {...} 1 CATEGORY 2 NAME 3 TEXT
\xmlvalue {...} {...} {...} 1 CATEGORY 2 NAME 3 TEXT
\xmlverbatim {...} * NODE
\xmlw {...} {...} 1 SETUP 2 NODE
\xsplitstring \... {...} 1 CSNAME 2 TEXT
\xypos {...} * NAME
\yddishnumerals {...} * NUMMER
\Znak {...} * NUMMER
\Znaky {...} * NUMMER
\zadnamezera
\zadnehorniadolniradky
\zadnezahlaviaupati

$\backslash zachovejbloky$ [... ¹ ,...] [... ² ,...] 1 NAME OPT 2 NAME
$\backslash zalozka$ [... ¹] {... ² .} 1 ABSCHNITT LISTE 2 TEXT
$\backslash zapisdoseznamu$ [... ¹] [... ² ,... ² ,...] {... ³ .} {... ⁴ .} 1 LISTE OPT 2 inherits: \nastavseznam 3 NUMMER 4 TEXT
$\backslash zapismeziseznam$ [... ¹] [... ² ,... ² ,...] {... ³ .} 1 LISTE OPT 2 inherits: \nastavseznam 3 BEFEHL
$\backslash zaramovani$ [... ¹ ,... ¹ ,...] {... ² .} 1 inherits: \nastavoramovani 2 CONTENT
$\backslash zarovnanonastred$ {... [*] .} * CONTENT
$\backslash zarovnanovlevo$ {... [*] .} * CONTENT
$\backslash zarovnanovpravo$ {... [*] .} * CONTENT
$\backslash zasobnikpoli$ [... ¹] [... ² ,...] [... ³ ,... ³ ,...] 1 NAME OPT OPT 2 NAME 3 inherits: \setupfieldcategory
$\backslash zeronumberconversion$ {... [*] .} * NUMMER
$\backslash ziskejbuffer$ [... [*] ,...] OPT * BUFFER
$\backslash ziskatBUFFER$
$\backslash ziskejznaceni$ [... ¹] [... ² .] [... ³ .] 1 BESCHRIFTUNG OPT OPT 2 stranka NAME NUMMER 3 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nocheck last:nocheck previous:nocheck next:nocheck top:nocheck bottom:nocheck
$\backslash FRACTION$ [... ¹ ,... ¹ ,...] {... ² .} {... ³ .} 1 inherits: \setupmathfractions OPT 2 CONTENT 3 CONTENT instances: xfrac xxfrac frac tfrac sfrac dfrac binom dbinom tbinom cfrac splitfrac splitdffrac vfrac relfraction bartext leftarrowtext rightarrowtext twoheadleftarrowtext twoheadrightarrowtext reltext equaltext mapstotext hookleftarrowtext hookrightarrowtext leftharpoonupdownarrowtext leftharpoonuptext rightharpoonupdownarrowtext rightharpoonuptext rightoverleftarrowtext lefttrightharpoonstext rightleftharpoonstext triplerelefttext leftrightarrowtext rightrightarrowtext Leftarrowtext Rightarrowtext Lefttrightharpoonstext Righttrightharpoonstext

$\backslash\text{bartext}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{binom}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{cfrac}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{dbinom}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{dfrac}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{equaltext}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{frac}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{hookleftarrowtext}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{hookrightarrowtext}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{Leftarrowtext}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{Leftrightarrowtext}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{leftarrowtext}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT
$\backslash\text{leftharpoonowdowntext}$ $[\dots,\dots,\overset{1}{=}\dots,\dots]$ $\{\dots\}$ $\{\dots\}$ 1 inherits: $\backslash\text{setupmathfractions}^{\text{OPT}}$ 2 CONTENT 3 CONTENT

\leftharpoonuptext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\leftrightharpoonuptext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\leftrightharpoonupstext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\mapstotext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\rightarrowtext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\rightarrowleftarrowtext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\relfraction $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\reltext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\rightarrowtext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
$\rightarrowharpoonowntext$ $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\rightarrowharpoonuptext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
\rightarrowleftarrowtext $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT
$\rightarrowleftharpoonupstext$ $[...,\overset{1}{=},...]$ $\{...\}$ $\{...\}$ 1 inherits: $\text{\setupmathfractions}$ ^{OPT} 2 CONTENT 3 CONTENT

$\backslash rightoverleftarrowtext$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash sfrac$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash splitdfrac$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash splitfrac$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash tbinom$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash tfrac$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash triplerelefttext$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash twoheadleftarrowtext$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash twoheadrightarrowtext$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash vfrac$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash xfrac$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash xxfrac$ [$\dots\overset{1}{=}\dots$] $\{.^2.\}$ $\{.^3.\}$ 1 inherits: $\backslash setupmathfractions$ <small>OPT</small> 2 CONTENT 3 CONTENT
$\backslash znaceni$ ($\dots\overset{1}{,}\dots$) ($\dots\overset{2}{,}\dots$) [$\dots\overset{3}{,}\dots$] 1 POSITION 2 POSITION 3 REFERENCE

\znak {...}

* NUMMER

\znaky {...}

* NUMMER

\zpracujbloky [...,¹...] [...,²...] [...,³...,...]

1 NAME

OPT

OPT

2 NAME

3 kriterium = text ABSCHNITT

\zrcadlit {...}

* CONTENT

\zref [...]

* REFERENCE

\zvysit \...

* CSNAME

\zvysit (...,*...)

* CSNAME NUMMER



PRAGMA ADE
Ridderstraat 27
8061GH Hasselt NL
www.pragma-ade.com